1.9

Length of Stay by Diagnosis, Western Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institut-tions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1983

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — see Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — see Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1646	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.5	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167182	2.4	7	1	1	2	3	4	5	10
20-34	89264	2.8	13	<1	1	2	3	5	7	19
35-49	27067	4.2	24	1	1	3	5	9	12	26
50-64	20214	4.6	24	1	1	3	6	9	12	26
65+	21409	5.1	24	1	1	4	7	10	13	25
B. *Operated*										
0-19 YRS	59481	2.5	8	<1	<1	2	3	5	7	14
20-34	119489	2.9	6	<1	1	2	4	5	7	12
35-49	51532	3.7	13	<1	<1	3	5	8	10	17
50-64	44781	4.2	18	<1	1	3	6	9	12	19
65+	46719	4.9	26	<1	1	3	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121878	3.9	28	1	1	3	4	6	10	29
20-34	63053	5.0	42	1	1	3	5	10	18	32
35-49	55138	5.7	41	1	1	4	7	12	18	31
50-64	89986	6.0	38	1	1	4	7	12	17	31
65+	200918	7.3	45	1	2	5	9	14	19	35
B. *Operated*										
0-19 YRS	46949	5.2	78	<1	1	2	5	11	20	55
20-34	127082	4.5	29	1	1	3	5	8	11	30
35-49	79105	6.1	46	1	1	5	7	11	17	36
50-64	95606	7.7	74	1	1	5	10	16	23	47
65+	148184	9.9	100	1	2	7	13	21	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325136	3.0	13	<1	1	2	3	5	8	18
B. *Operated*	322002	3.4	13	<1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	530973	5.9	41	1	1	4	7	12	17	32
B. *Operated*	496926	7.1	71	1	1	5	8	15	22	46
1. SINGLE DX	647138	3.2	13	<1	1	2	4	6	9	18
2. MULTIPLE DX	1027899	6.4	56	1	1	4	8	14	20	39
A. NOT OPERATED	856109	4.8	32	1	1	3	5	10	14	29
B. OPERATED	818928	5.6	51	<1	1	3	7	12	18	38
TOTAL 0-19 YRS	395490	3.2	23	<1	1	2	3	5	8	24
20-34	398888	3.7	22	<1	1	3	4	7	10	25
35-49	212842	5.2	35	<1	1	4	6	10	15	30
50-64	250587	6.2	49	1	1	4	8	13	18	36
65+	417230	7.8	64	1	2	5	10	16	22	42
GRAND TOTAL	**1675037**	**5.2**	**42**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51277	2.9	19	<1	1	2	3	5	7	22
20-34	89264	2.8	13	<1	1	2	3	5	7	19
35-49	27067	4.2	24	1	1	3	5	9	12	26
50-64	20214	4.6	24	1	1	3	6	9	12	26
65+	21409	5.1	24	1	1	4	7	10	13	25
B. *Operated*										
0-19 YRS	59433	2.5	8	<1	<1	2	3	5	7	13
20-34	119489	2.9	6	<1	1	2	4	5	7	12
35-49	51532	3.7	13	<1	<1	3	5	8	10	17
50-64	44781	4.2	18	<1	1	3	6	9	12	19
65+	46719	4.9	26	<1	1	3	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54458	4.3	46	1	1	3	4	8	13	40
20-34	63053	5.0	42	1	1	3	5	10	18	32
35-49	55138	5.7	41	1	1	4	7	12	18	31
50-64	89986	6.0	38	1	1	4	7	12	17	31
65+	200918	7.3	45	1	2	5	9	14	19	35
B. *Operated*										
0-19 YRS	43663	4.4	47	<1	<1	2	5	9	14	39
20-34	127082	4.5	29	1	1	3	5	8	11	30
35-49	79105	6.1	46	1	1	5	7	11	17	36
50-64	95606	7.7	74	1	1	5	10	16	23	47
65+	148184	9.9	100	1	2	7	13	21	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209231	3.4	19	<1	1	2	4	7	10	22
B. *Operated*	321954	3.4	13	<1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	463553	6.2	44	1	1	4	8	13	18	33
B. *Operated*	493640	7.0	68	1	1	5	8	15	22	45
1. SINGLE DX	531185	3.4	15	<1	1	2	4	7	10	19
2. MULTIPLE DX	957193	6.6	57	1	1	4	8	14	20	40
A. NOT OPERATED	672784	5.3	38	1	1	3	6	11	16	31
B. OPERATED	815594	5.6	50	<1	1	3	7	12	17	37
TOTAL 0-19 YRS	208831	3.5	29	<1	1	2	4	6	10	29
20-34	398888	3.7	22	<1	1	3	4	7	10	25
35-49	212842	5.2	35	<1	1	4	6	10	15	30
50-64	250587	6.2	49	1	1	4	8	13	18	36
65+	417230	7.8	64	1	2	5	10	16	22	42
GRAND TOTAL	**1488378**	**5.5**	**44**	**1**	**1**	**3**	**6**	**12**	**17**	**34**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1096	2.6	5	1	1	2	3	4	5	11
20-34	578	2.8	4	1	1	2	3	5	6	11
35-49	271	3.0	5	1	1	3	4	5	7	12
50-64	145	3.1	4	1	1	3	4	6	7	10
65+	145	3.5	9	1	1	3	4	7	9	13
B. *Operated*										
0-19 YRS	50	4.7	37	1	2	3	5	8	10	43
20-34	67	3.9	9	1	1	3	5	7	9	19
35-49	30	4.4	15	<1	1	3	5	10	15	16
50-64	16	6.6	25	2	2	5	10	11	18	21
65+	8	5.3	4	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1913	3.1	7	1	1	3	4	5	7	14
20-34	786	3.1	6	1	1	3	4	6	7	12
35-49	443	3.8	11	1	1	3	5	7	9	15
50-64	517	3.9	9	1	1	3	5	7	9	14
65+	970	5.3	28	1	2	4	6	9	13	23
B. *Operated*										
0-19 YRS	75	7.4	111	1	2	4	7	15	32	60
20-34	76	5.4	20	1	2	4	6	12	15	23
35-49	64	8.0	42	2	2	6	10	16	19	35
50-64	54	10.4	186	2	2	5	9	28	50	61
65+	115	8.7	102	1	2	6	9	17	24	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2235	2.8	5	1	1	2	3	5	6	12
B. *Operated*	171	4.5	20	1	1	3	5	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	4629	3.7	12	1	1	3	4	7	9	16
B. *Operated*	384	7.9	91	1	2	5	8	15	25	58
1. SINGLE DX	2406	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	5013	4.0	19	1	1	3	5	7	10	20
A. NOT OPERATED	6864	3.4	10	1	1	3	4	6	8	15
B. OPERATED	555	6.8	71	1	2	4	7	14	19	50
TOTAL 0-19 YRS	3134	3.1	10	1	1	2	4	5	7	15
20-34	1507	3.1	6	1	1	2	4	6	7	13
35-49	808	3.9	13	1	1	3	5	7	10	17
50-64	732	4.2	24	1	1	3	5	8	10	22
65+	1238	5.4	33	1	2	4	6	10	14	26
GRAND TOTAL	**7419**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.8	100	2	2	3	5	21	35	35
20-34	20	11.5	84	2	3	9	12	25	34	39
35-49	16	7.2	31	1	1	7	10	17	17	17
50-64	12	10.5	101	1	2	5	18	27	30	30
65+	14	10.6	134	1	2	8	10	32	40	42
B. *Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	13	7.7	28	1	3	6	10	18	18	18
35-49	10	6.3	14	1	1	6	9	11	12	12
50-64	9	7.9	18	1	2	9	11	13	13	13
65+	11	5.4	8	1	2	5	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	9.0	38	3	3	9	11	17	23	23
20-34	16	11.4	172	1	2	8	11	19	46	57
35-49	29	9.1	24	3	3	7	12	17	18	20
50-64	30	13.1	146	2	2	10	17	29	33	55
65+	60	12.2	98	2	2	10	17	23	30	54
B. *Operated*										
0-19 YRS	3	8.7	12	5	5	9	11	12	12	12
20-34	20	14.3	122	2	3	12	20	36	72	99+
35-49	19	8.9	21	2	4	9	12	15	18	20
50-64	39	13.4	152	2	5	10	17	24	28	76
65+	58	14.1	114	2	2	11	19	31	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	9.5	86	1	2	7	11	23	31	41
B. *Operated*	47	6.5	17	1	1	6	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	145	11.4	97	2	3	9	14	23	30	56
B. *Operated*	139	13.1	113	2	3	10	17	26	33	78
1. SINGLE DX	119	8.3	60	1	2	6	10	17	28	40
2. MULTIPLE DX	284	12.3	105	2	3	10	16	23	32	57
A. NOT OPERATED	217	10.8	94	2	3	8	13	23	31	55
B. OPERATED	186	11.5	96	1	2	9	15	23	29	66
TOTAL 0-19 YRS	27	7.3	52	2	3	5	10	12	25	35
20-34	69	11.5	105	1	3	9	16	23	39	91
35-49	74	8.2	24	1	2	8	12	15	18	20
50-64	90	12.4	130	1	3	10	15	26	30	68
65+	143	12.3	105	2	2	9	16	26	33	50
GRAND TOTAL	**403**	**11.1**	**95**	**2**	**3**	**9**	**14**	**23**	**30**	**55**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	2	8.5	85	2	2	8	15	15	15	15
65+	2	13.0	50	8	8	13	18	18	18	18
B. *Operated*										
0-19 YRS	6	2.5	14	<1	<1	1	1	9	10	10
20-34	3	11.3	4	9	9	12	13	13	13	13
35-49	11	8.5	82	1	1	5	14	24	25	25
50-64	7	5.0	13	2	2	4	9	10	10	10
65+	4	10.5	58	3	3	10	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	5	17.6	467	<1	<1	4	34	51	51	51
35-49	1	3.0		3	3	3	3	3	3	3
50-64	8	10.1	96	3	3	7	11	27	33	33
65+	12	15.2	174	3	3	10	18	41	42	42
B. *Operated*										
0-19 YRS	8	8.1	115	<1	1	3	10	27	32	32
20-34	11	21.5	775	1	3	8	32	72	81	82
35-49	8	15.4	125	6	6	11	21	34	38	38
50-64	15	17.1	217	1	3	15	30	35	45	49
65+	16	18.6	501	2	3	14	21	27	76	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	7.7	54	<1	<1	5	15	18	18	18
B. *Operated*	31	7.1	47	<1	<1	5	10	17	24	25
2. MULTIPLE DX										
A. *Not Operated*	28	13.0	183	1	3	8	17	38	43	51
B. *Operated*	58	16.9	367	1	3	10	22	36	59	96
1. SINGLE DX	37	7.2	47	<1	<1	5	11	17	22	25
2. MULTIPLE DX	86	15.6	308	1	3	9	21	37	49	92
A. NOT OPERATED	34	12.0	162	<1	2	8	17	34	42	51
B. OPERATED	89	13.4	276	1	1	8	18	32	39	91
TOTAL 0-19 YRS	17	5.4	64	<1	<1	2	5	15	26	32
20-34	20	18.0	536	<1	1	8	23	58	73	82
35-49	20	11.0	104	1	1	7	15	25	32	38
50-64	32	12.2	150	2	2	7	17	33	35	49
65+	34	16.1	300	3	3	12	18	28	42	97
GRAND TOTAL	**123**	**13.1**	**243**	**1**	**1**	**8**	**17**	**32**	**41**	**86**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.3	2	1	1	2	3	4	4	7
20-34	53	2.5	1	1	1	2	3	4	5	6
35-49	8	3.3	2	1	1	3	4	5	5	5
50-64	3	4.3	5	3	3	3	6	7	7	7
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	26	1.7	1	<1	<1	1	2	3	4	5
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	2.6	3	1	1	2	3	5	6	9
20-34	81	3.0	2	1	1	3	4	5	6	8
35-49	37	3.6	3	1	2	3	4	7	7	9
50-64	21	5.0	11	1	2	4	7	9	12	14
65+	18	4.1	4	2	2	4	4	8	9	9
B. *Operated*										
0-19 YRS	25	3.3	17	<1	1	2	4	7	11	20
20-34	6	3.5	4	1	1	3	5	6	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.4	2	1	1	2	3	4	5	7
B. *Operated*	31	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	353	3.0	4	1	1	2	4	6	7	9
B. *Operated*	36	3.1	13	<1	1	2	4	7	8	20
1. SINGLE DX	184	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	389	3.0	5	1	1	2	4	6	7	10
A. NOT OPERATED	506	2.8	3	1	1	2	3	5	7	9
B. OPERATED	67	2.5	8	<1	1	2	3	5	7	18
TOTAL 0-19 YRS	335	2.5	4	1	1	2	3	5	6	9
20-34	145	2.8	2	1	1	2	3	5	6	7
35-49	47	3.4	3	1	1	3	4	6	7	9
50-64	27	4.6	10	1	2	3	7	9	11	14
65+	19	4.1	4	2	2	3	4	8	9	9
GRAND TOTAL	**573**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	4.6	13	1	2	3	6	10	12	15
20-34	12	5.6	26	1	2	4	6	12	19	20
35-49	7	6.3	33	1	1	5	8	16	18	18
50-64	9	6.9	15	3	3	5	10	13	14	14
65+	28	6.8	19	2	2	6	9	14	17	17
B. *Operated*										
0-19 YRS	4	8.5	19	2	2	10	11	11	11	11
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64										
65+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	346	5.4	16	1	2	4	7	10	12	18
20-34	82	8.4	70	2	3	6	9	17	27	43
35-49	115	9.5	71	2	3	7	12	17	22	53
50-64	298	10.4	64	3	4	8	11	19	26	45
65+	1071	11.3	60	3	4	10	14	20	25	44
B. *Operated*										
0-19 YRS	37	14.5	181	3	4	11	15	37	50	55
20-34	29	13.3	101	2	4	12	19	31	45	99+
35-49	36	17.1	300	4	5	10	22	42	44	91
50-64	101	21.5	261	5	6	15	30	46	59	87
65+	287	21.1	223	6	8	17	26	44	59	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	5.0	15	1	2	4	7	10	12	18
B. *Operated*	10	7.4	15	2	2	8	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1912	9.8	59	2	3	8	12	18	23	41
B. *Operated*	490	19.9	231	5	6	15	26	43	56	84
1. SINGLE DX	292	5.1	15	1	2	4	7	11	12	18
2. MULTIPLE DX	2402	11.9	110	3	3	9	14	23	34	60
A. NOT OPERATED	2194	9.2	56	2	3	8	11	17	22	40
B. OPERATED	500	19.7	230	5	6	15	26	43	56	83
TOTAL 0-19 YRS	613	5.7	30	1	2	4	7	11	13	31
20-34	125	9.2	77	2	3	6	12	21	29	58
35-49	160	11.0	129	2	3	7	13	20	32	56
50-64	408	13.1	135	3	5	9	15	30	39	63
65+	1388	13.2	110	3	5	10	16	24	35	62
GRAND TOTAL	**2694**	**11.2**	**104**	**2**	**3**	**9**	**13**	**22**	**33**	**59**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	5.7	14	1	2	5	9	11	12	15
20-34	41	4.2	8	1	1	3	6	10	10	11
35-49	28	6.0	17	2	3	5	7	12	15	20
50-64	12	4.3	15	1	1	4	4	9	15	16
65+	8	8.8	12	4	4	10	11	12	12	12
B. *Operated*										
0-19 YRS	16	8.0	156	<1	1	4	8	15	41	52
20-34	8	5.4	12	1	1	7	8	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	5	5.4	27	<1	<1	4	8	14	14	14
65+	9	15.3	105	3	4	15	23	29	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	7.1	35	2	3	6	9	13	14	38
20-34	60	4.7	14	1	2	4	6	11	15	16
35-49	45	7.6	35	1	2	6	10	17	20	25
50-64	71	7.4	29	2	3	5	10	15	18	26
65+	107	8.6	56	2	3	7	10	16	22	40
B. *Operated*										
0-19 YRS	32	11.1	99	1	2	9	15	25	34	41
20-34	19	16.9	219	2	3	13	27	44	45	46
35-49	25	14.0	127	3	3	10	22	29	38	43
50-64	25	17.6	485	2	3	10	20	44	67	99
65+	43	20.8	338	5	6	14	24	53	65	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	5.5	14	1	2	4	8	11	12	16
B. *Operated*	38	8.6	101	<1	1	6	10	20	29	52
2. MULTIPLE DX										
A. *Not Operated*	406	7.2	37	2	2	5	9	14	17	33
B. *Operated*	144	16.4	264	2	3	11	22	37	47	76
1. SINGLE DX	256	6.0	28	1	2	4	8	11	14	27
2. MULTIPLE DX	550	9.6	113	2	2	7	11	20	30	57
A. NOT OPERATED	624	6.6	30	1	2	5	9	13	15	28
B. OPERATED	182	14.8	240	1	2	10	19	34	45	73
TOTAL 0-19 YRS	300	7.0	41	1	2	5	10	13	15	38
20-34	128	6.4	61	1	2	4	7	14	18	44
35-49	99	8.7	62	2	3	6	11	20	26	40
50-64	113	9.3	146	2	2	5	11	17	28	72
65+	166	12.1	155	3	3	8	14	25	34	68
GRAND TOTAL	**806**	**8.5**	**89**	**1**	**2**	**6**	**10**	**16**	**25**	**51**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	617	3.0	3	1	1	3	4	5	6	9
20-34	480	3.2	4	1	1	3	4	6	7	10
35-49	83	3.7	5	1	2	3	5	6	9	11
50-64	12	3.6	8	1	1	3	4	9	10	10
65+	5	5.8	8	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS	26	3.0	1	1	1	3	4	4	5	5
20-34	36	2.9	3	1	2	2	4	5	6	9
35-49	6	3.3	3	2	2	3	4	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	3.7	7	1	2	3	4	6	8	10
20-34	212	4.1	8	1	1	3	5	7	8	22
35-49	55	5.2	14	2	2	4	6	10	13	20
50-64	19	9.7	218	2	2	6	9	17	45	68
65+	20	9.9	41	2	3	9	12	18	25	28
B. *Operated*										
0-19 YRS	20	6.1	13	2	2	5	8	12	13	13
20-34	22	5.7	13	1	2	5	7	9	13	18
35-49	6	5.0	6	4	4	4	4	9	10	10
50-64	3	6.7	2	5	5	7	8	8	8	8
65+	3	7.3	14	3	3	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1197	3.1	4	1	1	3	4	5	7	10
B. *Operated*	69	3.0	2	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	557	4.4	18	1	2	3	5	7	10	23
B. *Operated*	54	5.9	11	2	2	5	8	10	13	18
1. SINGLE DX	1266	3.1	3	1	1	3	4	5	7	10
2. MULTIPLE DX	611	4.5	18	1	2	4	5	8	10	21
A. NOT OPERATED	1754	3.5	9	1	1	3	4	6	8	12
B. OPERATED	123	4.3	8	1	2	4	5	8	10	15
TOTAL 0-19 YRS	914	3.2	4	1	1	3	4	5	7	10
20-34	750	3.5	6	1	1	3	4	6	8	12
35-49	150	4.3	9	1	2	4	5	8	10	16
50-64	35	7.3	126	1	2	5	7	10	17	68
65+	28	8.9	34	2	3	8	11	13	23	28
GRAND TOTAL	**1877**	**3.6**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.1	5	1	1	3	4	6	8	11
20-34	54	4.8	8	1	2	4	6	9	11	14
35-49	23	4.2	5	1	1	4	6	7	9	10
50-64	27	4.0	8	1	1	4	5	8	9	12
65+	87	5.9	24	1	2	5	7	11	14	29
B. *Operated*										
0-19 YRS	8	3.4	27	<1	<1	<1	3	12	16	16
20-34	14	2.4	8	<1	<1	<1	2	7	9	10
35-49	7	4.9	20	<1	<1	4	7	12	13	13
50-64	6	5.3	37	<1	<1	3	7	16	17	17
65+	9	6.2	8	3	3	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	268	3.7	7	1	1	3	4	7	9	13
20-34	97	5.3	10	2	2	5	7	9	11	18
35-49	61	6.9	24	2	3	6	8	13	16	27
50-64	155	7.1	43	2	2	6	8	13	17	44
65+	509	8.4	62	2	3	6	10	17	21	43
B. *Operated*										
0-19 YRS	18	8.3	55	1	1	5	13	22	24	24
20-34	18	10.5	207	<1	1	5	10	35	49	53
35-49	12	4.8	16	1	1	4	6	10	15	16
50-64	34	8.8	47	1	1	7	11	16	20	37
65+	76	17.6	307	3	4	11	20	42	54	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	4.3	12	1	1	3	6	8	10	17
B. *Operated*	44	4.1	18	<1	<1	2	6	10	14	17
2. MULTIPLE DX										
A. *Not Operated*	1090	6.7	43	1	2	5	8	12	18	37
B. *Operated*	158	12.9	209	1	2	8	16	36	44	71
1. SINGLE DX	358	4.3	13	<1	1	3	6	8	11	17
2. MULTIPLE DX	1248	7.5	68	1	2	5	8	15	20	45
A. NOT OPERATED	1404	6.2	37	1	2	5	7	11	17	33
B. OPERATED	202	11.0	180	<1	1	7	12	23	41	68
TOTAL 0-19 YRS	417	3.7	10	1	1	3	4	7	10	16
20-34	183	5.5	31	<1	1	4	7	10	12	35
35-49	103	5.9	19	1	2	5	7	11	15	25
50-64	222	6.9	40	1	2	6	8	13	17	39
65+	681	9.1	93	2	3	6	10	18	25	55
GRAND TOTAL	**1606**	**6.8**	**57**	**1**	**2**	**5**	**8**	**13**	**18**	**42**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	4.5	15	1	1	4	5	9	11	23
20-34	171	4.7	8	1	2	4	6	8	10	14
35-49	58	5.4	16	1	2	4	7	11	15	17
50-64	34	6.1	14	1	2	6	8	11	13	18
65+	14	5.3	4	2	2	5	7	8	8	8
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	5.2	14	1	1	5	8	10	11	11
35-49	12	2.8	6	<1	<1	2	4	6	9	9
50-64	8	6.4	25	1	1	7	10	13	14	14
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.9	10	1	2	4	7	8	10	18
20-34	136	5.4	17	2	2	4	6	11	12	25
35-49	60	6.7	23	2	2	6	9	14	15	22
50-64	60	6.3	18	2	2	5	8	12	16	20
65+	69	8.1	36	1	2	7	11	14	17	37
B. *Operated*										
0-19 YRS	3	9.0	43	2	2	10	14	15	15	15
20-34	23	8.3	34	1	3	8	10	16	22	27
35-49	9	7.9	51	2	3	6	13	62	99+	99+
50-64	16	9.8	41	1	1	10	15	18	19	20
65+	21	11.4	142	1	2	8	15	19	37	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	5.0	11	1	2	4	6	9	11	17
B. *Operated*	35	4.2	14	1	1	3	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	367	6.2	22	2	2	5	8	12	15	24
B. *Operated*	72	9.5	68	1	2	8	14	18	24	90
1. SINGLE DX	368	4.9	11	1	1	4	6	9	11	17
2. MULTIPLE DX	439	6.7	31	2	2	5	9	13	17	27
A. NOT OPERATED	700	5.6	17	1	2	4	7	11	13	19
B. OPERATED	107	7.8	56	1	1	6	11	16	20	75
TOTAL 0-19 YRS	103	4.7	13	1	1	4	6	9	11	21
20-34	340	5.2	14	1	2	4	7	10	12	20
35-49	139	5.9	21	1	2	4	8	13	15	32
50-64	118	6.7	21	1	2	6	9	14	17	20
65+	107	8.2	55	1	2	6	11	15	18	47
GRAND TOTAL	**807**	**5.9**	**23**	**1**	**2**	**4**	**8**	**12**	**15**	**24**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	3.5	4	1	2	3	4	6	7	10
20-34	58	3.4	3	1	1	3	5	5	7	10
35-49	11	5.4	6	3	3	4	7	9	11	11
50-64	2	6.5	13	4	4	6	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	7	7.0	49	<1	<1	5	11	19	20	20
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	230	3.5	8	1	1	3	4	6	7	11
20-34	94	4.0	4	1	2	3	5	7	8	10
35-49	19	5.0	8	1	2	5	6	8	11	14
50-64	3	10.0	192	2	2	2	20	26	26	26
65+	3	5.7	16	2	2	5	9	10	10	10
B. *Operated*										
0-19 YRS	14	4.4	12	1	2	4	5	7	13	15
20-34	5	11.6	150	2	2	7	20	31	31	31
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	3.6	4	1	2	3	5	6	7	10
B. *Operated*	9	6.3	39	<1	1	4	8	17	20	20
2. MULTIPLE DX										
A. *Not Operated*	349	3.8	9	1	2	3	4	7	8	11
B. *Operated*	22	6.9	52	1	2	4	7	17	24	31
1. SINGLE DX	248	3.7	5	1	2	3	5	7	7	11
2. MULTIPLE DX	371	4.0	12	1	2	3	5	7	9	18
A. NOT OPERATED	588	3.7	7	1	2	3	4	6	8	11
B. OPERATED	31	6.7	47	1	2	4	7	17	20	31
TOTAL 0-19 YRS	419	3.6	7	1	1	3	4	6	7	12
20-34	158	4.0	9	1	2	3	5	7	8	16
35-49	32	5.1	7	2	3	4	6	8	11	14
50-64	6	10.3	100	2	2	6	19	25	26	26
65+	4	6.0	11	2	2	6	8	10	10	10
GRAND TOTAL	**619**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**8**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	59	1.4	1	<1	<1	1	1	2	3	5
20-34	235	1.6	1	<1	<1	1	2	3	4	5
35-49	67	1.7	2	<1	<1	1	2	3	4	8
50-64	13	1.8	1	<1	<1	2	2	3	4	4
65+	5	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	12	3.0	23	<1	<1	1	2	8	17	18
20-34	58	3.0	23	<1	<1	2	3	5	6	33
35-49	25	3.4	6	<1	<1	3	5	7	8	9
50-64	8	4.4	46	<1	<1	2	3	16	21	21
65+	7	2.6	5	<1	<1	2	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	379	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	5	1.4		1	1	1	2	2	2	2
B. *Operated*	110	3.1	19	<1	<1	2	3	6	7	26
1. SINGLE DX	381	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	115	3.1	18	<1	<1	2	3	6	7	26
A. NOT OPERATED	7	1.6	1	<1	<1	1	2	3	3	3
B. OPERATED	489	2.0	5	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	74	1.6	4	<1	<1	1	2	2	4	15
20-34	296	1.9	5	<1	<1	1	2	3	4	6
35-49	92	2.2	3	<1	<1	1	3	5	6	9
50-64	22	2.7	17	<1	<1	2	3	4	11	21
65+	12	2.2	3	<1	<1	2	3	4	7	7
GRAND TOTAL	**496**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	812	2.5	2	1	1	2	3	4	5	7
20-34	246	2.9	3	1	1	2	4	5	6	8
35-49	108	3.9	9	1	1	3	4	8	11	15
50-64	64	3.4	3	1	1	3	5	6	7	10
65+	48	3.6	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	62	2.7	4	<1	1	2	3	4	5	14
20-34	30	4.3	37	<1	<1	2	4	8	22	28
35-49	13	3.0	14	<1	<1	2	3	6	13	15
50-64	10	2.9	2	1	1	3	3	5	6	6
65+	5	8.0	94	2	2	3	11	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	955	2.9	7	1	1	2	3	5	6	9
20-34	455	3.5	16	1	1	3	4	6	9	17
35-49	278	4.0	25	1	1	3	4	7	9	18
50-64	308	4.2	9	1	1	4	5	8	10	14
65+	535	5.3	17	2	2	4	6	10	13	24
B. *Operated*										
0-19 YRS	65	4.3	11	1	1	3	6	8	12	17
20-34	63	6.3	65	1	1	4	7	12	23	45
35-49	37	7.4	37	2	2	5	10	18	20	27
50-64	34	11.3	219	2	3	6	12	23	39	79
65+	48	11.5	232	2	2	6	11	30	58	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	2.8	3	1	1	2	3	5	6	10
B. *Operated*	120	3.4	17	<1	1	2	3	5	9	26
2. MULTIPLE DX										
A. *Not Operated*	2531	3.8	14	1	1	3	4	7	9	16
B. *Operated*	247	7.6	107	1	2	4	8	17	26	64
1. SINGLE DX	1398	2.8	5	1	1	2	3	5	6	11
2. MULTIPLE DX	2778	4.1	23	1	1	3	5	7	10	22
A. NOT OPERATED	3809	3.4	10	1	1	3	4	6	8	15
B. OPERATED	367	6.2	81	1	1	3	6	13	21	55
TOTAL 0-19 YRS	1894	2.8	5	1	1	2	3	4	6	9
20-34	794	3.5	17	1	1	3	4	6	9	21
35-49	436	4.2	23	1	1	3	5	8	11	20
50-64	416	4.6	28	1	1	4	5	8	11	22
65+	636	5.6	36	1	2	4	6	10	14	30
GRAND TOTAL	**4176**	**3.7**	**17**	**1**	**1**	**3**	**4**	**7**	**9**	**20**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	1	1	1	2	3	3	3	3
20-34	18	2.8	2	<1	1	3	3	5	6	6
35-49	5	3.4	2	1	1	4	4	5	5	5
50-64	6	3.7	2	2	2	3	4	6	6	6
65+	2	8.0	8	6	6	8	10	10	10	10
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	5	<1	<1	2	4	6	8	8
20-34	16	4.7	6	1	2	4	6	7	9	10
35-49	10	6.3	10	2	2	7	9	10	11	11
50-64	5	5.2	14	2	2	3	8	11	11	11
65+	3	3.7	9	<1	<1	3	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64										
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.1	3	1	1	3	4	5	6	10
B. *Operated*	4	2.5	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	44	4.6	8	1	1	4	7	9	10	11
B. *Operated*	6	5.7	5	3	3	5	7	9	9	9
1. SINGLE DX	43	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX	50	4.8	8	1	1	4	7	9	10	11
A. NOT OPERATED	83	3.9	6	1	1	3	5	8	9	11
B. OPERATED	10	4.4	6	1	1	4	6	8	9	9
TOTAL 0-19 YRS	20	2.6	3	<1	1	2	3	4	6	8
20-34	37	3.8	4	1	1	3	5	7	7	10
35-49	18	5.5	9	1	2	5	8	9	10	11
50-64	11	4.4	7	2	2	3	6	9	11	11
65+	7	4.7	10	<1	<1	4	7	9	10	10
GRAND TOTAL	**93**	**4.0**	**6**	**1**	**1**	**3**	**5**	**8**	**9**	**11**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.6	7	2	2	4	5	7	12	14
20-34	96	4.3	7	2	2	4	5	7	10	15
35-49	14	4.3	8	1	1	4	6	8	10	10
50-64	7	5.7	32	<1	<1	4	11	14	14	14
65+	3	6.3	4	4	4	7	8	8	8	8
B. *Operated*										
0-19 YRS	12	3.9	4	<1	<1	4	5	6	7	7
20-34	46	3.2	5	<1	<1	2	5	7	8	10
35-49	10	3.4	19	<1	<1	1	3	11	14	14
50-64	3	2.3		2	2	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.9	6	1	2	4	6	9	10	11
20-34	80	5.0	10	2	2	4	5	9	12	17
35-49	27	5.1	16	1	2	4	7	9	11	20
50-64	12	7.1	36	1	1	5	10	15	21	22
65+	11	13.6	208	4	4	8	16	35	51	53
B. *Operated*										
0-19 YRS	14	5.1	29	<1	<1	3	6	13	18	19
20-34	31	6.8	63	1	1	5	8	14	30	35
35-49	10	10.0	217	1	1	6	9	30	51	51
50-64	5	14.6	262	2	2	13	20	42	42	42
65+	8	22.0	445	1	2	15	39	52	57	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	4.5	8	1	2	4	6	7	12	14
B. *Operated*	72	3.3	7	<1	<1	2	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	178	5.7	27	1	2	4	7	10	13	23
B. *Operated*	68	9.3	153	1	1	5	10	29	40	56
1. SINGLE DX	255	4.2	8	<1	1	4	5	7	10	14
2. MULTIPLE DX	246	6.7	64	1	2	5	7	12	19	51
A. NOT OPERATED	361	5.1	18	1	2	4	6	9	12	20
B. OPERATED	140	6.2	86	<1	<1	4	6	12	27	52
TOTAL 0-19 YRS	137	4.7	9	1	2	4	6	9	11	15
20-34	253	4.6	15	1	1	4	5	8	11	18
35-49	61	5.4	48	<1	1	3	7	9	12	48
50-64	27	7.6	77	<1	1	5	12	14	25	42
65+	23	15.0	274	1	3	7	21	43	54	57
GRAND TOTAL	**501**	**5.4**	**37**	**1**	**1**	**4**	**6**	**10**	**13**	**39**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	7	<1	<1	3	4	7	10	10
20-34	12	5.4	9	<1	2	4	7	10	12	12
35-49	4	6.8	24	2	2	6	10	13	13	13
50-64	5	6.6	13	2	2	7	10	10	10	10
65+	9	6.7	23	<1	<1	5	10	13	14	14
B. *Operated*										
0-19 YRS	7	2.7	4	<1	<1	2	4	6	6	6
20-34	6	5.5	9	1	1	5	7	10	10	10
35-49	24	6.1	20	<1	1	5	8	14	15	15
50-64	27	9.7	119	<1	1	6	11	23	35	50
65+	20	8.3	17	1	3	8	10	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.2	22	<1	<1	3	5	11	15	25
20-34	35	7.6	115	1	2	5	7	11	30	59
35-49	27	8.4	93	1	1	6	10	15	24	51
50-64	29	10.1	237	1	2	6	10	18	38	81
65+	72	7.8	41	<1	<1	6	11	16	21	30
B. *Operated*										
0-19 YRS	7	16.6	496	<1	<1	8	28	55	60	60
20-34	15	13.7	204	1	1	8	25	38	42	44
35-49	37	12.2	128	1	3	9	16	26	33	56
50-64	66	12.8	174	2	2	9	14	26	37	72
65+	70	14.5	213	1	2	12	18	33	49	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	5.5	14	<1	1	4	8	11	13	14
B. *Operated*	84	7.4	52	<1	1	6	10	14	17	44
2. MULTIPLE DX										
A. *Not Operated*	218	7.2	83	<1	<1	5	9	15	20	54
B. *Operated*	195	13.5	189	1	2	9	16	29	44	83
1. SINGLE DX	124	6.8	40	<1	1	5	9	14	15	37
2. MULTIPLE DX	413	10.2	142	<1	1	6	12	23	34	65
A. NOT OPERATED	258	7.0	72	<1	<1	5	9	14	18	50
B. OPERATED	279	11.7	155	1	1	8	14	26	37	70
TOTAL 0-19 YRS	79	5.1	68	<1	<1	3	5	11	16	52
20-34	68	8.4	112	1	1	5	8	21	36	56
35-49	92	9.3	89	1	1	7	11	19	26	54
50-64	127	11.3	170	1	2	8	13	23	33	76
65+	171	10.5	118	<1	1	8	14	21	30	82
GRAND TOTAL	**537**	**9.4**	**121**	**<1**	**1**	**6**	**11**	**20**	**29**	**59**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	2.8	3	1	1	2	4	5	5	5
50-64	3	6.0	12	4	4	4	9	10	10	10
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	9	5.6	22	2	2	3	7	14	16	16
20-34	3	4.7	10	1	1	6	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.0	18	1	1	4	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.4	126	1	1	3	4	25	34	34
20-34	9	3.8	3	2	2	3	5	6	7	7
35-49	8	4.8	11	1	1	4	6	10	11	11
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	4	4.0	2	3	3	4	5	6	6	6
20-34	12	8.8	142	<1	2	6	7	20	42	46
35-49	6	6.5	23	1	1	7	11	12	12	12
50-64	3	21.0	511	6	6	10	38	47	47	47
65+	3	6.3	2	5	5	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.2	15	1	1	3	4	10	14	15
B. *Operated*	15	4.9	17	1	1	3	7	10	14	16
2. MULTIPLE DX										
A. *Not Operated*	28	5.0	38	1	1	4	5	8	13	34
B. *Operated*	28	8.7	122	1	2	6	8	12	46	47
1. SINGLE DX	29	4.6	15	1	1	3	6	10	15	16
2. MULTIPLE DX	56	6.8	82	1	1	5	7	11	27	47
A. NOT OPERATED	42	4.7	30	1	1	3	5	9	13	34
B. OPERATED	43	7.3	87	1	1	6	8	11	26	47
TOTAL 0-19 YRS	24	5.2	48	1	1	3	5	11	21	34
20-34	26	6.1	71	1	1	5	6	8	16	46
35-49	20	4.6	13	1	1	4	7	11	12	12
50-64	10	10.0	178	1	2	6	10	29	47	47
65+	5	7.8	18	5	5	6	10	15	15	15
GRAND TOTAL	**85**	**6.0**	**60**	**1**	**1**	**4**	**6**	**10**	**15**	**47**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.9	9	1	1	4	7	9	10	10
20-34	10	3.0	2	<1	<1	3	4	5	5	5
35-49	18	4.2	4	1	2	4	5	7	8	9
50-64	3	4.3		4	4	4	5	5	5	5
65+	2	6.0	18	3	3	6	9	9	9	9
B. *Operated*										
0-19 YRS	5	5.0	6	1	1	6	6	7	7	7
20-34	38	2.8	5	<1	<1	2	4	6	7	9
35-49	33	3.3	7	1	1	2	4	7	10	11
50-64	13	3.6	7	<1	1	3	5	8	10	10
65+	7	6.9	14	2	2	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.6	30	1	2	4	6	11	15	29
20-34	36	6.3	33	1	2	4	8	12	22	26
35-49	36	7.2	68	1	1	5	8	13	22	47
50-64	28	9.1	73	2	2	7	10	23	27	36
65+	27	8.6	44	2	2	7	11	20	22	23
B. *Operated*										
0-19 YRS	6	12.5	161	1	1	11	16	33	35	35
20-34	35	8.5	77	2	2	6	9	22	26	45
35-49	46	11.0	100	1	2	9	15	24	29	52
50-64	21	13.0	151	1	2	9	19	33	42	42
65+	18	13.4	185	1	3	8	13	39	48	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.2	5	1	1	4	5	8	9	10
B. *Operated*	96	3.5	7	<1	1	3	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	154	7.3	50	1	2	5	9	15	24	36
B. *Operated*	126	11.1	116	1	2	8	14	26	37	51
1. SINGLE DX	143	3.7	7	1	1	3	5	7	9	11
2. MULTIPLE DX	280	9.0	63	1	2	6	11	21	27	46
A. NOT OPERATED	201	6.6	41	1	2	4	8	13	21	32
B. OPERATED	222	7.8	83	1	1	4	10	17	27	47
TOTAL 0-19 YRS	52	6.1	39	1	1	5	7	12	16	35
20-34	119	5.6	39	<1	1	4	6	10	20	33
35-49	133	7.2	65	1	1	4	9	15	24	48
50-64	65	9.0	92	1	2	5	10	24	29	42
65+	54	9.9	90	2	2	8	12	20	25	51
GRAND TOTAL	**423**	**7.2**	**63**	**1**	**1**	**4**	**9**	**15**	**25**	**44**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	12.5	61	7	7	12	18	18	18	18
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	3.3	16	1	1	1	6	8	8	8
65+	3	15.3	186	6	6	9	25	31	31	31
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	6	4.5	3	2	2	5	6	6	6	6
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64	2	24.0	968	2	2	24	46	46	46	46
65+	2	24.5	1105	<1	<1	24	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	10.3	44	6	6	7	15	18	18	18
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	9	7.3	87	1	1	5	8	22	31	31
B. *Operated*	15	9.9	231	<1	2	5	6	46	47	48
1. SINGLE DX	5	7.2	41	2	2	6	10	18	18	18
2. MULTIPLE DX	24	8.9	173	1	1	5	7	32	47	48
A. NOT OPERATED	12	8.1	73	1	1	6	8	22	30	31
B. OPERATED	17	9.0	206	1	2	5	6	38	47	48
TOTAL 0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34	8	4.0	3	2	2	4	5	6	6	6
35-49	7	6.7	29	2	2	5	8	16	18	18
50-64	6	10.7	308	1	1	4	8	42	46	46
65+	5	19.0	395	<1	<1	9	35	48	48	48
GRAND TOTAL	**29**	**8.6**	**148**	**1**	**1**	**5**	**7**	**26**	**46**	**48**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	5	5.8	8	1	1	7	7	8	8	8
50-64	21	6.5	44	1	1	5	8	14	23	29
65+	16	5.6	45	1	1	4	7	11	23	28
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	29	4.2	17	<1	1	3	5	8	11	21
35-49	50	4.4	33	<1	<1	3	6	10	12	36
50-64	160	5.1	46	<1	<1	3	7	13	16	38
65+	174	4.6	27	<1	<1	3	5	11	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	9	3.7	3	1	1	4	5	6	6	6
35-49	19	6.3	15	1	2	6	9	11	14	16
50-64	90	5.8	19	1	1	5	8	11	14	23
65+	103	6.8	55	<1	1	4	8	14	25	38
B. *Operated*										
0-19 YRS	5	4.0	4	2	2	4	5	7	7	7
20-34	14	5.5	32	1	1	3	6	16	18	19
35-49	50	10.6	147	1	1	7	13	27	35	58
50-64	281	10.9	159	1	1	6	15	26	36	71
65+	399	10.2	131	1	1	6	13	24	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	5.9	37	1	1	5	7	11	21	29
B. *Operated*	414	4.7	34	<1	<1	3	5	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	225	6.2	35	1	1	5	8	12	16	30
B. *Operated*	749	10.3	140	1	1	6	13	25	36	64
1. SINGLE DX	458	4.9	35	<1	1	3	6	11	16	29
2. MULTIPLE DX	974	9.4	119	1	1	6	12	22	34	61
A. NOT OPERATED	269	6.1	35	1	1	5	8	11	16	29
B. OPERATED	1163	8.3	110	<1	1	4	11	20	31	59
TOTAL 0-19 YRS	10	3.6	2	2	2	3	4	6	7	7
20-34	54	4.4	18	1	1	3	5	9	15	21
35-49	124	7.3	82	<1	1	4	9	14	27	47
50-64	552	8.2	107	1	1	4	10	19	28	60
65+	692	8.2	97	<1	1	5	10	19	29	55
GRAND TOTAL	**1432**	**7.9**	**96**	**<1**	**1**	**4**	**10**	**18**	**28**	**57**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	9	3.1	4	1	1	4	5	6	6	6
65+	13	4.0	8	<1	1	3	5	9	11	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	4.5	15	1	1	3	7	10	10	10
50-64	17	5.7	17	<1	1	4	9	12	12	12
65+	30	8.2	77	1	1	4	13	23	28	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	14.3	141	3	3	11	21	31	31	31
50-64	39	6.1	25	1	1	4	9	13	18	21
65+	83	7.4	89	1	1	5	9	13	21	62
B. *Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	11	10.9	55	1	1	10	18	21	22	22
50-64	88	15.7	217	1	2	12	21	34	38	81
65+	190	16.2	187	2	2	13	21	36	49	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.4	7	<1	1	3	5	6	9	11
B. *Operated*	51	7.1	53	<1	1	4	11	16	24	31
2. MULTIPLE DX										
A. *Not Operated*	128	7.1	71	1	1	5	9	13	21	43
B. *Operated*	290	15.9	191	1	2	13	21	34	47	66
1. SINGLE DX	75	5.9	41	<1	1	4	8	13	21	30
2. MULTIPLE DX	418	13.2	170	1	2	9	18	30	39	63
A. NOT OPERATED	152	6.5	62	1	1	5	8	12	20	33
B. OPERATED	341	14.6	180	1	2	12	20	32	41	61
TOTAL 0-19 YRS										
20-34	3	7.0	75	2	2	2	13	17	17	17
35-49	21	9.4	69	1	1	10	12	21	26	31
50-64	153	11.4	158	1	1	8	14	27	35	59
65+	316	12.6	163	1	2	9	17	29	40	64
GRAND TOTAL	**493**	**12.1**	**157**	**1**	**2**	**9**	**16**	**28**	**38**	**60**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	9.8	162	1	1	5	18	28	28	28
50-64	7	5.4	35	1	1	3	11	14	14	14
65+	11	6.5	52	1	1	4	7	19	24	25
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	9.0		9	9	9	9	9	9	9
35-49	10	11.3	24	2	4	11	16	17	18	18
50-64	41	11.4	63	1	3	10	14	18	33	35
65+	56	10.8	35	<1	2	10	14	19	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	1.8	2	1	1	1	2	4	4	4
35-49	16	5.2	24	1	1	4	7	10	16	19
50-64	60	6.6	57	1	1	5	8	13	20	46
65+	154	7.1	29	1	2	6	9	14	18	28
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	13	11.9	50	1	3	13	16	21	23	23
35-49	46	15.9	100	5	7	13	20	27	35	54
50-64	207	16.1	146	4	6	13	19	29	43	61
65+	497	18.0	180	4	6	14	22	37	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	6.8	60	1	1	4	9	18	26	28
B. *Operated*	109	11.0	44	1	2	10	14	18	22	35
2. MULTIPLE DX										
A. *Not Operated*	236	6.7	36	1	1	5	9	13	19	28
B. *Operated*	764	17.3	165	4	6	14	21	34	44	64
1. SINGLE DX	131	10.3	49	1	2	10	14	18	24	35
2. MULTIPLE DX	1000	14.8	154	2	3	12	19	29	41	62
A. NOT OPERATED	258	6.7	38	1	1	5	9	14	19	28
B. OPERATED	873	16.5	154	3	5	13	20	32	43	63
TOTAL 0-19 YRS	3	7.3	4	5	5	8	9	9	9	9
20-34	19	9.1	54	1	1	9	14	21	22	23
35-49	76	12.7	93	1	1	11	17	25	31	51
50-64	315	13.4	130	1	3	11	16	25	35	55
65+	718	14.9	157	2	3	12	19	30	41	63
GRAND TOTAL	**1131**	**14.2**	**144**	**1**	**3**	**11**	**18**	**28**	**38**	**62**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34										
35-49										
50-64	4	7.0	14	2	2	7	9	11	11	11
65+	5	9.8	65	1	1	8	12	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	12.5	51	5	5	11	17	22	22	22
65+	12	4.4	12	1	1	4	5	9	13	14
B. *Operated*										
0-19 YRS										
20-34	3	19.3	121	8	8	20	27	30	30	30
35-49	9	8.3	16	2	3	8	12	13	13	13
50-64	37	15.7	122	4	7	13	19	30	42	56
65+	65	16.7	135	6	7	14	18	31	45	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	10	9.3	41	1	1	8	11	19	23	23
2. MULTIPLE DX										
A. *Not Operated*	17	6.2	31	1	1	5	7	14	19	22
B. *Operated*	114	15.8	124	5	7	13	18	30	40	61
1. SINGLE DX	10	9.3	41	1	1	8	11	19	23	23
2. MULTIPLE DX	131	14.6	122	2	4	12	17	25	32	60
A. NOT OPERATED	17	6.2	31	1	1	5	7	14	19	22
B. OPERATED	124	15.3	120	4	7	13	18	27	35	60
TOTAL 0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	3	19.3	121	8	8	20	27	30	30	30
35-49	10	7.7	18	2	2	7	11	13	13	13
50-64	45	14.7	111	3	7	12	18	24	36	56
65+	82	14.5	132	2	4	12	16	24	36	62
GRAND TOTAL	**141**	**14.2**	**118**	**2**	**4**	**12**	**16**	**24**	**32**	**59**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	8.5	85	2	2	8	15	15	15	15
50-64	8	3.9	11	<1	<1	3	7	9	9	9
65+	24	4.5	17	<1	1	4	6	10	13	19
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	9	7.7	12	1	2	8	10	12	12	12
35-49	47	9.2	20	2	3	9	11	13	15	25
50-64	163	10.1	16	6	7	9	11	15	18	23
65+	335	11.4	44	4	7	10	13	16	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	5.4	14	1	1	4	9	11	11	11
35-49	23	5.7	25	1	1	4	9	13	16	19
50-64	95	6.7	33	1	1	5	9	15	19	27
65+	335	7.6	48	1	2	5	10	17	21	33
B. *Operated*										
0-19 YRS	5	6.2	7	3	3	6	8	10	10	10
20-34	21	11.6	14	7	8	11	14	17	19	21
35-49	145	13.6	109	5	6	11	15	22	29	67
50-64	728	13.2	77	5	7	11	15	23	28	49
65+	2239	15.4	85	6	8	13	18	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.6	18	<1	1	4	6	10	14	19
B. *Operated*	555	10.8	34	4	7	10	12	16	18	28
2. MULTIPLE DX										
A. *Not Operated*	461	7.2	43	1	1	5	10	16	20	30
B. *Operated*	3138	14.8	85	6	8	12	17	25	32	53
1. SINGLE DX	589	10.4	35	2	6	10	12	16	18	27
2. MULTIPLE DX	3599	13.8	86	3	5	12	17	24	31	51
A. NOT OPERATED	495	7.1	42	1	1	5	9	16	20	30
B. OPERATED	3693	14.2	79	6	7	12	17	24	30	52
TOTAL 0-19 YRS	7	6.4	5	3	3	6	8	10	10	10
20-34	37	9.5	19	2	3	9	12	15	17	21
35-49	217	11.8	88	2	4	10	13	20	25	60
50-64	994	12.0	67	3	5	10	14	21	25	43
65+	2933	14.0	83	3	5	12	17	25	31	51
GRAND TOTAL	**4188**	**13.3**	**80**	**3**	**5**	**11**	**16**	**23**	**30**	**50**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	6	1.0		1	1	1	1	1	1	1
50-64	10	5.0	18	<1	1	4	5	11	16	16
65+	23	3.5	7	<1	1	3	4	7	10	12
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	7.8	30	1	1	8	13	13	13	13
35-49	42	9.0	38	1	2	9	12	15	18	33
50-64	154	10.1	23	2	4	10	12	16	17	27
65+	209	9.6	32	1	2	10	13	17	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	26	7.9	138	1	1	4	9	15	25	61
50-64	66	7.1	80	1	1	4	8	16	30	43
65+	192	7.5	51	1	2	5	9	14	23	37
B. *Operated*										
0-19 YRS	2	45.5	221	35	35	45	56	56	56	56
20-34	14	13.5	34	8	9	11	16	22	27	29
35-49	93	12.8	48	4	7	11	15	24	27	38
50-64	447	13.6	77	3	5	12	16	24	30	58
65+	1029	15.6	109	3	5	13	19	28	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.5	10	<1	1	3	4	7	10	16
B. *Operated*	412	9.7	29	1	2	10	13	16	18	26
2. MULTIPLE DX										
A. *Not Operated*	285	7.4	65	1	2	5	9	15	26	40
B. *Operated*	1585	14.9	98	3	5	13	18	26	34	60
1. SINGLE DX	453	9.1	30	1	2	9	12	16	18	26
2. MULTIPLE DX	1870	13.7	100	2	3	12	17	26	33	57
A. NOT OPERATED	326	6.9	59	1	1	4	9	14	22	40
B. OPERATED	1997	13.8	88	2	4	12	17	25	31	56
TOTAL 0-19 YRS	3	31.7	684	4	4	35	51	56	56	56
20-34	23	10.7	42	1	3	10	14	18	24	29
35-49	167	10.6	64	1	2	10	13	18	25	40
50-64	677	12.0	70	2	3	11	14	22	27	48
65+	1453	13.5	100	2	3	12	17	25	32	54
GRAND TOTAL	**2323**	**12.8**	**90**	**2**	**3**	**11**	**16**	**24**	**30**	**53**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	1	2	2	3	4	4	4	4
20-34	1	12.0		12	12	12	12	12	12	12
35-49	8	4.0	14	<1	<1	3	5	10	12	12
50-64	8	4.5	11	1	1	4	6	10	11	11
65+	6	5.3	17	2	2	4	6	12	13	13
B. *Operated*										
0-19 YRS	7	13.9	85	5	6	11	22	28	28	28
20-34	5	6.6	14	2	2	6	9	12	12	12
35-49	19	10.2	33	1	2	9	15	18	20	20
50-64	26	9.8	114	1	1	6	12	26	35	46
65+	52	9.6	57	1	1	9	14	21	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.9	18	1	1	4	5	11	16	18
20-34	4	7.5	12	4	4	7	10	12	12	12
35-49	28	8.1	119	1	1	5	10	17	22	57
50-64	63	4.7	15	1	1	4	7	10	12	22
65+	125	8.9	64	2	2	6	11	19	26	38
B. *Operated*										
0-19 YRS	12	9.3	22	1	4	9	11	15	19	20
20-34	21	9.6	53	1	2	9	13	20	26	27
35-49	46	12.6	73	1	3	11	17	26	32	99+
50-64	115	13.3	89	2	4	11	18	25	30	51
65+	272	18.0	178	4	6	14	23	36	41	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.5	12	<1	<1	4	5	11	12	13
B. *Operated*	109	9.9	65	1	1	8	13	20	27	38
2. MULTIPLE DX										
A. *Not Operated*	247	7.3	55	1	1	5	9	16	21	38
B. *Operated*	466	15.7	144	3	4	13	20	30	39	75
1. SINGLE DX	138	8.8	59	1	1	7	12	18	24	35
2. MULTIPLE DX	713	12.8	129	1	2	10	17	28	36	59
A. NOT OPERATED	276	7.0	51	1	1	5	9	15	19	38
B. OPERATED	575	14.6	134	2	3	12	19	29	38	68
TOTAL 0-19 YRS	52	6.9	36	1	1	5	9	14	20	28
20-34	31	8.9	40	2	2	8	12	16	25	27
35-49	101	10.2	79	1	1	9	14	19	27	78
50-64	212	10.0	82	1	2	8	12	20	28	48
65+	455	14.4	150	2	3	11	19	30	38	70
GRAND TOTAL	**851**	**12.1**	**120**	**1**	**2**	**9**	**16**	**26**	**33**	**52**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	13	7.8	37	1	2	6	12	18	19	19
65+	20	6.7	32	1	1	4	10	17	18	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	10.3	234	1	1	2	21	28	28	28
50-64	19	11.5	84	2	2	8	18	26	29	31
65+	33	15.2	159	1	2	11	20	32	48	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	13	4.4	10	<1	<1	3	7	8	10	11
50-64	81	8.0	65	1	1	6	10	17	20	46
65+	215	8.3	39	2	2	6	12	16	20	27
B. *Operated*										
0-19 YRS	1	28.0		28	28	64	99+	99+	99+	99+
20-34	3	5.3	16	<1	<1	6	8	9	9	9
35-49	56	15.7	142	1	5	13	18	28	48	56
50-64	238	16.9	212	2	4	12	22	34	45	86
65+	488	18.2	145	3	6	16	23	34	42	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.0	32	1	1	5	11	18	19	19
B. *Operated*	55	13.7	135	1	2	11	19	29	33	51
2. MULTIPLE DX										
A. *Not Operated*	310	8.0	45	1	2	6	11	16	20	34
B. *Operated*	786	17.6	165	3	5	15	23	34	44	69
1. SINGLE DX	89	11.1	105	1	2	8	17	24	31	51
2. MULTIPLE DX	1096	14.9	150	2	3	12	19	30	40	65
A. NOT OPERATED	344	7.9	44	1	2	6	11	16	19	31
B. OPERATED	841	17.4	164	2	5	15	23	34	44	69
TOTAL 0-19 YRS	1	28.0		28	28	64	99+	99+	99+	99+
20-34	4	5.0	11	<1	<1	5	7	9	9	9
35-49	73	13.3	137	1	2	11	16	27	38	56
50-64	351	14.2	180	2	3	11	18	30	41	75
65+	756	15.0	134	2	3	13	20	30	39	58
GRAND TOTAL	**1185**	**14.6**	**148**	**2**	**3**	**12**	**19**	**30**	**39**	**64**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	10.3	65	3	3	9	16	19	19	19
20-34										
35-49	24	4.1	21	1	1	3	5	8	14	22
50-64	72	3.8	15	<1	1	3	5	7	12	21
65+	130	4.3	23	1	1	3	6	9	12	25
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	3	7.0	36	1	1	7	11	13	13	13
35-49	74	7.9	33	<1	1	7	10	14	20	27
50-64	297	7.2	35	1	1	6	10	15	18	26
65+	401	7.6	45	<1	1	7	10	15	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	9	3	3	3	5	10	10	10
20-34	8	5.9	22	1	1	5	8	13	15	15
35-49	165	6.9	55	1	1	5	8	17	22	39
50-64	897	7.1	65	1	1	5	9	15	21	39
65+	1402	7.4	46	1	2	5	10	15	20	35
B. *Operated*										
0-19 YRS	9	6.3	23	3	3	5	8	14	18	18
20-34	13	12.3	147	<1	2	10	13	29	44	47
35-49	258	10.3	68	1	2	9	14	19	27	42
50-64	1458	10.9	78	2	2	9	14	22	28	46
65+	2237	11.9	97	1	2	10	15	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	4.2	21	1	1	3	5	9	12	22
B. *Operated*	778	7.4	40	<1	1	7	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	2477	7.2	54	1	1	5	9	15	21	38
B. *Operated*	3975	11.4	88	1	2	9	15	22	29	49
1. SINGLE DX	1007	6.7	37	<1	1	5	9	14	18	28
2. MULTIPLE DX	6452	9.8	79	1	2	8	13	20	26	46
A. NOT OPERATED	2706	7.0	51	1	1	5	9	15	20	35
B. OPERATED	4753	10.8	83	1	2	9	14	21	27	47
TOTAL 0-19 YRS	20	5.9	24	1	2	4	8	14	18	19
20-34	24	9.5	96	1	1	8	11	18	31	47
35-49	521	8.6	60	1	1	7	11	18	23	39
50-64	2724	9.1	72	1	2	7	12	18	24	40
65+	4170	9.7	78	1	2	8	13	20	26	46
GRAND TOTAL	**7459**	**9.4**	**75**	**1**	**2**	**7**	**12**	**19**	**25**	**42**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.5	2	<1	<1	1	1	4	4	4
35-49	3	4.7	16	1	1	4	8	9	9	9
50-64	16	3.1	11	<1	<1	2	4	9	10	11
65+	23	7.0	78	<1	1	4	7	19	33	33
B. *Operated*										
0-19 YRS	6	3.7	5	1	1	3	5	7	7	7
20-34	14	7.4	25	2	2	6	12	15	15	15
35-49	37	4.2	17	<1	<1	2	6	11	12	17
50-64	138	5.3	32	<1	1	2	9	14	17	21
65+	137	5.1	59	<1	<1	2	5	14	17	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	1	2	2	3	3	4	4	4
20-34	14	4.2	10	1	1	4	5	8	12	13
35-49	24	2.8	5	<1	1	2	4	6	7	9
50-64	57	5.3	19	<1	1	5	6	11	15	22
65+	68	6.4	42	1	1	5	8	12	14	42
B. *Operated*										
0-19 YRS	7	4.7	4	2	2	5	6	8	8	8
20-34	27	18.2	382	1	2	12	18	48	67	77
35-49	28	8.4	52	<1	1	7	15	19	32	99+
50-64	177	9.9	74	1	1	9	14	22	27	39
65+	234	11.9	174	1	1	8	16	30	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.9	46	<1	<1	3	6	9	18	33
B. *Operated*	332	5.1	41	<1	<1	2	7	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	169	5.2	26	1	1	4	6	11	13	27
B. *Operated*	473	11.2	142	1	1	8	15	26	37	63
1. SINGLE DX	380	5.1	41	<1	<1	2	7	14	16	32
2. MULTIPLE DX	642	9.6	118	1	1	6	13	22	32	55
A. NOT OPERATED	217	5.1	30	<1	1	4	6	10	14	33
B. OPERATED	805	8.7	109	<1	1	5	12	20	29	54
TOTAL 0-19 YRS	19	3.7	4	1	2	3	5	7	8	8
20-34	61	10.9	219	1	1	6	13	21	45	76
35-49	92	5.1	29	<1	<1	3	7	14	17	69
50-64	388	7.3	54	<1	1	5	11	17	22	32
65+	462	8.8	125	<1	1	5	12	20	33	55
GRAND TOTAL	**1022**	**7.9**	**94**	**<1**	**1**	**4**	**11**	**18**	**27**	**49**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.4	2	1	1	2	3	4	5	5
20-34	8	3.3	4	1	1	3	4	6	7	7
35-49	7	3.6	1	2	2	4	4	4	4	4
50-64	7	8.3	140	1	1	3	9	29	34	34
65+	10	6.5	28	<1	<1	5	9	15	16	16
B. *Operated*										
0-19 YRS	59	5.4	39	1	1	4	7	10	23	94
20-34	34	6.5	78	1	1	4	7	13	20	49
35-49	56	6.3	35	<1	1	5	9	12	16	32
50-64	72	6.0	25	<1	<1	4	10	12	13	22
65+	80	7.3	71	<1	1	4	9	16	23	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	3.4	10	<1	<1	2	4	7	10	16
20-34	25	5.3	53	1	1	4	6	10	21	36
35-49	15	4.1	11	<1	1	3	6	8	12	13
50-64	38	4.9	19	<1	1	4	7	10	12	23
65+	44	6.2	34	1	1	4	8	15	19	28
B. *Operated*										
0-19 YRS	33	11.5	130	1	2	5	13	27	42	48
20-34	26	9.2	77	2	2	6	12	19	31	36
35-49	41	9.9	149	2	2	7	12	15	24	78
50-64	77	11.7	211	1	1	8	14	22	39	83
65+	132	11.4	96	2	2	8	16	23	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.8	22	1	1	3	4	7	11	30
B. *Operated*	301	6.3	47	<1	1	4	8	13	20	42
2. MULTIPLE DX										
A. *Not Operated*	218	4.5	22	<1	1	3	5	10	14	25
B. *Operated*	309	11.1	133	1	2	8	14	22	31	65
1. SINGLE DX	371	5.8	44	1	1	4	8	12	18	36
2. MULTIPLE DX	527	8.4	98	1	1	5	10	18	24	50
A. NOT OPERATED	288	4.3	22	1	1	3	5	9	13	26
B. OPERATED	610	8.7	96	1	1	6	11	19	26	52
TOTAL 0-19 YRS	226	4.9	42	<1	1	3	6	10	16	45
20-34	93	6.6	66	1	1	4	7	15	22	44
35-49	119	7.1	73	1	1	5	9	13	17	46
50-64	194	8.1	109	<1	1	5	10	16	22	65
65+	266	9.1	81	1	2	6	12	20	25	47
GRAND TOTAL	**898**	**7.3**	**77**	**1**	**1**	**4**	**9**	**16**	**22**	**46**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		1	1	1	1	1	1	1
35-49	8	4.4	9	2	2	3	5	9	11	11
50-64	4	3.0	7	<1	<1	2	5	7	7	7
65+	4	7.0	33	1	1	6	11	14	14	14
B. *Operated*										
0-19 YRS	3	4.0	13	<1	<1	3	7	8	8	8
20-34	59	3.9	9	<1	<1	3	5	8	11	13
35-49	85	4.0	16	<1	<1	3	5	10	11	22
50-64	102	4.2	14	<1	<1	3	5	9	11	20
65+	116	4.7	16	1	1	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	4.9	36	1	1	2	7	14	20	21
35-49	19	4.8	16	1	1	4	7	11	14	14
50-64	29	4.3	14	<1	<1	3	6	11	11	14
65+	23	5.6	14	1	2	4	7	10	13	18
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	29	7.0	94	1	1	5	7	11	22	53
35-49	60	6.2	27	1	2	5	8	13	16	29
50-64	83	7.4	47	1	2	6	9	17	21	33
65+	93	6.6	30	1	1	5	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.1	14	<1	1	3	6	10	13	14
B. *Operated*	365	4.3	14	<1	1	3	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	84	4.9	17	1	1	4	7	11	14	20
B. *Operated*	266	6.8	41	1	2	5	9	14	19	30
1. SINGLE DX	384	4.3	14	<1	1	3	6	9	11	17
2. MULTIPLE DX	350	6.3	36	1	1	5	8	14	18	30
A. NOT OPERATED	103	4.7	17	1	1	4	7	11	14	19
B. OPERATED	631	5.3	27	<1	1	4	7	11	15	28
TOTAL 0-19 YRS	4	4.0	9	<1	<1	3	6	8	8	8
20-34	104	4.8	37	<1	1	3	6	10	12	36
35-49	172	4.9	20	1	1	3	6	10	14	24
50-64	218	5.4	29	<1	1	4	7	11	16	29
65+	236	5.6	22	1	1	4	7	11	15	24
GRAND TOTAL	**734**	**5.3**	**26**	**<1**	**1**	**4**	**7**	**11**	**14**	**26**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.3		1	1	1	2	2	2	2
65+	6	5.8	44	1	1	3	9	17	18	18
B. *Operated*										
0-19 YRS	6	2.0	2	<1	<1	1	2	5	5	5
20-34	26	2.2	4	<1	<1	1	3	5	7	9
35-49	91	2.1	3	<1	<1	1	3	5	6	8
50-64	177	1.8	3	<1	<1	1	2	3	5	9
65+	356	2.4	10	<1	<1	1	2	4	7	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	16.0	1019	1	1	3	7	74	74	74
35-49	8	2.4	8	1	1	1	2	7	9	9
50-64	9	5.9	25	<1	<1	4	10	14	14	14
65+	28	4.6	11	1	1	4	6	8	11	14
B. *Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	11	4.0	46	<1	<1	1	3	13	23	24
35-49	41	4.4	48	<1	<1	2	5	10	15	40
50-64	160	3.8	58	<1	<1	2	4	7	10	28
65+	457	4.4	29	<1	1	3	5	10	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.8	27	1	1	2	3	13	18	18
B. *Operated*	656	2.2	7	<1	<1	1	2	4	6	16
2. MULTIPLE DX										
A. *Not Operated*	52	5.8	126	1	1	3	6	10	14	80
B. *Operated*	673	4.2	37	<1	<1	2	5	9	12	29
1. SINGLE DX	667	2.2	7	<1	<1	1	2	4	6	17
2. MULTIPLE DX	725	4.3	43	<1	<1	2	5	9	13	30
A. NOT OPERATED	63	5.4	108	1	1	2	6	10	14	73
B. OPERATED	1329	3.2	23	<1	<1	2	3	7	10	24
TOTAL 0-19 YRS	11	2.2	1	<1	<1	2	3	4	5	5
20-34	44	4.5	154	<1	<1	1	3	6	13	81
35-49	141	2.8	17	<1	<1	1	3	6	9	21
50-64	349	2.8	30	<1	<1	1	3	6	8	18
65+	847	3.6	21	<1	<1	2	4	8	11	25
GRAND TOTAL	**1392**	**3.3**	**27**	**<1**	**<1**	**2**	**3**	**7**	**10**	**24**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	24	3.3	14	<1	<1	2	3	9	13	17
50-64	17	5.1	40	<1	1	3	5	15	22	25
65+	15	5.4	16	<1	1	4	7	13	14	14
B. *Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	122	4.0	5	<1	1	4	6	7	7	10
35-49	536	4.7	7	<1	1	5	6	8	9	13
50-64	873	5.0	10	<1	1	5	6	8	9	14
65+	887	5.5	7	1	2	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	17	2.5	3	<1	1	2	4	5	6	6
35-49	92	6.5	56	1	1	4	8	14	20	41
50-64	233	7.6	69	1	1	5	9	19	22	39
65+	275	7.8	56	1	1	5	11	17	23	37
B. *Operated*										
0-19 YRS	3	8.0	1	7	7	8	9	9	9	9
20-34	105	5.7	12	1	2	5	6	10	13	19
35-49	670	6.1	24	1	2	5	7	10	14	27
50-64	1266	6.8	31	2	2	6	8	11	14	30
65+	1587	7.7	35	2	3	6	9	13	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.3	22	<1	<1	3	4	10	16	24
B. *Operated*	2420	5.0	8	<1	1	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	618	7.4	60	1	1	5	9	17	22	30
B. *Operated*	3631	7.0	31	2	3	6	8	12	15	30
1. SINGLE DX	2478	5.0	9	<1	1	5	6	8	9	14
2. MULTIPLE DX	4249	7.1	35	1	2	6	8	12	17	33
A. NOT OPERATED	676	7.1	57	1	1	5	9	17	22	38
B. OPERATED	6051	6.2	23	1	2	5	7	10	13	26
TOTAL 0-19 YRS	6	5.8	10	<1	<1	7	8	9	9	9
20-34	246	4.6	9	<1	1	4	6	7	10	10
35-49	1322	5.5	20	1	2	5	7	9	12	24
50-64	2389	6.2	28	1	2	5	7	10	14	28
65+	2764	7.0	29	1	2	6	8	12	15	30
GRAND TOTAL	**6727**	**6.3**	**26**	**1**	**2**	**5**	**8**	**11**	**14**	**27**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.0	1	2	2	3	4	4	4	4
35-49	31	4.4	64	1	1	3	4	5	6	47
50-64	12	4.3	15	2	2	3	4	10	15	16
65+	20	3.0	1	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	67	4.9	15	<1	1	5	6	11	12	19
35-49	65	4.4	12	<1	1	3	6	10	12	15
50-64	46	5.4	15	1	1	5	7	11	13	17
65+	36	4.2	29	1	1	3	4	7	8	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	4.7	20	<1	1	3	5	13	15	15
35-49	23	5.3	76	1	1	4	4	8	23	44
50-64	41	5.1	20	1	1	3	5	12	16	20
65+	40	8.3	110	2	3	5	9	17	29	59
B. *Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	64	7.8	74	<1	1	6	9	13	19	56
35-49	99	7.7	39	1	2	6	11	16	21	29
50-64	87	10.3	135	1	2	6	13	23	29	64
65+	97	8.1	92	1	2	6	10	16	28	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	3.8	29	2	2	3	4	4	6	40
B. *Operated*	215	4.7	16	<1	1	4	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	117	6.2	63	1	2	4	6	14	18	49
B. *Operated*	350	8.4	85	1	2	6	11	17	26	60
1. SINGLE DX	289	4.5	20	<1	1	3	5	9	12	19
2. MULTIPLE DX	467	7.9	80	1	2	5	10	16	24	60
A. NOT OPERATED	191	5.3	51	1	2	3	5	10	15	46
B. OPERATED	565	7.0	62	1	1	5	9	14	20	49
TOTAL 0-19 YRS	4	2.3	6	1	1	1	4	6	6	6
20-34	155	5.9	41	<1	1	5	7	12	14	31
35-49	218	6.0	40	<1	1	4	8	12	17	35
50-64	186	7.6	79	1	2	5	9	17	22	53
65+	193	6.9	78	1	2	4	7	14	23	64
GRAND TOTAL	**756**	**6.6**	**60**	**1**	**1**	**4**	**8**	**13**	**19**	**47**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	22	3.1	4	1	1	3	4	5	8	11
65+	36	3.6	5	1	1	3	4	6	9	12
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	4	5.0	5	2	2	5	6	7	7	7
35-49	30	4.5	6	<1	<1	6	6	7	7	8
50-64	173	5.4	9	<1	1	6	7	8	11	15
65+	234	5.6	12	<1	1	6	7	9	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	11.5	113	4	4	11	19	19	19	19
20-34										
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	39	7.1	121	1	1	4	7	13	26	63
65+	104	5.1	29	1	1	3	6	11	14	32
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	22	7.3	9	4	5	7	9	11	14	16
35-49	113	5.9	8	1	2	6	7	9	10	16
50-64	475	7.0	27	1	2	6	8	11	14	28
65+	680	8.3	52	1	2	7	9	15	19	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.4	5	1	1	3	4	5	9	12
B. *Operated*	442	5.4	10	<1	1	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	149	5.7	53	1	1	3	7	12	15	37
B. *Operated*	1291	7.6	39	1	2	7	8	13	17	32
1. SINGLE DX	502	5.2	10	<1	1	5	7	8	10	15
2. MULTIPLE DX	1440	7.4	41	1	2	6	8	13	17	33
A. NOT OPERATED	209	5.0	40	1	1	3	5	10	13	36
B. OPERATED	1733	7.1	33	1	2	6	8	11	16	28
TOTAL 0-19 YRS	4	9.8	42	4	4	8	14	19	19	19
20-34	27	6.8	9	2	3	6	8	10	13	16
35-49	148	5.5	8	1	1	6	7	8	9	14
50-64	709	6.5	28	1	1	6	7	10	13	28
65+	1054	7.2	42	1	2	6	8	13	17	33
GRAND TOTAL	**1942**	**6.8**	**34**	**1**	**1**	**6**	**8**	**11**	**15**	**28**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	7	1.3	1	1	1	1	1	3	3	3
35-49	33	1.3		1	1	1	2	2	2	3
50-64	57	1.9	2	<1	<1	1	2	4	5	6
65+	49	2.2	3	1	1	2	2	4	8	8
B. *Operated*										
0-19 YRS	3	10.0	4	8	8	10	11	12	12	12
20-34	20	5.6	2	2	3	6	7	7	8	8
35-49	28	6.2	7	1	2	6	8	10	10	11
50-64	66	7.7	19	1	2	7	10	14	17	20
65+	44	7.7	13	1	2	9	10	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	19	4.0	13	<1	1	4	5	7	12	16
35-49	69	3.5	16	1	1	2	4	10	13	17
50-64	151	3.8	13	<1	1	2	5	9	12	17
65+	208	4.6	30	1	1	2	5	12	16	27
B. *Operated*										
0-19 YRS	4	7.5	2	6	6	7	8	9	9	9
20-34	41	8.6	31	4	5	6	10	14	21	30
35-49	141	11.2	88	4	5	8	13	20	29	43
50-64	303	11.3	61	3	5	9	14	23	29	37
65+	346	15.2	120	4	6	13	18	27	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	1.8	2	<1	1	1	2	3	5	8
B. *Operated*	161	7.2	14	1	2	7	9	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	450	4.1	21	1	1	2	5	10	13	24
B. *Operated*	835	12.8	92	4	5	10	16	24	32	50
1. SINGLE DX	309	4.6	15	1	1	3	7	10	11	18
2. MULTIPLE DX	1285	9.7	84	1	1	8	13	20	27	43
A. NOT OPERATED	598	3.6	17	1	1	2	4	9	12	21
B. OPERATED	996	11.9	84	3	5	9	15	22	30	48
TOTAL 0-19 YRS	12	6.1	12	1	2	6	9	11	12	12
20-34	87	6.3	23	1	1	6	7	12	15	29
35-49	271	7.5	66	1	1	6	9	15	20	37
50-64	577	8.0	52	1	1	6	10	17	24	35
65+	647	10.3	103	1	1	8	14	22	30	58
GRAND TOTAL	**1594**	**8.8**	**75**	**1**	**1**	**7**	**11**	**18**	**25**	**41**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	5.0	29	1	1	3	8	13	13	13
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	7	2.7	4	1	1	2	4	6	6	6
50-64	18	6.9	19	2	2	6	9	13	16	17
65+	18	7.2	42	1	1	4	10	17	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	6	4.7	3	3	3	4	6	7	7	7
65+	24	8.0	67	<1	1	5	12	19	25	35
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	5	13.0	72	1	1	15	20	21	21	21
35-49	15	7.1	23	1	1	6	10	13	17	19
50-64	31	12.6	265	1	3	8	12	25	33	90
65+	64	13.6	146	3	4	11	18	23	29	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.0	29	1	1	3	8	13	13	13
B. *Operated*	47	5.9	28	1	1	4	9	15	17	21
2. MULTIPLE DX										
A. *Not Operated*	31	7.2	53	<1	1	5	10	16	21	35
B. *Operated*	117	12.3	159	1	3	9	16	22	28	83
1. SINGLE DX	51	5.9	27	1	1	3	9	14	17	21
2. MULTIPLE DX	148	11.2	141	1	2	8	15	22	27	79
A. NOT OPERATED	35	7.0	50	<1	1	5	10	14	20	35
B. OPERATED	164	10.5	130	1	2	8	14	21	24	75
TOTAL 0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	8	9.1	71	1	1	6	17	21	21	21
35-49	22	5.7	21	1	1	5	7	12	15	19
50-64	55	9.9	164	2	3	7	11	17	26	87
65+	110	11.0	115	1	2	9	15	21	25	63
GRAND TOTAL	**199**	**9.9**	**117**	**1**	**1**	**7**	**13**	**21**	**24**	**66**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34										
35-49	4	4.5	10	1	1	4	7	8	8	8
50-64	8	5.6	9	2	2	5	8	9	10	10
65+	40	5.7	16	1	2	5	7	12	14	19
B. *Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	9	3.2	11	<1	<1	2	4	9	11	11
50-64	318	5.5	17	1	1	5	8	11	13	19
65+	880	5.1	12	1	1	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34										
35-49	10	4.1	13	1	1	3	7	10	10	10
50-64	104	5.8	27	1	1	4	8	11	18	24
65+	621	7.8	51	1	2	6	10	17	22	40
B. *Operated*										
0-19 YRS	5	5.0	17	2	2	4	7	12	12	12
20-34										
35-49	15	7.4	37	1	2	6	8	20	21	22
50-64	578	7.3	46	1	2	6	9	15	18	30
65+	2969	7.9	47	2	2	6	9	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	5.3	14	1	2	4	7	11	13	19
B. *Operated*	1209	5.2	13	1	1	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	738	7.5	48	1	2	5	9	17	21	38
B. *Operated*	3567	7.8	46	2	2	6	9	15	20	35
1. SINGLE DX	1264	5.2	14	1	1	5	7	10	12	18
2. MULTIPLE DX	4305	7.7	47	1	2	6	9	15	20	35
A. NOT OPERATED	793	7.3	46	1	2	5	9	16	21	37
B. OPERATED	4776	7.1	39	1	2	5	9	14	18	32
TOTAL 0-19 YRS	11	3.4	10	1	1	2	4	8	12	12
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	38	5.2	24	<1	1	4	7	11	17	22
50-64	1008	6.6	35	1	1	5	8	13	17	27
65+	4510	7.3	42	1	2	6	9	14	19	34
GRAND TOTAL	**5569**	**7.1**	**40**	**1**	**2**	**5**	**9**	**14**	**18**	**32**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	2.5	3	<1	<1	2	4	5	5	5
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	5.8	10	1	1	6	8	9	9	9
20-34	124	3.0	6	<1	1	2	4	5	7	14
35-49	50	3.1	5	1	1	2	5	6	9	9
50-64	21	3.1	2	<1	1	3	4	5	6	7
65+	20	4.2	9	1	1	3	5	7	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	39	4.0	3	1	2	4	5	6	7	10
35-49	9	4.6	27	1	1	4	4	13	18	18
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	3	5.3	14	<1	<1	7	8	8	8	8
B. *Operated*										
0-19 YRS	9	8.2	26	2	3	9	11	16	18	18
20-34	55	8.0	89	1	1	6	10	16	26	52
35-49	31	4.7	12	<1	1	3	6	10	12	14
50-64	17	8.0	71	2	2	4	10	21	29	32
65+	23	9.0	161	2	2	5	8	18	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.8	3	<1	<1	2	4	5	6	6
B. *Operated*	223	3.2	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	57	4.0	7	<1	1	4	5	7	8	17
B. *Operated*	135	7.4	78	1	2	5	9	14	24	54
1. SINGLE DX	240	3.2	6	1	1	3	4	6	8	13
2. MULTIPLE DX	192	6.4	59	1	1	4	8	12	18	48
A. NOT OPERATED	74	3.7	6	<1	1	4	5	6	7	16
B. OPERATED	358	4.8	37	1	1	3	6	9	13	32
TOTAL 0-19 YRS	21	6.3	18	1	1	6	9	11	15	18
20-34	231	4.3	29	1	1	3	5	8	11	29
35-49	93	3.8	10	1	1	3	5	8	10	16
50-64	41	5.0	37	<1	1	3	5	10	19	32
65+	46	6.7	89	1	2	4	7	13	18	62
GRAND TOTAL	**432**	**4.6**	**32**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34										
35-49	2	2.0		2	2	2	2	2	2	2
50-64	10	2.9	6	<1	<1	2	4	7	8	8
65+	17	3.5	11	<1	1	3	4	7	12	14
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	20	2.6	11	<1	1	2	3	4	10	16
35-49	70	3.4	12	<1	1	2	3	9	13	16
50-64	411	3.3	11	1	1	2	4	6	11	17
65+	825	4.0	14	1	1	3	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	14	3	3	4	8	10	10	10
20-34										
35-49	6	3.2	1	2	2	3	4	5	5	5
50-64	37	4.0	12	<1	1	3	6	7	10	18
65+	146	6.2	46	<1	1	4	8	15	19	33
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	4.7	15	<1	<1	4	8	11	11	11
35-49	51	4.6	16	1	1	3	6	10	15	17
50-64	485	7.2	67	1	1	4	9	16	21	43
65+	1762	7.2	68	1	2	5	8	15	21	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.4	9	<1	<1	3	4	7	8	14
B. *Operated*	1327	3.8	13	1	1	3	4	8	12	20
2. MULTIPLE DX										
A. *Not Operated*	192	5.7	38	<1	1	4	7	12	18	31
B. *Operated*	2308	7.1	67	1	2	4	8	15	21	42
1. SINGLE DX	1358	3.7	13	1	1	3	4	8	12	20
2. MULTIPLE DX	2500	7.0	64	1	2	4	8	15	21	41
A. NOT OPERATED	223	5.4	35	<1	1	4	7	12	17	31
B. OPERATED	3635	5.9	50	1	1	4	7	13	18	35
TOTAL 0-19 YRS	7	6.6	18	3	3	4	9	13	14	14
20-34	29	3.2	13	<1	1	2	4	9	11	16
35-49	129	3.9	13	<1	1	2	4	9	13	16
50-64	943	5.3	43	1	1	3	6	13	17	32
65+	2750	6.2	52	1	1	4	7	13	19	35
GRAND TOTAL	**3858**	**5.9**	**49**	**1**	**1**	**4**	**7**	**13**	**18**	**33**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	7	2.9	17	1	1	1	3	10	12	12
65+	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	19	7.8	19	2	2	8	9	11	17	21
20-34	7	8.1	13	4	4	8	10	13	14	14
35-49	45	6.8	10	1	1	7	8	11	12	13
50-64	97	7.9	22	1	1	8	10	13	17	22
65+	94	7.5	25	1	1	8	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.5	37	1	1	3	6	15	21	22
20-34	4	12.3	112	2	2	10	19	27	27	27
35-49	16	4.4	9	2	2	3	6	8	11	13
50-64	73	7.5	62	1	1	4	11	16	22	42
65+	97	8.8	90	1	2	6	12	18	23	57
B. *Operated*										
0-19 YRS	14	11.6	37	7	7	9	14	22	26	27
20-34	13	10.3	28	3	5	10	13	19	21	21
35-49	75	9.0	31	1	2	9	11	15	19	28
50-64	219	11.8	83	2	4	10	14	19	26	60
65+	402	13.3	112	2	4	11	16	25	32	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.6	10	<1	1	1	3	7	11	12
B. *Operated*	262	7.6	21	1	1	8	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	201	7.9	72	1	2	5	11	17	22	41
B. *Operated*	723	12.3	94	2	4	10	15	22	28	47
1. SINGLE DX	276	7.3	21	1	1	7	10	13	16	21
2. MULTIPLE DX	924	11.3	92	2	2	9	14	21	28	46
A. NOT OPERATED	215	7.5	69	1	1	5	10	17	22	40
B. OPERATED	985	11.0	78	1	2	9	13	20	26	44
TOTAL 0-19 YRS	46	8.1	34	1	2	8	9	14	22	27
20-34	24	10.0	35	3	4	9	12	19	23	27
35-49	138	7.6	24	1	1	7	10	13	16	28
50-64	396	9.9	67	1	2	8	13	18	22	46
65+	596	11.6	100	2	2	9	14	22	28	45
GRAND TOTAL	**1200**	**10.4**	**79**	**1**	**2**	**9**	**13**	**19**	**25**	**44**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	<1	1	1	1
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9	3.0	4	<1	<1	3	4	6	7	7
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	8	3.8	9	1	1	3	4	9	11	11
50-64	13	3.0	1	<1	1	3	4	4	4	4
65+	16	2.6	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64	5	4.2	11	1	1	4	7	8	8	8
65+	3	24.7	569	8	8	14	42	52	52	52
B. *Operated*										
0-19 YRS	6	4.0	6	<1	<1	4	6	7	7	7
20-34										
35-49	7	3.4	6	1	1	2	5	7	8	8
50-64	6	3.2	3	1	1	3	4	6	6	6
65+	19	3.4	5	1	1	3	5	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.1		<1	<1	<1	1	2	2	2
B. *Operated*	48	3.0	3	<1	1	3	4	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	12	8.3	207	<1	<1	3	8	25	48	52
B. *Operated*	38	3.5	5	<1	1	3	5	6	8	10
1. SINGLE DX	56	2.7	3	<1	<1	3	4	4	5	11
2. MULTIPLE DX	50	4.6	54	<1	1	3	5	8	10	52
A. NOT OPERATED	20	5.4	133	<1	<1	1	5	11	33	52
B. OPERATED	86	3.2	4	<1	1	3	4	5	7	11
TOTAL 0-19 YRS	25	2.4	4	<1	<1	1	4	6	7	7
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	15	3.6	7	1	1	3	4	8	10	11
50-64	25	3.2	3	<1	1	3	4	6	7	8
65+	39	4.7	67	1	1	3	5	7	12	52
GRAND TOTAL	**106**	**3.6**	**28**	**<1**	**<1**	**3**	**4**	**6**	**8**	**31**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.2	7	<1	<1	1	2	6	9	11
20-34	19	3.4	10	<1	1	3	4	9	12	12
35-49	26	7.3	100	<1	1	3	8	15	35	43
50-64	21	8.6	67	1	1	7	11	19	27	36
65+	23	9.0	89	<1	1	4	14	28	30	32
B. *Operated*										
0-19 YRS	48	11.3	94	1	2	9	11	22	31	54
20-34	58	8.6	13	3	4	9	11	14	15	16
35-49	64	9.0	51	2	2	8	12	17	19	46
50-64	73	12.9	136	2	4	10	14	22	37	71
65+	53	11.6	108	4	4	9	13	18	21	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.8	36	1	1	2	4	8	13	38
20-34	25	8.6	63	1	2	5	12	25	26	29
35-49	59	5.5	21	1	1	4	8	11	15	24
50-64	75	9.0	79	1	2	6	11	20	26	49
65+	92	11.1	92	2	3	8	13	26	32	47
B. *Operated*										
0-19 YRS	46	16.0	206	2	4	12	22	46	68	99+
20-34	45	11.2	77	2	2	9	15	18	28	50
35-49	57	15.3	192	2	5	10	18	40	63	99+
50-64	105	19.0	259	2	5	15	23	39	50	87
65+	95	21.7	283	5	6	17	28	48	57	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	6.3	64	<1	1	3	8	15	28	39
B. *Operated*	296	10.7	84	2	3	9	13	17	23	54
2. MULTIPLE DX										
A. *Not Operated*	307	8.0	69	1	1	6	10	17	26	44
B. *Operated*	348	17.7	233	2	5	13	22	41	54	99+
1. SINGLE DX	404	9.6	82	1	2	8	12	17	23	51
2. MULTIPLE DX	655	13.2	180	1	2	9	17	30	45	85
A. NOT OPERATED	415	7.6	69	1	1	5	10	17	26	43
B. OPERATED	644	14.5	177	2	4	10	17	31	47	86
TOTAL 0-19 YRS	169	9.1	123	1	1	6	11	24	37	92
20-34	147	8.7	45	1	2	8	11	16	19	32
35-49	206	9.6	101	1	2	7	12	18	36	80
50-64	274	13.9	180	2	3	10	17	28	43	75
65+	263	14.9	189	2	3	10	19	32	45	66
GRAND TOTAL	**1059**	**11.8**	**146**	**1**	**2**	**9**	**15**	**26**	**38**	**67**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	9	7.9	32	2	2	8	13	15	17	17
20-34	8	9.0	69	1	1	6	13	23	26	26
35-49	4	10.0	41	1	1	11	14	16	16	16
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.1	34	<1	<1	8	12	15	15	15
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	3	4.0	1	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	4	13.3	66	5	5	12	21	24	24	24
20-34	6	7.8	27	1	1	10	13	83	99+	99+
35-49	2	18.5	221	8	8	18	29	29	29	29
50-64	13	27.6	707	5	6	13	42	73	78	79
65+	6	27.3	375	3	3	32	43	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	23	8.2	43	1	1	8	13	16	20	26
2. MULTIPLE DX										
A. *Not Operated*	14	6.7	22	<1	1	6	10	13	15	15
B. *Operated*	31	21.3	436	2	4	13	32	66	78	99+
1. SINGLE DX	26	7.4	43	<1	1	5	12	16	19	26
2. MULTIPLE DX	45	16.8	350	1	2	10	22	46	73	99+
A. NOT OPERATED	17	5.7	23	<1	<1	4	9	13	14	15
B. OPERATED	54	15.7	307	1	2	11	18	43	70	99
TOTAL 0-19 YRS	21	8.3	44	<1	1	8	13	17	21	24
20-34	16	8.3	47	1	1	9	13	24	74	99+
35-49	7	11.6	84	1	2	11	15	26	29	29
50-64	18	21.2	616	1	2	11	30	69	76	79
65+	9	19.6	371	3	3	7	43	45	46	46
GRAND TOTAL	**71**	**13.3**	**296**	**1**	**1**	**9**	**14**	**37**	**61**	**95**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	4	<1	<1	1	4	5	6	6
20-34	25	1.9	1	1	1	2	2	3	4	5
35-49	16	2.1	4	1	1	2	2	4	7	9
50-64	13	2.2	1	1	1	2	3	4	5	5
65+	11	2.2	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	16	4.2	3	1	1	4	5	7	7	7
20-34	82	3.7	3	1	2	3	4	6	7	10
35-49	61	3.6	4	1	2	3	4	6	7	12
50-64	42	4.4	9	1	2	4	5	8	9	19
65+	29	5.2	14	2	2	4	5	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.0	11	<1	1	3	5	9	11	14
20-34	20	2.6	3	1	1	2	4	5	6	6
35-49	13	3.5	22	<1	1	2	3	7	17	19
50-64	33	3.9	14	1	1	2	4	9	13	18
65+	27	7.2	106	<1	1	3	6	17	32	46
B. *Operated*										
0-19 YRS	18	11.4	270	1	2	6	8	28	53	70
20-34	89	5.2	40	2	2	4	6	8	12	42
35-49	69	5.4	51	2	2	4	5	9	10	51
50-64	83	8.2	109	2	3	5	9	13	22	67
65+	69	10.4	136	2	3	7	12	21	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.1	2	1	1	2	3	4	5	8
B. *Operated*	230	4.1	6	1	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	116	4.4	35	1	1	3	4	10	16	35
B. *Operated*	328	7.4	96	2	3	5	8	13	22	62
1. SINGLE DX	307	3.6	6	1	1	3	4	6	7	12
2. MULTIPLE DX	444	6.7	82	1	2	4	7	12	18	59
A. NOT OPERATED	193	3.5	23	1	1	2	4	6	12	25
B. OPERATED	558	6.1	62	2	2	4	6	10	14	57
TOTAL 0-19 YRS	69	5.7	85	1	1	4	6	8	15	62
20-34	216	4.0	19	1	1	3	5	7	8	14
35-49	159	4.3	27	1	1	3	4	7	9	23
50-64	171	6.0	63	1	2	4	6	11	16	54
65+	136	8.0	99	1	2	5	8	17	26	51
GRAND TOTAL	**751**	**5.4**	**53**	**1**	**1**	**4**	**5**	**9**	**14**	**46**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	5.8	131	<1	<1	2	3	22	38	38
20-34	7	4.4	47	1	1	2	2	16	20	20
35-49	31	4.8	24	<1	<1	3	6	11	17	21
50-64	51	5.2	31	1	1	3	7	14	16	29
65+	82	6.9	34	1	1	5	8	16	20	25
B. *Operated*										
0-19 YRS	7	11.4	235	4	4	5	8	38	46	46
20-34	30	4.8	14	1	1	4	6	9	11	18
35-49	57	4.6	14	<1	1	3	6	11	12	16
50-64	103	5.1	30	<1	1	3	7	12	15	30
65+	169	6.3	75	<1	1	3	8	13	18	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.3	12	<1	1	2	4	8	9	22
20-34	134	6.7	64	1	1	4	8	16	20	50
35-49	461	7.0	66	1	1	4	8	16	24	43
50-64	1353	7.4	64	1	1	5	9	17	23	39
65+	2400	8.3	62	1	2	6	11	17	23	38
B. *Operated*										
0-19 YRS	37	6.9	18	1	2	7	9	12	13	21
20-34	213	9.1	67	1	2	7	10	19	25	46
35-49	611	9.7	92	1	2	7	13	20	27	49
50-64	1673	10.2	105	1	2	7	13	22	29	57
65+	2494	11.7	109	1	2	9	15	25	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	5.9	37	1	1	4	8	14	20	28
B. *Operated*	366	5.7	51	<1	1	3	7	12	16	44
2. MULTIPLE DX										
A. *Not Operated*	4409	7.8	63	1	1	5	10	17	23	39
B. *Operated*	5028	10.8	104	1	2	8	14	23	31	53
1. SINGLE DX	547	5.7	46	<1	1	4	7	13	17	33
2. MULTIPLE DX	9437	9.4	87	1	2	7	12	21	27	48
A. NOT OPERATED	4590	7.7	62	1	1	5	10	17	23	38
B. OPERATED	5394	10.5	102	1	2	8	14	22	31	53
TOTAL 0-19 YRS	115	5.2	40	<1	1	3	7	10	13	41
20-34	384	7.8	63	1	2	6	9	16	22	46
35-49	1160	8.2	79	1	1	6	10	19	25	44
50-64	3180	8.8	87	1	1	6	11	19	26	49
65+	5145	9.8	88	1	2	7	13	21	29	49
GRAND TOTAL	**9984**	**9.2**	**86**	**1**	**2**	**7**	**12**	**20**	**27**	**47**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	7	<1	<1	1	3	7	7	7
20-34	20	2.9	18	<1	<1	1	2	7	14	19
35-49	6	2.3	6	1	1	1	3	7	7	7
50-64	4	5.0	15	1	1	4	8	10	10	10
65+	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-19 YRS	41	4.9	15	<1	1	4	7	9	10	19
20-34	129	4.7	14	<1	1	4	7	9	10	16
35-49	37	5.1	9	1	1	5	8	9	10	11
50-64	21	6.6	14	1	2	7	9	11	12	13
65+	21	9.0	34	1	2	9	12	17	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.5	20	<1	1	2	3	11	15	16
20-34	58	5.1	17	1	1	4	7	11	14	18
35-49	23	5.1	11	1	1	5	7	10	12	13
50-64	20	5.0	15	<1	1	3	7	11	13	15
65+	25	9.2	123	1	1	6	10	21	39	46
B. *Operated*										
0-19 YRS	26	8.9	42	1	2	8	10	17	24	30
20-34	88	8.4	48	1	2	7	11	17	22	37
35-49	29	7.8	42	1	2	6	9	19	22	27
50-64	42	7.0	21	1	2	7	10	13	15	18
65+	38	14.4	118	3	3	10	21	33	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.0	13	<1	<1	1	3	7	10	19
B. *Operated*	249	5.3	16	1	1	5	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	140	5.7	37	1	1	4	7	12	16	38
B. *Operated*	223	9.1	58	1	2	7	12	19	24	36
1. SINGLE DX	286	5.0	16	<1	1	4	7	10	11	19
2. MULTIPLE DX	363	7.8	53	1	1	6	10	16	22	37
A. NOT OPERATED	177	5.1	33	1	1	3	6	11	15	33
B. OPERATED	472	7.1	40	1	1	6	9	13	20	33
TOTAL 0-19 YRS	86	5.7	27	<1	1	5	8	10	16	27
20-34	295	5.8	28	1	1	5	8	11	15	28
35-49	95	5.7	21	1	1	5	8	10	13	25
50-64	87	6.3	18	1	1	6	9	12	13	17
65+	86	11.3	103	1	2	9	15	23	34	48
GRAND TOTAL	**649**	**6.6**	**39**	**1**	**1**	**5**	**9**	**13**	**18**	**33**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.4	19	<1	<1	1	4	7	12	25
20-34	5	8.2	105	1	1	5	12	26	26	26
35-49	5	4.4	9	1	1	4	6	9	9	9
50-64	16	6.9	56	<1	1	5	9	17	26	29
65+	16	4.6	44	<1	<1	2	4	18	21	22
B. *Operated*										
0-19 YRS	68	8.2	72	<1	<1	5	11	19	27	41
20-34	11	9.9	106	2	2	6	15	28	30	30
35-49	4	6.8	17	3	3	6	10	12	12	12
50-64	20	9.3	198	<1	1	3	8	34	45	52
65+	16	9.8	81	1	2	6	15	25	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	5.9	60	<1	<1	4	7	13	20	40
20-34	12	7.3	21	1	2	6	9	14	17	18
35-49	23	10.2	90	1	1	8	15	25	30	35
50-64	52	4.9	15	<1	1	4	8	10	12	16
65+	126	5.8	39	<1	<1	4	8	13	15	37
B. *Operated*										
0-19 YRS	77	14.1	212	2	3	9	18	31	48	74
20-34	13	19.2	256	2	3	16	29	42	50	52
35-49	18	15.4	181	1	2	10	24	38	41	43
50-64	38	13.6	181	1	2	8	22	34	45	48
65+	96	11.2	93	1	3	8	14	24	34	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	4.4	33	<1	<1	2	5	10	18	28
B. *Operated*	119	8.7	93	<1	1	5	10	23	29	45
2. MULTIPLE DX										
A. *Not Operated*	333	6.1	47	<1	<1	4	8	13	17	35
B. *Operated*	242	13.2	161	2	2	8	18	32	40	54
1. SINGLE DX	223	6.7	69	<1	<1	4	8	18	26	40
2. MULTIPLE DX	575	9.1	107	<1	1	6	11	22	33	51
A. NOT OPERATED	437	5.7	44	<1	<1	4	7	13	17	33
B. OPERATED	361	11.7	143	1	2	7	15	27	38	52
TOTAL 0-19 YRS	327	7.8	104	<1	<1	4	10	18	27	53
20-34	41	11.9	146	1	2	7	18	28	38	52
35-49	50	11.2	118	1	1	8	15	26	37	43
50-64	126	8.5	110	1	1	5	9	23	32	49
65+	254	8.0	69	<1	1	6	11	17	26	38
GRAND TOTAL	**798**	**8.4**	**98**	**<1**	**1**	**5**	**10**	**22**	**29**	**48**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.0	11	<1	<1	3	7	8	10	12
20-34	14	5.8	44	<1	1	3	7	18	22	23
35-49	19	3.7	29	1	1	1	5	7	17	24
50-64	19	3.8	11	<1	<1	3	6	9	11	12
65+	61	3.0	22	<1	<1	2	3	7	7	32
B. *Operated*										
0-19 YRS	13	16.1	276	1	2	9	24	49	49	49
20-34	19	9.7	205	1	1	4	9	30	46	58
35-49	27	11.3	223	1	2	5	11	31	49	58
50-64	18	14.0	426	1	1	4	17	48	63	72
65+	33	11.0	134	1	2	6	14	35	38	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.8	57	<1	1	5	8	12	20	39
20-34	20	5.7	48	<1	1	2	8	18	21	24
35-49	49	7.9	81	<1	1	5	9	18	32	40
50-64	80	6.1	40	<1	1	4	9	12	20	32
65+	243	6.2	72	<1	1	3	7	14	20	33
B. *Operated*										
0-19 YRS	20	21.1	428	3	4	9	37	54	63	68
20-34	33	23.7	384	1	2	24	40	58	65	99+
35-49	53	27.2	390	2	3	29	36	53	77	99+
50-64	80	24.5	377	2	4	20	39	57	61	93
65+	168	17.2	285	2	3	10	27	41	59	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.7	22	<1	<1	[illegible]	5	8	10	26
B. *Operated*	110	11.9	227	1	2	5	14	36	49	64
2. MULTIPLE DX										
A. *Not Operated*	417	6.4	65	<1	1	4	8	14	21	36
B. *Operated*	354	21.2	351	2	3	13	33	50	61	88
1. SINGLE DX	246	7.4	130	<1	1	3	7	23	34	58
2. MULTIPLE DX	771	13.2	250	1	1	7	18	36	50	76
A. NOT OPERATED	553	5.7	55	<1	1	3	7	12	19	35
B. OPERATED	464	19.0	336	2	2	11	31	48	59	80
TOTAL 0-19 YRS	81	11.0	212	<1	1	6	10	35	49	65
20-34	86	13.5	273	1	1	6	24	41	58	87
35-49	148	14.9	296	1	1	7	27	39	51	88
50-64	197	14.1	286	1	1	6	19	41	55	75
65+	505	9.8	171	1	1	5	11	27	38	62
GRAND TOTAL	**1017**	**11.8**	**227**	**1**	**1**	**6**	**14**	**34**	**46**	**69**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.2	3	<1	<1	2	3	4	6	9
20-34	31	3.8	12	1	1	3	5	7	9	19
35-49	43	3.8	11	<1	1	3	5	10	11	14
50-64	69	5.4	32	1	1	3	8	13	19	25
65+	101	5.0	37	<1	1	3	7	11	13	38
B. *Operated*										
0-19 YRS	18	8.1	49	1	2	6	12	21	22	23
20-34	43	8.7	68	1	1	5	13	21	25	35
35-49	71	5.6	36	<1	1	4	8	13	16	34
50-64	145	5.4	29	<1	1	3	8	11	16	26
65+	186	6.5	47	1	1	4	9	15	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.1	8	<1	1	2	4	8	9	13
20-34	49	6.1	68	1	1	4	7	11	24	41
35-49	116	5.7	61	1	1	4	7	10	17	45
50-64	278	7.1	75	1	1	5	9	15	22	38
65+	664	7.6	65	1	1	5	10	16	22	40
B. *Operated*										
0-19 YRS	19	8.1	29	2	2	7	9	17	20	22
20-34	55	10.5	95	1	1	9	14	24	31	41
35-49	124	10.2	95	1	2	8	12	18	25	62
50-64	362	11.3	136	1	2	7	15	25	33	58
65+	655	13.8	150	2	3	10	18	29	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	4.5	27	<1	1	3	6	10	13	25
B. *Operated*	463	6.3	43	<1	1	4	9	14	19	28
2. MULTIPLE DX										
A. *Not Operated*	1155	7.0	65	1	1	5	9	15	22	40
B. *Operated*	1215	12.4	138	1	2	9	17	26	35	61
1. SINGLE DX	729	5.7	37	<1	1	3	8	13	18	27
2. MULTIPLE DX	2370	9.8	110	1	1	7	13	22	30	54
A. NOT OPERATED	1421	6.6	59	1	1	4	8	14	20	39
B. OPERATED	1678	10.7	119	1	2	8	14	23	31	57
TOTAL 0-19 YRS	107	4.7	23	<1	1	3	6	10	15	22
20-34	178	7.7	72	1	1	4	10	19	25	41
35-49	354	7.1	67	1	1	5	9	15	19	43
50-64	854	8.5	96	1	1	5	10	19	27	50
65+	1606	9.8	107	1	1	7	13	22	30	52
GRAND TOTAL	**3099**	**8.8**	**96**	**1**	**1**	**6**	**11**	**20**	**27**	**49**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	43	2.7	4	<1	1	2	3	6	8	9
20-34	101	2.4	2	<1	1	2	3	4	5	8
35-49	121	2.7	3	<1	1	3	3	4	5	10
50-64	153	2.9	2	1	1	3	4	5	5	7
65+	99	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	11	3.8	8	1	1	3	5	8	11	11
20-34	23	3.3	8	<1	1	2	4	7	9	13
35-49	50	3.1	3	<1	1	3	4	5	6	8
50-64	58	3.2	4	1	2	3	4	5	8	11
65+	67	4.4	15	1	2	3	5	8	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	517	2.8	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	3	2.3		2	2	2	3	3	3	3
B. *Operated*	209	3.6	8	1	1	3	4	6	9	16
1. SINGLE DX	519	2.8	3	1	1	3	4	5	6	8
2. MULTIPLE DX	212	3.6	8	1	1	3	4	6	9	16
A. NOT OPERATED	5	2.4	1	1	1	2	3	4	4	4
B. OPERATED	726	3.0	4	1	1	3	4	5	6	11
TOTAL 0-19 YRS	54	3.0	5	1	1	2	4	6	8	11
20-34	124	2.6	3	<1	1	2	3	4	6	10
35-49	171	2.8	3	<1	1	3	3	5	6	8
50-64	214	3.0	3	1	1	3	4	5	5	10
65+	168	3.7	8	1	1	3	4	6	8	17
GRAND TOTAL	**731**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.3	1	<1	<1	2	3	4	4	4
35-49	9	1.9	1	<1	<1	2	3	3	3	3
50-64	14	1.6	2	<1	<1	1	2	3	5	6
65+	20	2.0	3	<1	<1	1	2	4	6	9
B. *Operated*										
0-19 YRS	22	4.3	16	<1	<1	2	9	10	12	13
20-34	30	6.6	21	<1	1	7	10	12	16	17
35-49	72	3.9	10	<1	<1	3	6	9	10	11
50-64	170	3.8	14	<1	<1	2	7	9	11	16
65+	207	4.1	20	<1	<1	2	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	3.3	4	1	1	3	5	7	7	7
35-49	6	2.5	4	<1	<1	2	3	6	6	6
50-64	29	3.9	7	<1	<1	3	5	8	9	11
65+	96	3.9	12	<1	1	3	5	9	12	16
B. *Operated*										
0-19 YRS	11	5.9	10	<1	1	6	8	10	12	12
20-34	31	7.4	43	1	2	6	8	14	17	35
35-49	86	5.3	39	<1	<1	4	8	12	15	78
50-64	302	5.9	30	<1	1	4	9	11	16	28
65+	690	6.3	38	<1	1	4	9	14	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.9	2	<1	<1	1	2	3	4	9
B. *Operated*	501	4.1	17	<1	<1	2	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	140	3.8	10	<1	1	3	5	8	11	15
B. *Operated*	1120	6.1	36	<1	1	4	9	14	17	30
1. SINGLE DX	551	3.9	16	<1	<1	2	7	9	11	17
2. MULTIPLE DX	1260	5.9	33	<1	1	4	8	13	17	29
A. NOT OPERATED	190	3.3	9	<1	<1	2	4	7	10	14
B. OPERATED	1621	5.5	31	<1	<1	3	8	12	16	27
TOTAL 0-19 YRS	35	4.7	14	<1	<1	3	8	9	12	13
20-34	75	6.2	29	1	1	5	8	12	16	31
35-49	173	4.5	25	<1	<1	3	7	10	12	39
50-64	515	5.0	24	<1	<1	3	8	10	13	23
65+	1013	5.5	33	<1	1	3	8	13	17	26
GRAND TOTAL	**1811**	**5.3**	**29**	**<1**	**<1**	**3**	**8**	**12**	**15**	**26**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.0		<1	<1	1	1	1	1	1
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	83	1.5	2	<1	<1	1	1	2	5	9
20-34	49	3.1	8	<1	<1	1	5	8	9	10
35-49	45	3.3	13	<1	<1	2	4	7	11	16
50-64	32	3.1	5	<1	<1	2	5	6	7	8
65+	31	3.3	11	<1	<1	2	4	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	19.3	758	<1	<1	6	40	51	51	51
65+	6	6.5	22	<1	<1	6	7	14	15	15
B. *Operated*										
0-19 YRS	28	2.4	11	<1	<1	1	2	6	10	16
20-34	17	4.3	14	<1	<1	2	6	10	11	12
35-49	27	4.1	15	<1	<1	2	6	9	13	17
50-64	42	4.9	13	<1	1	5	7	10	11	15
65+	52	6.1	54	1	1	3	7	16	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.5	2	<1	<1	1	1	3	6	6
B. *Operated*	240	2.6	7	<1	<1	1	3	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	10	10.0	223	<1	<1	6	7	33	51	51
B. *Operated*	166	4.7	27	<1	1	2	7	10	15	22
1. SINGLE DX	252	2.6	7	<1	<1	1	3	6	9	14
2. MULTIPLE DX	176	5.0	38	<1	<1	2	7	10	16	37
A. NOT OPERATED	22	5.4	116	<1	<1	1	6	9	29	51
B. OPERATED	406	3.5	16	<1	<1	2	5	8	10	17
TOTAL 0-19 YRS	119	1.7	4	<1	<1	1	1	2	7	11
20-34	66	3.4	10	<1	<1	2	5	9	10	12
35-49	74	3.6	13	<1	<1	2	5	7	11	17
50-64	77	4.7	38	<1	<1	3	6	8	10	41
65+	92	5.1	37	<1	1	2	7	11	16	34
GRAND TOTAL	**428**	**3.6**	**21**	**<1**	**<1**	**2**	**5**	**8**	**10**	**18**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	2.0	4	1	1	1	2	6	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	430	2.0	2	<1	<1	2	2	4	5	9
20-34	399	2.1	3	<1	<1	2	3	4	5	10
35-49	428	2.1	4	<1	<1	1	2	4	6	9
50-64	384	2.3	4	<1	<1	2	3	4	6	11
65+	181	2.7	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	5	4.2	6	1	1	4	6	7	7	7
35-49	9	1.8	1	<1	<1	1	2	4	4	4
50-64	10	3.0	2	<1	<1	3	4	5	5	5
65+	8	1.6	3	<1	<1	1	1	5	6	6
B. *Operated*										
0-19 YRS	75	3.9	22	<1	1	2	4	9	15	23
20-34	142	3.6	12	<1	1	2	5	8	11	19
35-49	218	3.6	20	<1	<1	2	4	8	10	22
50-64	242	3.4	11	<1	<1	2	4	7	9	17
65+	189	5.3	38	<1	1	3	7	13	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.2	3	1	1	1	3	5	6	6
B. *Operated*	1822	2.2	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	36	2.4	3	<1	<1	2	4	5	6	7
B. *Operated*	866	3.9	21	<1	1	2	4	8	12	24
1. SINGLE DX	1834	2.2	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX	902	3.9	20	<1	1	2	4	8	12	24
A. NOT OPERATED	48	2.3	3	<1	<1	1	4	5	6	7
B. OPERATED	2688	2.7	10	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	510	2.2	5	<1	<1	2	2	4	6	13
20-34	547	2.5	6	<1	<1	2	3	5	7	12
35-49	661	2.6	9	<1	<1	2	3	5	8	14
50-64	638	2.7	7	<1	<1	2	3	5	8	13
65+	380	4.0	24	<1	<1	2	4	9	14	29
GRAND TOTAL	**2736**	**2.7**	**10**	**<1**	**<1**	**2**	**3**	**5**	**8**	**17**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.3	26	<1	<1	3	7	14	15	15
20-34	3	4.3	12	1	1	4	7	8	8	8
35-49	2	9.5	145	1	1	9	18	18	18	18
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	401	1.8	4	<1	<1	1	2	3	5	12
20-34	156	2.3	6	<1	<1	1	3	5	9	12
35-49	116	2.6	8	<1	<1	2	3	6	8	15
50-64	93	2.9	17	<1	<1	1	3	6	10	25
65+	51	2.2	4	<1	<1	1	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	<1	<1	1	2	4	4	4
20-34	9	3.2	7	<1	<1	2	5	8	8	8
35-49	2	2.0		2	2	2	2	2	2	2
50-64	6	6.0	26	2	2	4	6	15	16	16
65+	16	6.9	29	<1	1	5	10	15	18	19
B. *Operated*										
0-19 YRS	108	3.1	18	<1	<1	2	3	8	9	26
20-34	64	5.3	139	<1	<1	2	5	11	16	81
35-49	70	3.8	24	<1	<1	2	5	9	13	26
50-64	85	6.5	108	<1	<1	3	7	15	27	62
65+	99	6.5	59	<1	<1	3	8	18	26	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.9	27	<1	1	3	7	14	16	18
B. *Operated*	817	2.2	6	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	45	4.4	20	<1	<1	3	6	12	15	19
B. *Operated*	426	5.0	66	<1	<1	2	5	12	18	34
1. SINGLE DX	837	2.2	7	<1	<1	1	2	4	7	14
2. MULTIPLE DX	471	4.9	62	<1	<1	2	5	12	18	32
A. NOT OPERATED	65	4.6	22	<1	<1	3	6	14	15	19
B. OPERATED	1243	3.1	29	<1	<1	2	3	7	11	26
TOTAL 0-19 YRS	532	2.1	8	<1	<1	1	2	4	7	14
20-34	232	3.2	44	<1	<1	2	3	7	10	21
35-49	190	3.1	15	<1	<1	2	4	7	10	20
50-64	186	4.6	61	<1	<1	2	4	11	16	41
65+	168	5.2	43	<1	<1	3	6	14	21	30
GRAND TOTAL	**1308**	**3.2**	**28**	**<1**	**<1**	**2**	**3**	**7**	**12**	**26**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	83	1.3		<1	<1	1	1	2	2	4
20-34	154	1.3		<1	<1	1	2	2	2	3
35-49	154	1.6	1	<1	<1	1	2	2	3	4
50-64	69	1.7	1	<1	<1	2	2	2	3	5
65+	40	1.7	1	<1	<1	2	2	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	58	2.2	3	<1	<1	1	3	5	6	8
35-49	118	2.1	2	<1	<1	2	2	4	5	8
50-64	115	2.6	10	<1	<1	2	2	4	9	19
65+	57	3.2	11	<1	1	2	3	7	13	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		<1	<1	1	2	2	2	2
B. Operated	500	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	4	1.8		<1	<1	2	2	2	2	2
B. Operated	353	2.5	6	<1	<1	2	2	5	7	15
1. SINGLE DX	503	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX	357	2.4	6	<1	<1	2	2	5	7	15
A. NOT OPERATED	7	1.6		<1	<1	2	2	2	2	2
B. OPERATED	853	1.9	3	<1	<1	1	2	3	4	10
TOTAL 0-19 YRS	89	1.3		<1	<1	1	1	2	2	4
20-34	213	1.6	1	<1	<1	1	2	3	3	7
35-49	273	1.8	1	<1	<1	2	2	3	4	6
50-64	186	2.3	6	<1	<1	2	2	3	5	16
65+	99	2.6	7	<1	<1	2	2	5	8	16
GRAND TOTAL	**860**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	7	2.1	2	<1	<1	2	3	5	5	5
35-49	9	2.4	5	<1	<1	1	4	6	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	236	4.6	3	<1	1	5	6	7	7	8
35-49	749	5.2	3	1	3	5	6	7	7	9
50-64	107	5.5	12	<1	1	6	6	7	8	21
65+	13	4.8	5	<1	1	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	25	2.4	2	<1	1	2	3	4	5	6
35-49	68	2.9	7	<1	<1	2	4	7	7	14
50-64	20	2.6	9	<1	<1	1	3	7	10	12
65+	6	5.7	16	2	2	5	6	12	13	13
B. Operated										
0-19 YRS	5	4.2	4	1	1	5	5	6	6	6
20-34	948	5.3	6	1	3	5	6	7	8	12
35-49	5366	5.7	5	2	4	6	6	8	9	13
50-64	1140	5.9	7	1	4	6	7	8	9	16
65+	153	7.5	13	2	4	7	9	12	14	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.2	3	<1	<1	1	3	5	6	7
B. Operated	1107	5.1	4	1	2	5	6	7	7	9
2. MULTIPLE DX										
A. Not Operated	119	2.9	7	<1	1	2	4	6	8	14
B. Operated	7612	5.7	5	2	4	6	7	8	9	13
1. SINGLE DX	1125	5.0	4	1	2	5	6	7	7	9
2. MULTIPLE DX	7731	5.7	6	2	4	6	6	8	9	13
A. NOT OPERATED	137	2.8	6	<1	<1	2	4	6	7	13
B. OPERATED	8719	5.7	5	1	4	6	6	8	9	13
TOTAL 0-19 YRS	7	4.0	5	1	1	5	6	6	6	6
20-34	1216	5.1	5	1	2	5	6	7	8	11
35-49	6192	5.6	5	2	4	6	6	7	8	12
50-64	1268	5.8	7	1	3	6	7	8	9	16
65+	173	7.2	13	2	3	6	9	12	13	21
GRAND TOTAL	**8856**	**5.6**	**5**	**1**	**3**	**6**	**6**	**8**	**9**	**13**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	13	3.9	3	1	2	4	5	6	7	7
35-49	20	4.2	6	<1	<1	5	6	6	8	9
50-64	5	5.0	21	<1	<1	5	7	12	12	12
65+	2	8.5	85	2	2	8	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	28	4.7	7	<1	1	5	6	9	10	10
35-49	77	5.1	4	1	2	5	6	7	8	9
50-64	34	5.2	8	<1	1	5	6	9	9	14
65+	11	7.5	24	1	2	6	11	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	41	4.4	9	<1	1	4	6	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	150	5.2	7	<1	1	5	6	8	9	14
1. SINGLE DX	43	4.3	9	<1	1	4	6	7	10	15
2. MULTIPLE DX	151	5.2	7	<1	1	5	6	8	9	14
A. NOT OPERATED	3	2.0	1	1	1	2	3	3	3	3
B. OPERATED	191	5.1	8	<1	1	5	6	8	9	15
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	42	4.4	6	<1	1	4	6	8	9	10
35-49	98	4.9	4	<1	1	5	6	7	8	9
50-64	39	5.2	10	<1	<1	5	6	9	11	14
65+	14	7.3	27	1	2	6	11	15	16	16
GRAND TOTAL	**194**	**5.0**	**8**	**<1**	**1**	**5**	**6**	**8**	**9**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	88	4.5	1	3	3	4	5	6	6	8
20-34	297	4.6	2	3	3	5	5	6	6	9
35-49	102	5.5	4	3	4	5	6	7	9	15
50-64	46	6.0	4	4	4	6	6	8	9	17
65+	35	7.5	11	3	4	6	9	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	4.0		4	4	4	4	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+	3	6.7	10	3	3	8	9	9	9	9
B. *Operated*										
0-19 YRS	43	5.3	3	3	4	5	6	7	9	11
20-34	372	4.9	3	2	3	5	6	7	7	10
35-49	261	5.9	5	4	4	6	6	8	10	14
50-64	187	6.8	8	4	5	6	8	10	13	19
65+	137	9.3	41	4	5	8	10	14	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	568	5.0	4	3	3	5	6	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	8	4.3	8	1	1	3	6	9	9	9
B. *Operated*	1000	6.1	12	3	4	6	7	9	11	19
1. SINGLE DX	569	5.0	4	3	3	5	6	7	8	15
2. MULTIPLE DX	1008	6.1	12	3	4	6	7	9	11	19
A. NOT OPERATED	9	3.9	8	1	1	3	5	9	9	9
B. OPERATED	1568	5.7	9	3	3	5	6	8	10	16
TOTAL 0-19 YRS	132	4.7	2	3	3	5	5	6	7	8
20-34	672	4.7	2	3	3	5	5	6	7	9
35-49	365	5.8	5	3	4	5	6	8	9	14
50-64	233	6.6	7	4	5	6	7	9	12	19
65+	175	8.9	35	4	5	7	10	14	17	27
GRAND TOTAL	**1577**	**5.7**	**9**	**3**	**3**	**5**	**6**	**8**	**10**	**16**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	13	2.8	5	<1	<1	2	4	6	8	8
35-49	14	2.5	4	<1	<1	1	4	6	6	6
50-64	6	3.7	5	<1	<1	4	5	6	6	6
65+	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	12	4.2	2	2	2	4	5	6	6	6
35-49	20	5.0	3	<1	1	5	6	7	7	8
50-64	8	7.4	39	<1	1	6	12	17	17	17
65+	10	5.3	26	<1	<1	3	8	13	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	39	2.7	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	52	5.2	13	<1	1	5	6	8	16	17
1. SINGLE DX	40	2.7	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX	52	5.2	13	<1	1	5	6	8	16	17
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	91	4.1	10	<1	<1	4	6	7	8	17
TOTAL 0-19 YRS	5	2.6	3	<1	<1	3	4	5	5	5
20-34	25	3.4	4	<1	<1	4	5	6	7	8
35-49	35	3.9	5	<1	<1	5	6	6	7	8
50-64	14	5.8	26	<1	<1	5	6	17	17	17
65+	13	4.8	21	<1	1	3	7	11	16	17
GRAND TOTAL	**92**	**4.1**	**10**	**<1**	**<1**	**4**	**6**	**7**	**8**	**17**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	12	1.8	1	<1	<1	2	2	3	3	3
35-49	13	2.0	3	<1	<1	1	2	4	6	7
50-64	11	1.9	2	<1	<1	2	2	4	6	6
65+	7	1.4	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	9.8	95	1	1	6	18	23	23	23
35-49	5	1.6		1	1	2	2	2	2	2
50-64	5	2.4	2	<1	<1	2	3	5	5	5
65+	20	5.1	31	1	1	3	6	9	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	47	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	35	4.9	35	1	1	2	6	10	21	26
1. SINGLE DX	48	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	35	4.9	35	1	1	2	6	10	21	26
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	82	3.1	18	<1	1	2	3	6	9	25
TOTAL 0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	17	4.1	38	<1	1	2	3	15	21	23
35-49	19	1.8	2	<1	1	1	2	3	5	7
50-64	16	2.1	2	<1	<1	2	2	5	6	6
65+	27	4.1	25	<1	1	2	5	8	12	26
GRAND TOTAL	**83**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**6**	**9**	**25**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.3	15	<1	<1	1	5	9	9	9
35-49	9	4.0	11	<1	<1	2	7	9	10	10
50-64	18	2.2	4	<1	<1	2	3	4	7	9
65+	22	2.2	8	<1	<1	1	2	5	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	3	5.7	10	2	2	7	8	8	8	8
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	5	4.4	9	<1	<1	3	7	8	8	8
35-49	11	4.6	7	1	1	5	7	8	8	8
50-64	25	5.9	23	1	1	5	9	11	17	17
65+	45	4.3	27	<1	1	3	4	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	54	2.6	7	<1	<1	1	2	7	10	11
2. MULTIPLE DX										
A. Not Operated	5	4.2	10	1	1	3	7	8	8	8
B. Operated	88	4.8	22	<1	1	3	7	10	13	25
1. SINGLE DX	54	2.6	7	<1	<1	1	2	7	10	11
2. MULTIPLE DX	93	4.8	21	<1	1	3	7	10	13	24
A. NOT OPERATED	5	4.2	10	1	1	3	7	8	8	8
B. OPERATED	142	3.9	17	<1	<1	2	5	9	11	18
TOTAL 0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	12	4.3	10	<1	<1	3	7	8	9	9
35-49	20	4.4	8	<1	<1	4	7	8	9	10
50-64	44	4.3	17	<1	1	3	6	10	13	17
65+	68	3.6	21	<1	1	2	4	10	12	27
GRAND TOTAL	**147**	**3.9**	**17**	**<1**	**1**	**2**	**5**	**9**	**11**	**18**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	11	1.4		<1	<1	<1	2	3	3	3
20-34	4	2.3	1	<1	<1	2	3	3	3	3
35-49	2	2.0		2	2	2	2	2	2	2
50-64	6	1.5	1	<1	<1	1	2	3	3	3
65+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	8.5	1	8	8	8	9	9	9	9
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	4	3.3	10	1	1	2	5	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	26	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	2	8.5	1	8	8	8	9	9	9	9
B. Operated	11	2.5	4	1	1	2	3	6	8	8
1. SINGLE DX	26	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	13	3.4	9	1	1	2	5	8	9	9
A. NOT OPERATED	2	8.5	1	8	8	8	9	9	9	9
B. OPERATED	37	1.9	2	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	12	1.3		<1	<1	1	2	2	3	3
20-34	6	1.8	1	<1	<1	2	3	3	3	3
35-49	5	2.4	1	2	2	2	3	4	4	4
50-64	10	2.2	5	<1	<1	1	2	5	8	8
65+	6	4.2	12	1	1	3	8	9	9	9
GRAND TOTAL	**39**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**8**	**9**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	7	4.6	28	<1	<1	3	5	14	16	16
65+	8	4.5	4	1	1	5	6	7	7	7
B. *Operated*										
0-19 YRS	7	9.1	25	3	4	8	10	17	19	19
20-34	40	9.6	20	2	4	9	13	16	18	20
35-49	63	8.3	65	1	1	8	10	12	15	55
50-64	69	11.1	60	2	3	9	12	20	30	38
65+	40	9.5	37	1	2	9	12	17	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	6	2.0	4	<1	<1	1	2	6	6	6
35-49	4	8.0	55	3	3	5	12	19	19	19
50-64	22	4.1	9	1	1	3	6	8	11	12
65+	43	8.4	76	1	2	5	10	19	25	42
B. *Operated*										
0-19 YRS	7	22.0	210	11	11	18	32	46	48	48
20-34	34	11.9	27	4	6	11	16	21	78	99+
35-49	87	13.3	116	4	5	10	16	24	33	91
50-64	130	15.4	203	4	6	12	17	25	55	94
65+	122	19.0	293	2	4	14	22	48	60	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.7	14	<1	1	4	6	8	13	16
B. *Operated*	219	9.7	49	1	2	9	11	16	21	37
2. MULTIPLE DX										
A. *Not Operated*	78	6.4	53	1	1	4	7	16	20	40
B. *Operated*	380	15.9	202	3	5	11	18	33	56	99+
1. SINGLE DX	237	9.3	48	1	2	9	11	16	20	37
2. MULTIPLE DX	458	14.3	189	2	3	11	17	31	50	99
A. NOT OPERATED	96	6.1	45	1	1	4	7	16	19	39
B. OPERATED	599	13.6	155	2	4	10	16	28	45	91
TOTAL 0-19 YRS	17	13.1	154	1	2	11	18	33	44	48
20-34	82	9.8	28	1	2	10	13	17	20	99+
35-49	155	11.1	99	1	2	9	12	18	30	76
50-64	228	12.7	149	2	3	10	14	22	33	90
65+	213	14.5	217	2	3	10	18	34	50	75
GRAND TOTAL	**695**	**12.6**	**146**	**1**	**3**	**10**	**15**	**23**	**37**	**86**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	14	2.6	2	1	1	3	4	4	4	4
20-34	183	3.0	1	1	2	3	4	4	5	5
35-49	188	3.0	1	1	1	3	4	5	5	6
50-64	107	3.2	1	2	2	3	4	5	5	7
65+	42	3.3	1	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	7	3.3	1	2	2	3	4	4	4	4
20-34	53	3.2	1	1	2	3	4	5	5	6
35-49	82	4.0	14	2	2	3	4	5	7	26
50-64	110	3.9	4	2	3	3	4	5	8	14
65+	79	5.8	51	3	3	4	6	9	13	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	534	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	4	2.3	4	1	1	2	3	5	5	5
B. *Operated*	331	4.3	18	2	2	4	4	6	8	22
1. SINGLE DX	535	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	335	4.3	18	2	2	4	4	6	8	21
A. NOT OPERATED	5	2.2	3	1	1	2	3	5	5	5
B. OPERATED	865	3.5	8	1	2	3	4	5	6	13
TOTAL 0-19 YRS	21	2.8	1	1	1	3	4	4	4	4
20-34	236	3.1	1	1	2	3	4	4	5	6
35-49	270	3.3	5	1	2	3	4	5	5	8
50-64	220	3.6	3	2	2	3	4	5	6	13
65+	123	4.9	35	2	2	4	5	7	10	32
GRAND TOTAL	**870**	**3.5**	**8**	**1**	**2**	**3**	**4**	**5**	**6**	**13**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	5	9.8	38	5	5	9	12	20	20	20
20-34	33	6.7	10	2	3	6	9	10	14	15
35-49	32	7.3	15	2	3	7	9	14	15	16
50-64	33	5.0	6	2	3	4	6	9	10	11
65+	21	5.5	13	1	2	4	7	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	5	3.4	3	2	2	3	4	6	6	6
50-64	15	5.1	23	1	1	3	8	12	16	17
65+	9	9.8	125	1	1	6	11	29	36	36
B. *Operated*										
0-19 YRS	6	7.0	8	4	4	6	8	12	12	12
20-34	35	9.9	87	2	3	7	10	21	35	42
35-49	53	8.4	27	3	3	8	11	15	17	29
50-64	73	7.4	55	2	3	6	9	11	19	90
65+	79	11.4	130	3	3	9	14	23	27	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	2	2	2	2	3	5	5	5
B. *Operated*	124	6.3	12	2	3	6	8	10	14	17
2. MULTIPLE DX										
A. *Not Operated*	32	5.9	50	1	1	4	7	13	19	36
B. *Operated*	246	9.2	78	3	3	7	10	18	23	61
1. SINGLE DX	129	6.2	13	2	2	5	8	10	14	17
2. MULTIPLE DX	278	8.8	76	2	3	6	10	18	23	58
A. NOT OPERATED	37	5.5	44	1	1	3	6	11	18	36
B. OPERATED	370	8.2	58	2	3	6	10	15	21	51
TOTAL 0-19 YRS	12	8.0	20	4	4	6	9	14	19	20
20-34	73	8.0	50	2	2	6	9	14	20	41
35-49	92	7.6	22	2	3	7	10	14	16	25
50-64	121	6.4	39	1	2	5	8	10	15	71
65+	109	10.1	110	3	3	6	11	22	24	63
GRAND TOTAL	**407**	**8.0**	**57**	**2**	**3**	**6**	**9**	**15**	**21**	**47**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	6	2.3	3	<1	<1	2	4	5	5	5
20-34	378	3.2	4	<1	<1	3	5	6	7	8
35-49	171	4.0	6	1	1	4	6	7	8	11
50-64	38	3.5	6	1	1	2	6	7	8	8
65+	20	3.7	7	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.0		1	1	1	1	1	1	1
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.5	19	<1	<1	1	6	10	10	10
20-34	372	4.0	5	<1	1	4	6	6	7	10
35-49	266	5.0	6	1	1	5	6	7	8	13
50-64	70	6.0	14	1	1	6	7	9	12	21
65+	46	6.1	15	1	1	6	8	11	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	613	3.4	5	<1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	8	1.3	1	<1	<1	1	1	3	3	3
B. *Operated*	758	4.6	8	<1	1	5	6	7	9	13
1. SINGLE DX	615	3.4	5	<1	1	3	5	6	7	9
2. MULTIPLE DX	766	4.6	8	<1	1	5	6	7	8	13
A. NOT OPERATED	10	1.8	2	<1	<1	1	3	4	5	5
B. OPERATED	1371	4.1	7	<1	1	4	6	7	8	12
TOTAL 0-19 YRS	11	2.6	8	<1	<1	1	4	7	10	10
20-34	754	3.6	5	<1	<1	4	5	6	7	8
35-49	441	4.5	6	1	1	5	6	7	8	12
50-64	109	5.1	12	1	1	5	7	8	9	20
65+	66	5.4	14	1	1	5	8	10	11	19
GRAND TOTAL	**1381**	**4.1**	**7**	**<1**	**1**	**4**	**6**	**7**	**8**	**12**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	24	2.7	5	<1	<1	1	5	6	7	7
35-49	48	3.8	15	<1	<1	3	5	7	8	25
50-64	62	3.7	12	<1	<1	2	5	10	11	14
65+	96	4.4	17	<1	1	3	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.0	3	2	2	5	5	5	5	5
50-64	10	3.5	11	<1	<1	2	5	9	9	9
65+	4	6.8	42	<1	<1	5	11	16	16	16
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	16	5.2	13	<1	1	5	7	11	12	12
35-49	66	5.2	9	<1	2	5	6	10	11	14
50-64	129	5.1	24	<1	1	4	7	10	11	30
65+	221	7.6	40	1	2	6	10	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	235	3.8	14	<1	<1	3	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*	17	4.4	16	<1	<1	5	5	9	14	16
B. *Operated*	434	6.3	31	1	1	5	8	12	17	29
1. SINGLE DX	236	3.8	14	<1	<1	3	5	8	12	18
2. MULTIPLE DX	451	6.3	31	1	1	5	8	12	16	28
A. NOT OPERATED	18	4.3	15	<1	<1	4	5	9	13	16
B. OPERATED	669	5.5	26	<1	1	4	7	11	15	25
TOTAL 0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	40	3.7	9	<1	<1	3	6	8	10	12
35-49	117	4.6	12	<1	1	4	6	9	11	18
50-64	202	4.6	20	<1	1	3	7	10	11	21
65+	321	6.6	35	1	1	5	9	14	19	28
GRAND TOTAL	**687**	**5.4**	**26**	**<1**	**1**	**4**	**7**	**11**	**15**	**24**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.5	1	<1	<1	1	2	3	4	4
20-34	12	3.3	8	<1	1	2	4	9	10	10
35-49	22	5.2	61	<1	<1	2	6	13	27	32
50-64	19	4.2	11	1	1	3	6	10	12	12
65+	31	3.4	14	<1	<1	2	4	7	14	15
B. *Operated*										
0-19 YRS	128	3.7	14	<1	<1	2	5	8	11	19
20-34	146	3.8	10	<1	<1	3	5	8	10	15
35-49	143	3.6	14	<1	<1	2	5	8	11	14
50-64	182	3.6	10	<1	1	2	5	9	11	14
65+	223	3.8	12	<1	1	2	5	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	4	<1	<1	3	4	6	7	9
20-34	26	4.1	23	<1	<1	3	4	7	16	22
35-49	46	3.9	12	<1	<1	3	5	8	12	16
50-64	88	4.1	23	<1	1	3	5	8	12	28
65+	294	5.7	36	1	1	4	7	13	16	27
B. *Operated*										
0-19 YRS	44	8.9	135	1	2	5	9	18	35	65
20-34	120	7.0	80	1	1	5	8	12	21	51
35-49	155	6.8	94	1	1	4	7	15	22	87
50-64	271	6.3	40	1	1	5	8	12	18	34
65+	498	8.0	72	1	1	5	10	16	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.6	22	<1	1	2	4	8	11	28
B. *Operated*	822	3.7	12	<1	1	2	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	475	5.0	30	<1	1	3	6	11	15	26
B. *Operated*	1088	7.3	71	1	1	5	9	15	23	47
1. SINGLE DX	922	3.7	13	<1	1	2	5	8	11	16
2. MULTIPLE DX	1563	6.6	60	1	1	4	8	14	20	41
A. NOT OPERATED	575	4.8	29	<1	1	3	6	10	15	26
B. OPERATED	1910	5.8	49	<1	1	4	7	12	16	37
TOTAL 0-19 YRS	209	4.5	43	<1	<1	3	5	9	12	36
20-34	304	5.1	41	<1	1	4	6	10	13	43
35-49	366	5.1	52	<1	1	3	6	11	16	36
50-64	560	5.0	28	<1	1	3	7	10	13	31
65+	1046	6.3	51	1	1	4	8	14	19	37
GRAND TOTAL	**2485**	**5.5**	**44**	**<1**	**1**	**3**	**7**	**12**	**16**	**34**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.8	3	2	2	3	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	6	4.7	10	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	14	2.6	1	1	2	3	3	4	4	4
20-34	121	3.1	1	1	1	3	4	4	5	7
35-49	166	3.2	1	2	2	3	4	4	5	6
50-64	137	3.3	1	1	2	3	4	4	5	7
65+	74	4.2	5	2	3	4	5	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	1.8	1	<1	<1	1	3	3	3	3
35-49	11	2.9	5	<1	<1	2	5	6	6	6
50-64	7	2.1	5	<1	<1	1	3	6	7	7
65+	18	5.4	23	<1	1	4	7	10	17	21
B. *Operated*										
0-19 YRS	6	3.8	7	2	2	3	3	8	9	9
20-34	48	3.3	2	1	2	3	4	4	5	9
35-49	76	3.8	1	2	3	4	4	5	6	8
50-64	127	4.4	5	2	2	4	5	7	9	14
65+	88	6.3	54	2	3	4	6	12	17	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.8	7	1	1	3	6	8	9	9
B. *Operated*	512	3.3	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	45	3.6	13	<1	<1	3	5	7	10	21
B. *Operated*	345	4.6	17	2	2	4	5	7	9	17
1. SINGLE DX	524	3.3	2	1	2	3	4	5	5	9
2. MULTIPLE DX	390	4.5	17	1	2	4	5	7	9	18
A. NOT OPERATED	57	3.6	12	<1	<1	3	5	7	9	20
B. OPERATED	857	3.8	8	2	2	3	4	5	7	14
TOTAL 0-19 YRS	20	3.0	3	1	2	3	3	4	7	9
20-34	179	3.1	1	1	1	3	4	4	5	7
35-49	257	3.4	1	2	2	3	4	5	5	6
50-64	272	3.8	3	1	2	4	4	5	7	13
65+	186	5.3	31	2	2	4	5	9	14	22
GRAND TOTAL	**914**	**3.8**	**9**	**1**	**2**	**3**	**4**	**5**	**7**	**15**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	40	1	1	3	5	16	19	19
20-34	23	4.0	5	1	1	4	5	7	9	10
35-49	21	4.5	11	1	1	4	7	10	11	12
50-64	10	4.5	3	2	2	5	5	7	7	7
65+	17	4.8	4	1	2	5	7	7	8	8
B. *Operated*										
0-19 YRS	25	4.2	7	1	2	4	4	7	10	14
20-34	98	3.6	2	2	2	4	4	5	6	8
35-49	89	3.5	2	1	2	3	4	6	6	6
50-64	60	3.7	2	2	2	3	4	5	7	9
65+	23	4.5	3	2	3	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.5	11	2	2	3	6	9	12	14
20-34	64	4.2	9	1	1	3	6	8	10	14
35-49	76	4.9	10	1	2	4	6	10	12	14
50-64	105	6.4	32	1	2	5	7	15	16	31
65+	186	8.0	26	2	3	7	11	16	18	23
B. *Operated*										
0-19 YRS	16	5.1	16	1	1	4	6	12	15	16
20-34	60	4.7	10	2	3	4	5	7	9	24
35-49	87	4.7	9	2	3	4	5	7	11	19
50-64	84	6.8	57	2	2	4	7	15	22	45
65+	64	8.2	95	2	3	5	8	21	29	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	4.5	9	1	1	4	6	7	10	17
B. *Operated*	295	3.7	2	2	2	4	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	447	6.4	25	1	2	5	8	14	16	22
B. *Operated*	311	6.0	42	2	3	4	6	11	18	42
1. SINGLE DX	373	3.9	4	1	2	4	5	6	7	11
2. MULTIPLE DX	758	6.2	32	2	2	5	7	13	16	28
A. NOT OPERATED	525	6.1	23	1	2	5	8	12	16	22
B. OPERATED	606	4.9	24	2	2	4	5	7	12	27
TOTAL 0-19 YRS	64	4.6	13	1	2	4	5	9	14	19
20-34	245	4.1	6	1	2	4	5	6	8	13
35-49	273	4.3	7	1	2	4	5	7	11	14
50-64	259	5.8	34	2	2	4	6	10	16	33
65+	290	7.6	40	2	3	6	9	16	18	35
GRAND TOTAL	**1131**	**5.5**	**24**	**2**	**2**	**4**	**6**	**10**	**15**	**24**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	4.5	6	1	2	4	6	7	9	14
20-34	89	4.3	8	2	2	4	5	8	8	18
35-49	56	4.3	5	1	2	4	6	7	8	11
50-64	87	4.5	7	1	2	4	5	8	9	15
65+	66	4.8	5	2	2	4	6	8	9	11
B. *Operated*										
0-19 YRS	10	4.7	3	3	3	4	6	7	8	8
20-34	14	4.5	6	1	1	4	6	8	9	9
35-49	9	4.0	3	2	2	3	5	7	7	7
50-64	9	4.9	9	1	1	5	6	10	10	10
65+	6	6.0	21	1	1	4	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	4.5	8	1	1	4	6	8	10	14
20-34	174	4.8	10	1	2	4	6	9	12	16
35-49	243	5.2	11	1	2	5	7	8	10	19
50-64	514	6.1	25	2	2	5	7	10	14	25
65+	826	6.5	21	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	9	5.3	8	1	1	6	7	9	9	9
20-34	35	8.1	97	2	2	5	10	14	21	57
35-49	47	6.9	35	1	2	5	9	11	21	33
50-64	115	10.5	155	2	3	6	10	26	39	62
65+	150	11.5	143	2	3	8	13	22	34	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	542	4.5	7	1	2	4	6	8	9	14
B. *Operated*	48	4.7	7	1	2	4	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	1891	5.9	19	2	2	5	7	11	14	22
B. *Operated*	356	10.1	127	2	3	7	11	20	33	65
1. SINGLE DX	590	4.5	7	1	2	4	6	8	9	14
2. MULTIPLE DX	2247	6.6	38	2	2	5	8	12	15	33
A. NOT OPERATED	2433	5.6	17	2	2	5	7	10	13	20
B. OPERATED	404	9.4	116	2	2	6	10	18	32	63
TOTAL 0-19 YRS	397	4.5	7	1	2	4	6	8	9	14
20-34	312	5.0	20	1	2	4	6	9	12	21
35-49	355	5.3	14	1	2	5	7	9	11	22
50-64	725	6.6	46	2	2	5	8	11	15	37
65+	1048	7.1	41	2	2	6	8	13	16	34
GRAND TOTAL	**2837**	**6.1**	**33**	**2**	**2**	**5**	**7**	**11**	**14**	**29**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	517	3.7	12	1	1	3	5	7	8	12
20-34	287	3.4	5	1	1	3	4	6	8	11
35-49	107	3.9	6	1	2	3	5	7	9	13
50-64	80	4.9	6	1	2	4	7	9	9	11
65+	49	6.1	19	2	2	5	7	9	12	30
B. *Operated*										
0-19 YRS	5	17.8	739	1	1	6	25	66	66	66
20-34	15	5.1	12	2	2	4	6	7	14	16
35-49	7	5.1	11	2	2	4	7	10	11	11
50-64	5	6.4	9	3	3	6	9	10	10	10
65+	5	7.4	19	1	1	7	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	498	4.0	9	1	1	3	5	7	9	11
20-34	601	4.4	12	1	2	4	5	8	11	18
35-49	373	5.5	17	1	2	5	7	9	13	19
50-64	367	6.3	24	2	2	5	8	11	15	25
65+	464	9.0	44	2	3	7	11	17	21	37
B. *Operated*										
0-19 YRS	20	5.3	12	1	2	4	7	9	13	16
20-34	62	9.4	91	2	3	7	10	19	27	60
35-49	48	7.3	25	2	2	7	9	16	17	25
50-64	46	14.8	136	4	4	11	18	33	34	64
65+	68	19.9	258	5	6	14	26	38	52	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1040	3.9	10	1	1	3	5	7	8	12
B. *Operated*	37	7.3	110	1	2	5	7	11	15	66
2. MULTIPLE DX										
A. *Not Operated*	2303	5.7	24	1	2	4	7	11	14	24
B. *Operated*	244	12.6	153	2	3	9	15	27	34	64
1. SINGLE DX	1077	4.0	13	1	1	3	5	7	8	13
2. MULTIPLE DX	2547	6.4	40	1	2	5	8	12	17	32
A. NOT OPERATED	3343	5.2	20	1	2	4	6	9	13	22
B. OPERATED	281	11.9	151	2	3	8	14	26	34	64
TOTAL 0-19 YRS	1040	3.9	14	1	1	3	5	7	8	12
20-34	965	4.5	17	1	1	4	5	8	11	21
35-49	535	5.4	16	1	2	4	7	9	13	19
50-64	498	6.9	38	2	2	5	8	12	17	33
65+	586	10.0	80	2	3	8	12	20	26	50
GRAND TOTAL	**3624**	**5.7**	**34**	**1**	**2**	**4**	**7**	**10**	**14**	**29**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	4.0	5	1	1	4	5	7	8	11
20-34	126	3.6	4	1	1	3	5	6	8	10
35-49	148	4.2	5	1	2	4	5	7	9	12
50-64	188	4.9	15	1	2	4	6	8	10	20
65+	213	5.6	14	2	2	5	6	10	12	20
B. *Operated*										
0-19 YRS	9	2.6	3	<1	<1	2	4	5	5	5
20-34	44	3.1	11	<1	<1	1	4	7	9	18
35-49	33	3.9	25	<1	<1	2	4	8	14	26
50-64	66	3.8	11	<1	<1	2	5	8	10	16
65+	56	3.0	9	<1	<1	2	3	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	4.7	19	1	2	3	5	8	12	26
20-34	555	5.0	20	1	1	4	6	9	12	23
35-49	808	6.2	37	2	2	5	7	11	15	29
50-64	1522	6.6	25	2	3	5	8	12	16	26
65+	2441	7.5	33	2	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	12	8.0	36	1	2	6	9	19	21	21
20-34	247	11.2	160	1	2	7	14	26	41	63
35-49	416	11.4	139	1	2	7	14	28	37	57
50-64	796	13.6	186	1	2	9	18	32	43	74
65+	1034	15.1	199	2	3	11	20	35	46	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	806	4.6	10	1	2	4	6	8	10	16
B. *Operated*	208	3.4	13	<1	<1	2	4	8	9	19
2. MULTIPLE DX										
A. *Not Operated*	5493	6.7	30	2	2	5	8	12	16	28
B. *Operated*	2505	13.6	182	2	2	9	17	32	43	72
1. SINGLE DX	1014	4.4	11	<1	1	4	6	8	10	18
2. MULTIPLE DX	7998	8.9	88	2	2	6	10	18	26	52
A. NOT OPERATED	6299	6.4	28	2	2	5	8	12	15	27
B. OPERATED	2713	12.8	177	1	2	8	17	30	42	71
TOTAL 0-19 YRS	319	4.5	14	1	1	4	5	8	10	22
20-34	972	6.3	62	1	1	4	7	13	20	47
35-49	1405	7.5	70	1	2	5	8	15	23	46
50-64	2572	8.6	85	2	2	6	10	18	26	54
65+	3744	9.4	90	2	3	7	11	19	27	53
GRAND TOTAL	**9012**	**8.4**	**82**	**2**	**2**	**6**	**9**	**17**	**25**	**50**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.0	3	1	1	3	4	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	8	2.1	2	<1	<1	2	3	4	5	5
20-34	69	3.6	4	<1	<1	4	5	6	6	9
35-49	13	3.6	4	<1	<1	3	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	9	3.6	7	1	1	3	4	8	10	10
35-49	3	4.3	9	1	1	5	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	18	3.8	3	1	2	4	5	5	7	8
20-34	173	4.5	6	<1	1	5	6	7	8	14
35-49	27	5.0	4	1	2	5	6	7	9	10
50-64	1	5.0		5	5	5	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.6	3	1	1	4	5	5	5	5
B. *Operated*	90	3.5	4	<1	<1	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	14	3.9	7	1	1	3	5	8	9	10
B. *Operated*	219	4.5	5	<1	1	5	6	7	8	12
1. SINGLE DX	97	3.5	4	<1	<1	4	5	6	6	8
2. MULTIPLE DX	233	4.5	5	<1	1	5	6	7	8	12
A. NOT OPERATED	21	3.8	5	1	1	4	5	7	8	10
B. OPERATED	309	4.2	5	<1	1	4	6	7	7	10
TOTAL 0-19 YRS	28	3.4	3	1	1	3	5	5	7	8
20-34	256	4.2	5	<1	1	4	6	7	8	11
35-49	44	4.6	5	1	1	5	6	7	8	10
50-64	2	5.0		5	5	5	5	5	5	5
65+										
GRAND TOTAL	**330**	**4.2**	**5**	**<1**	**1**	**4**	**5**	**7**	**7**	**10**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	1.9	4	<1	<1	1	2	3	6	11
20-34	52	3.4	13	<1	1	2	4	6	9	23
35-49	40	3.8	37	<1	1	3	4	6	6	40
50-64	29	2.6	3	1	1	2	4	4	7	8
65+	38	3.9	11	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	8	3.8	8	<1	1	3	4	8	10	10
20-34	16	4.3	18	<1	<1	3	5	12	14	15
35-49	11	5.6	14	1	2	4	8	12	12	12
50-64	18	5.0	3	2	2	5	6	7	8	8
65+	14	8.9	105	1	1	5	10	23	35	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	3.0	18	1	1	2	3	6	7	23
20-34	185	4.0	16	1	1	3	5	7	11	25
35-49	182	4.7	33	<1	1	3	6	9	13	50
50-64	290	4.8	24	1	1	4	6	9	13	27
65+	814	6.3	31	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	12	9.8	202	2	3	5	9	28	49	53
20-34	47	7.0	48	1	1	5	7	18	30	99+
35-49	57	8.5	50	1	2	6	13	20	23	26
50-64	81	8.3	55	1	2	6	10	16	25	39
65+	131	12.2	197	2	3	8	14	25	34	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	2.9	13	<1	1	2	4	6	8	18
B. *Operated*	67	5.6	32	1	1	4	7	11	14	36
2. MULTIPLE DX										
A. *Not Operated*	1626	5.3	28	1	1	4	6	11	15	31
B. *Operated*	328	9.8	118	1	2	6	12	21	29	83
1. SINGLE DX	306	3.5	18	<1	1	2	4	7	10	22
2. MULTIPLE DX	1954	6.0	46	1	1	4	7	13	18	34
A. NOT OPERATED	1865	5.0	27	1	1	3	6	10	15	30
B. OPERATED	395	9.1	106	1	2	6	11	19	26	69
TOTAL 0-19 YRS	255	3.0	23	<1	1	2	3	5	9	23
20-34	300	4.4	22	1	1	3	5	9	14	30
35-49	290	5.4	38	1	1	3	6	11	18	34
50-64	418	5.3	30	1	1	4	7	10	14	31
65+	997	7.0	57	1	2	5	8	15	19	38
GRAND TOTAL	**2260**	**5.7**	**43**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	1	4	4	6	6	7	7	7
20-34										
35-49										
50-64										
65+	7	6.1	19	2	2	5	9	13	14	14
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	7.6	73	1	1	4	10	19	28	40
20-34	6	6.2	21	3	3	4	11	13	13	13
35-49	21	10.0	90	1	2	6	14	19	30	42
50-64	59	10.1	60	3	3	6	13	20	30	34
65+	308	9.0	55	2	3	7	11	18	23	43
B. *Operated*										
0-19 YRS	6	12.2	297	1	1	6	8	43	47	47
20-34	19	6.3	7	4	4	6	6	11	14	14
35-49	47	8.1	42	4	5	6	8	16	24	33
50-64	28	11.8	100	2	3	8	15	26	37	41
65+	82	17.0	180	4	6	14	21	33	39	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.0	11	2	3	6	7	11	14	14
B. *Operated*	4	2.8	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	433	9.0	59	2	3	7	11	18	23	41
B. *Operated*	182	12.6	133	4	5	8	15	28	36	48
1. SINGLE DX	16	5.2	11	1	2	5	6	10	13	14
2. MULTIPLE DX	615	10.1	83	2	3	7	13	21	30	44
A. NOT OPERATED	445	8.9	58	2	3	7	11	18	23	40
B. OPERATED	186	12.4	133	4	5	8	15	28	36	48
TOTAL 0-19 YRS	51	7.8	89	1	1	5	8	18	30	47
20-34	26	6.1	10	3	3	5	6	13	13	14
35-49	68	8.7	56	3	4	6	9	18	24	40
50-64	88	10.5	72	3	3	7	14	22	32	39
65+	398	10.6	91	3	3	8	13	21	31	48
GRAND TOTAL	**631**	**10.0**	**82**	**2**	**3**	**7**	**13**	**21**	**30**	**43**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	9.6	25	2	3	10	12	15	19	26
20-34	24	10.7	18	2	6	11	13	16	18	18
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	10.7	28	3	4	10	14	17	21	27
20-34	121	12.2	28	5	6	12	14	19	23	29
35-49	11	13.0	22	6	7	13	16	20	22	22
50-64										
65+										
B. *Operated*										
0-19 YRS	26	14.8	82	3	7	13	20	33	51	99+
20-34	12	18.3	338	1	1	16	20	38	67	72
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	9.8	23	2	3	10	12	15	18	25
B. *Operated*	3	8.3	36	2	2	9	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	345	11.3	28	3	5	11	14	18	21	28
B. *Operated*	39	15.5	161	1	3	14	20	30	57	99+
1. SINGLE DX	87	9.8	23	2	3	10	12	15	18	25
2. MULTIPLE DX	384	11.7	43	3	5	11	14	19	22	34
A. NOT OPERATED	429	11.0	27	3	5	11	14	18	21	27
B. OPERATED	42	15.0	154	1	3	13	19	26	52	99+
TOTAL 0-19 YRS	300	10.8	33	3	4	10	14	18	22	33
20-34	158	12.4	51	4	6	12	14	19	23	32
35-49	13	11.3	36	<1	2	12	15	19	21	22
50-64										
65+										
GRAND TOTAL	**471**	**11.4**	**40**	**3**	**5**	**11**	**14**	**18**	**22**	**32**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	6	5.5	1	4	4	5	6	7	7	7
20-34	102	6.9	4	4	5	7	8	9	10	14
35-49	70	6.8	6	4	4	6	8	10	11	16
50-64	9	5.6	10	<1	1	6	7	10	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.5	83	<1	1	4	5	19	32	32
20-34	9	4.2	11	<1	1	4	5	10	12	12
35-49	21	5.8	37	<1	1	4	6	15	22	23
50-64	10	5.5	19	3	3	4	5	13	15	15
65+	14	8.4	165	1	1	5	8	14	44	52
B. *Operated*										
0-19 YRS	5	7.0	4	5	5	8	8	9	9	9
20-34	214	8.4	31	5	5	7	9	13	15	35
35-49	266	8.7	33	5	5	8	9	12	16	59
50-64	74	9.6	22	5	6	9	10	15	21	29
65+	5	8.6	27	2	2	9	11	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.8	7	<1	<1	2	3	7	9	9
B. *Operated*	187	6.8	5	4	4	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	64	6.2	64	<1	1	4	6	12	22	49
B. *Operated*	564	8.7	30	5	5	8	9	13	16	46
1. SINGLE DX	195	6.6	5	3	4	6	8	9	10	14
2. MULTIPLE DX	628	8.4	34	3	5	7	9	13	17	49
A. NOT OPERATED	72	5.8	58	<1	1	4	6	11	20	48
B. OPERATED	751	8.2	25	5	5	7	9	12	15	32
TOTAL 0-19 YRS	23	6.2	37	1	2	5	7	9	17	32
20-34	328	7.8	23	4	5	7	8	11	14	24
35-49	359	8.1	28	4	5	7	9	12	15	47
50-64	94	8.7	23	3	4	8	10	15	19	27
65+	19	8.5	125	1	1	6	9	14	36	52
GRAND TOTAL	**823**	**8.0**	**28**	**3**	**5**	**7**	**9**	**12**	**15**	**34**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.9	12	<1	<1	2	3	6	8	22
20-34	88	1.5	2	<1	<1	<1	1	3	4	8
35-49	36	2.1	4	<1	<1	<1	3	4	6	10
50-64	72	1.7	3	<1	<1	<1	<1	4	7	9
65+	39	4.4	20	<1	<1	2	6	12	13	20
B. *Operated*										
0-19 YRS	31	3.3	7	1	1	3	4	6	11	12
20-34	53	3.6	30	<1	1	1	4	8	16	32
35-49	61	2.7	6	<1	<1	2	3	7	8	10
50-64	32	3.0	5	<1	<1	2	4	6	8	9
65+	14	3.3	5	1	1	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	4.2	17	1	1	3	5	8	10	27
20-34	94	5.7	69	<1	<1	3	6	12	21	46
35-49	122	6.3	43	1	1	4	8	13	19	39
50-64	138	6.5	28	<1	1	5	8	13	18	26
65+	234	7.0	42	1	2	5	9	14	17	39
B. *Operated*										
0-19 YRS	42	11.3	176	1	2	6	15	38	45	46
20-34	66	9.5	186	1	1	5	11	28	37	99
35-49	107	9.1	85	1	1	6	12	23	29	72
50-64	97	8.9	96	1	1	6	10	19	31	53
65+	114	10.4	113	1	2	8	13	22	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	2.3	8	<1	<1	<1	2	5	8	13
B. *Operated*	191	3.1	12	<1	1	2	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	693	6.2	40	1	1	4	8	12	17	35
B. *Operated*	426	9.7	119	1	1	6	12	23	35	65
1. SINGLE DX	486	2.6	10	<1	<1	1	3	6	8	16
2. MULTIPLE DX	1119	7.5	73	1	1	5	9	16	24	46
A. NOT OPERATED	988	5.0	33	<1	<1	3	6	11	15	30
B. OPERATED	617	7.7	95	1	1	5	9	18	28	53
TOTAL 0-19 YRS	238	5.0	51	<1	1	3	5	10	16	45
20-34	301	4.9	76	<1	<1	2	5	11	19	46
35-49	326	6.1	52	<1	<1	4	8	14	21	40
50-64	339	5.8	47	<1	<1	4	8	11	19	35
65+	401	7.6	62	1	1	5	10	15	20	46
GRAND TOTAL	**1605**	**6.0**	**59**	**<1**	**<1**	**4**	**7**	**13**	**19**	**43**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.5		2	2	2	3	3	3	3
35-49	16	3.5	6	1	1	3	5	7	9	10
50-64	18	3.5	16	1	1	3	3	7	14	18
65+	24	4.3	6	2	2	4	5	7	10	13
B. *Operated*										
0-19 YRS										
20-34	3	7.0	91	1	1	2	14	18	18	18
35-49	4	3.5	4	2	2	3	5	6	6	6
50-64	8	5.1	23	1	1	4	6	13	16	16
65+	22	2.8	6	<1	<1	2	4	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	4.7	7	2	2	4	7	9	9	9
35-49	26	4.6	11	2	2	4	5	8	14	15
50-64	80	4.7	13	1	1	3	7	10	13	15
65+	185	6.2	61	2	2	4	7	11	14	30
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	11	3.6	5	1	1	3	4	7	9	9
50-64	24	5.9	24	1	1	4	8	13	16	20
65+	54	9.6	82	1	2	7	14	17	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.7	9	1	1	3	4	7	9	17
B. *Operated*	37	3.7	15	<1	1	3	4	7	14	18
2. MULTIPLE DX										
A. *Not Operated*	298	5.6	43	1	2	4	7	11	14	24
B. *Operated*	91	7.7	60	1	2	5	10	16	20	45
1. SINGLE DX	99	3.7	11	1	1	3	4	7	11	18
2. MULTIPLE DX	389	6.1	47	1	2	4	7	12	16	29
A. NOT OPERATED	360	5.3	37	1	2	4	6	10	13	21
B. OPERATED	128	6.6	50	1	1	4	8	16	18	44
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	4.3	19	1	2	3	4	9	16	18
35-49	57	4.0	8	1	2	3	5	7	10	15
50-64	130	4.8	16	1	1	3	6	11	14	18
65+	285	6.4	59	1	2	4	7	13	16	39
GRAND TOTAL	**488**	**5.6**	**41**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	2.3	2	1	1	2	3	4	5	8
20-34	24	2.5	3	1	1	2	3	5	6	7
35-49	25	2.6	4	<1	<1	2	3	6	7	8
50-64	26	2.8	6	<1	1	2	3	6	8	12
65+	77	4.4	9	1	1	4	6	7	9	19
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	6	7.0	9	2	2	8	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	602	3.3	10	1	1	2	4	6	8	17
20-34	351	3.5	16	1	1	3	4	6	8	24
35-49	379	3.9	15	1	1	3	5	7	9	22
50-64	772	5.1	21	1	1	4	6	10	14	24
65+	3248	7.2	39	2	2	6	9	13	18	31
B. Operated										
0-19 YRS	20	7.7	90	1	1	3	9	24	31	35
20-34	42	7.0	61	<1	1	4	8	22	26	32
35-49	55	8.2	61	1	2	5	11	19	25	36
50-64	111	9.3	85	1	2	7	11	21	26	54
65+	371	12.8	115	3	3	10	17	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	204	3.2	6	1	1	3	4	6	7	12
B. Operated	11	6.2	11	2	2	5	9	11	12	12
2. MULTIPLE DX										
A. Not Operated	5352	6.0	32	1	2	4	7	12	16	28
B. Operated	599	11.1	104	2	2	8	15	24	31	52
1. SINGLE DX	215	3.4	7	1	1	3	5	7	8	12
2. MULTIPLE DX	5951	6.5	42	1	2	5	8	13	18	33
A. NOT OPERATED	5556	5.9	32	1	2	4	7	12	16	27
B. OPERATED	610	11.0	103	2	2	8	14	23	31	52
TOTAL 0-19 YRS	676	3.3	13	1	1	2	4	6	8	20
20-34	417	3.8	21	1	1	3	4	7	9	25
35-49	460	4.4	22	1	1	3	5	8	12	26
50-64	911	5.6	30	1	1	4	7	11	15	28
65+	3702	7.7	49	2	2	6	9	15	20	37
GRAND TOTAL	**6166**	**6.4**	**41**	**1**	**2**	**4**	**8**	**13**	**18**	**33**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.7	40	1	1	2	3	6	20	29
20-34	3	2.3		2	2	2	3	3	3	3
35-49	16	3.7	7	1	1	3	6	7	8	9
50-64	17	3.8	9	<1	<1	3	5	9	10	11
65+	41	3.2	5	1	1	3	4	6	8	10
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	9	5.0	7	1	2	5	6	9	9	9
50-64	4	6.0	19	2	2	5	9	12	12	12
65+	13	4.5	7	<1	1	4	6	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	5.0	77	1	1	3	5	7	12	57
20-34	39	3.5	7	1	1	2	5	8	10	11
35-49	94	3.9	8	<1	1	3	5	7	9	17
50-64	135	3.9	9	1	1	3	5	7	9	16
65+	754	5.4	17	1	1	4	7	10	13	20
B. Operated										
0-19 YRS	5	4.2	7	<1	<1	5	6	7	7	7
20-34	25	6.0	17	1	1	5	8	12	14	18
35-49	39	6.8	35	1	2	5	9	12	17	34
50-64	58	8.2	49	2	3	7	10	18	27	95
65+	246	9.5	59	2	3	7	12	19	24	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	3.5	12	1	1	3	4	7	9	21
B. Operated	31	4.5	8	1	1	4	6	9	10	12
2. MULTIPLE DX										
A. Not Operated	1063	5.0	18	1	1	4	6	10	12	20
B. Operated	373	8.7	53	2	3	7	11	17	22	43
1. SINGLE DX	127	3.7	11	1	1	3	5	8	9	16
2. MULTIPLE DX	1436	5.9	29	1	1	5	7	11	16	29
A. NOT OPERATED	1159	4.8	17	1	1	4	6	9	12	20
B. OPERATED	404	8.4	51	2	2	7	10	16	22	42
TOTAL 0-19 YRS	67	4.5	59	1	1	3	4	7	11	52
20-34	70	4.2	12	1	1	3	6	9	12	17
35-49	158	4.6	16	1	1	4	6	9	11	18
50-64	214	5.1	23	1	1	4	6	10	13	34
65+	1054	6.2	30	1	2	5	8	12	16	29
GRAND TOTAL	**1563**	**5.8**	**28**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.6	5	1	1	3	5	7	7	11
20-34	137	5.9	15	2	2	5	7	11	13	18
35-49	34	5.3	14	1	1	5	7	10	11	18
50-64	5	3.6	7	1	1	2	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	3	2.3		2	2	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	5.6	22	1	1	4	8	10	12	27
20-34	172	6.7	23	1	2	6	9	12	18	22
35-49	39	6.6	16	1	2	5	10	12	14	15
50-64	14	6.1	16	1	2	5	8	13	15	15
65+	5	4.4	4	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	10	14.2	145	2	3	10	19	32	44	44
20-34	18	14.6	229	2	2	9	21	32	49	61
35-49	7	11.9	25	3	4	11	16	18	18	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	4.7	11	1	1	4	6	9	11	17
B. *Operated*	7	2.7	1	2	2	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	335	6.3	21	1	2	5	8	11	15	22
B. *Operated*	35	13.9	158	2	2	10	19	31	41	61
1. SINGLE DX	331	4.7	11	1	1	4	6	9	11	17
2. MULTIPLE DX	370	7.0	39	1	2	5	9	13	19	32
A. NOT OPERATED	659	5.5	17	1	1	5	7	11	13	21
B. OPERATED	42	12.0	149	2	2	9	17	26	37	61
TOTAL 0-19 YRS	265	4.8	21	1	1	4	6	9	11	23
20-34	330	6.8	34	2	2	5	9	12	17	31
35-49	81	6.5	18	1	2	5	10	12	15	18
50-64	20	5.4	14	1	1	5	7	11	14	15
65+	5	4.4	4	2	2	4	6	7	7	7
GRAND TOTAL	**701**	**5.9**	**27**	**1**	**2**	**5**	**8**	**11**	**15**	**24**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	1.9	4	<1	<1	1	2	5	6	10
20-34	28	3.0	6	<1	<1	2	5	7	7	9
35-49	16	2.2	4	<1	<1	1	3	5	6	7
50-64	55	1.9	4	<1	<1	1	2	5	7	10
65+	195	2.1	6	<1	<1	1	2	4	7	13
B. *Operated*										
0-19 YRS	30	5.3	18	1	1	4	6	11	13	21
20-34	15	4.6	28	1	1	3	5	7	18	24
35-49	6	3.8	13	1	1	2	8	9	9	9
50-64	13	4.8	10	<1	<1	5	7	9	11	11
65+	36	4.5	18	<1	1	3	6	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.2	9	<1	<1	2	4	8	10	15
20-34	86	3.0	7	<1	<1	2	5	7	8	11
35-49	155	3.7	22	<1	1	2	5	8	12	21
50-64	382	3.9	20	<1	<1	2	5	9	13	21
65+	1411	4.6	24	<1	1	3	6	11	14	22
B. *Operated*										
0-19 YRS	51	6.7	28	1	2	5	8	15	16	25
20-34	44	8.0	58	1	1	7	10	18	24	38
35-49	68	7.1	46	2	2	5	9	12	17	43
50-64	138	7.2	36	1	1	5	9	14	22	27
65+	485	9.8	83	2	3	7	12	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	2.1	5	<1	<1	1	2	5	7	11
B. *Operated*	103	4.7	18	<1	1	4	6	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	2212	4.2	21	<1	1	3	5	9	13	21
B. *Operated*	786	8.8	68	1	2	7	11	18	24	39
1. SINGLE DX	589	2.5	8	<1	<1	1	3	6	8	14
2. MULTIPLE DX	2998	5.4	38	<1	1	4	7	12	16	28
A. NOT OPERATED	2698	3.8	19	<1	<1	2	5	9	12	21
B. OPERATED	889	8.4	64	1	2	6	10	17	23	39
TOTAL 0-19 YRS	451	3.2	12	<1	<1	2	4	7	11	17
20-34	176	4.4	26	<1	1	3	6	9	13	28
35-49	245	4.6	30	<1	1	3	6	10	13	28
50-64	588	4.5	25	<1	1	3	6	10	14	24
65+	2127	5.5	41	<1	1	4	7	13	17	29
GRAND TOTAL	**3587**	**5.0**	**34**	**<1**	**1**	**3**	**7**	**11**	**15**	**27**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	3	<1	<1	3	4	5	6	7
20-34	12	4.3	9	1	1	3	6	9	10	10
35-49	4	5.3	21	2	2	3	8	12	12	12
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.5	17	<1	1	3	5	8	10	23
20-34	34	4.3	11	1	2	3	5	10	12	16
35-49	5	6.6	59	<1	<1	3	9	20	20	20
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	3	15.3	105	4	4	18	22	24	24	24
20-34	9	10.2	121	1	1	4	19	28	32	32
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.7	7	<1	<1	3	4	8	10	12
B. *Operated*	5	6.8	49	1	1	4	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	68	4.7	18	<1	1	3	5	9	16	22
B. *Operated*	13	11.1	105	1	2	6	19	26	31	32
1. SINGLE DX	36	4.1	13	<1	<1	3	4	9	11	18
2. MULTIPLE DX	81	5.7	36	1	1	3	6	16	20	30
A. NOT OPERATED	99	4.4	15	<1	1	3	5	9	12	22
B. OPERATED	18	9.9	90	1	1	5	18	23	29	32
TOTAL 0-19 YRS	46	4.6	24	<1	<1	3	4	8	19	24
20-34	57	5.2	31	1	1	3	5	11	18	31
35-49	10	6.0	34	<1	1	4	6	16	20	20
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	12.3	66	3	3	16	17	18	18	18
GRAND TOTAL	**117**	**5.2**	**30**	**<1**	**1**	**3**	**5**	**12**	**19**	**27**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.5	4	<1	1	2	3	5	6	11
20-34	26	4.2	9	1	1	3	7	10	10	10
35-49	19	4.9	29	<1	1	3	6	14	19	19
50-64	20	3.4	7	<1	<1	3	4	7	9	10
65+	46	3.3	6	<1	1	[illegible]	5	7	8	10
B. *Operated*										
0-19 YRS	59	4.4	19	<1	1	3	5	8	13	25
20-34	69	5.6	14	1	2	5	7	9	11	25
35-49	35	6.1	39	1	1	6	7	9	11	38
50-64	29	4.6	8	1	1	4	6	9	11	12
65+	25	5.7	24	<1	1	4	8	14	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.9	13	<1	<1	3	5	9	11	17
20-34	107	4.5	40	1	1	4	5	8	10	38
35-49	101	5.5	15	1	2	4	8	10	15	17
50-64	204	6.0	37	1	1	4	7	12	17	32
65+	418	5.9	36	1	1	4	8	13	16	33
B. *Operated*										
0-19 YRS	77	6.7	50	<1	1	5	8	15	20	39
20-34	67	7.8	30	1	3	7	9	16	21	27
35-49	74	9.1	84	1	2	7	10	19	23	58
50-64	150	9.2	55	2	3	7	12	18	24	43
65+	246	12.5	136	2	3	9	16	25	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.1	8	<1	1	2	4	7	9	17
B. *Operated*	217	5.2	20	1	1	5	6	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	1033	5.4	31	<1	1	4	7	11	15	27
B. *Operated*	614	10.1	92	2	2	7	12	21	28	54
1. SINGLE DX	435	[illegible]	15	<1	1	3	6	8	10	19
2. MULTIPLE DX	1647	7.1	59	1	1	5	9	15	21	41
A. NOT OPERATED	1251	5.0	27	<1	1	3	6	10	15	24
B. OPERATED	[illegible]	8.8	77	1	2	6	10	18	25	47
TOTAL 0-19 YRS	446	4.1	20	<1	1	3	5	8	12	23
20-34	269	5.6	30	1	1	5	7	10	14	26
35-49	229	6.7	44	1	1	5	8	12	18	34
50-64	403	6.9	43	1	1	5	9	13	19	33
65+	735	7.9	78	1	1	6	10	17	23	47
GRAND TOTAL	**2082**	**6.5**	**51**	**1**	**1**	**5**	**8**	**13**	**19**	**38**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	1.6	1	<1	1	1	2	3	3	5
20-34	81	1.9	1	1	1	2	2	3	4	6
35-49	15	1.4	1	<1	1	1	1	3	4	4
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	268	3.1	2	1	2	3	4	5	5	7
20-34	100	3.4	3	1	2	3	4	5	6	10
35-49	7	3.9	3	<1	1	4	5	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	2.0	2	1	1	2	3	4	4	7
20-34	34	2.3	2	1	1	2	3	5	5	7
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64	6	2.7	1	1	1	3	4	4	4	4
65+	5	2.8	6	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS	137	4.2	15	1	2	3	4	6	9	26
20-34	58	4.7	8	2	2	4	5	7	11	17
35-49	11	5.2	5	3	3	5	6	8	11	11
50-64	5	5.8	12	4	4	4	7	12	12	12
65+	2	8.0	8	6	6	8	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	1.7	1	1	1	1	2	3	4	5
B. *Operated*	376	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	176	2.1	2	1	1	2	3	4	5	7
B. *Operated*	213	4.5	13	2	2	4	5	7	11	23
1. SINGLE DX	746	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	389	3.4	9	1	1	3	4	6	8	19
A. NOT OPERATED	546	1.8	1	1	1	2	2	3	4	6
B. OPERATED	589	3.7	6	2	2	3	4	5	7	13
TOTAL 0-19 YRS	801	2.6	5	1	1	2	3	4	5	9
20-34	273	3.1	4	1	1	3	4	5	7	12
35-49	38	3.1	5	<1	1	3	4	6	7	11
50-64	14	4.1	8	<1	1	4	4	8	11	12
65+	9	3.9	10	1	1	2	6	9	10	10
GRAND TOTAL	**1135**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	4.1	5	1	2	3	5	8	8	11
20-34	5	2.4	1	1	1	2	3	4	4	4
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	66	2.5	5	<1	<1	1	3	6	8	10
20-34	38	2.4	10	<1	<1	1	3	4	5	20
35-49	34	2.3	5	<1	<1	2	2	4	8	11
50-64	11	1.1		<1	<1	1	1	2	2	2
65+	11	3.1	6	<1	1	2	4	7	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.1	6	1	2	4	6	8	9	11
20-34	7	1.9		<1	<1	2	2	3	3	3
35-49	6	4.3	7	1	1	4	7	8	8	8
50-64	6	5.8	16	1	1	5	8	12	12	12
65+	4	6.3	11	3	3	6	9	10	10	10
B. *Operated*										
0-19 YRS	30	4.8	14	1	1	4	7	11	12	13
20-34	19	4.3	21	<1	<1	2	5	10	15	19
35-49	27	3.3	13	<1	<1	2	4	7	9	18
50-64	18	8.8	124	2	2	4	11	23	37	45
65+	15	3.9	7	1	1	3	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.0	5	1	2	3	5	7	8	11
B. *Operated*	160	2.4	6	<1	<1	1	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	79	4.2	7	1	1	4	6	8	10	12
B. *Operated*	109	4.9	34	<1	1	3	6	11	15	34
1. SINGLE DX	253	3.0	6	<1	<1	2	4	6	8	11
2. MULTIPLE DX	188	4.6	23	<1	1	3	6	9	11	23
A. NOT OPERATED	172	4.1	6	1	2	3	5	8	9	11
B. OPERATED	269	3.4	19	<1	<1	2	4	8	11	20
TOTAL 0-19 YRS	239	3.7	7	<1	1	3	5	8	9	11
20-34	69	2.9	12	<1	<1	2	3	5	8	20
35-49	67	2.9	8	<1	<1	2	3	7	8	17
50-64	36	5.8	74	<1	<1	3	6	15	23	45
65+	30	3.9	8	1	1	3	5	9	10	10
GRAND TOTAL	**441**	**3.7**	**14**	**<1**	**<1**	**3**	**4**	**8**	**10**	**18**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.3	14	1	1	2	4	8	14	14
20-34	13	7.7	32	<1	<1	7	11	16	18	19
35-49	7	5.7	69	<1	<1	3	5	20	24	24
50-64	9	7.8	90	1	1	5	11	24	26	26
65+	13	6.5	29	2	2	4	9	12	20	22
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	13.0	315	1	1	4	17	44	54	54
20-34	58	11.3	114	1	2	8	15	23	37	50
35-49	33	10.5	79	1	2	7	16	24	30	34
50-64	61	10.4	122	2	2	7	13	24	25	69
65+	154	7.9	51	2	2	6	10	16	22	38
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	16.7	145	4	4	18	25	28	28	28
50-64	7	8.9	22	4	4	9	11	16	17	17
65+	18	11.1	84	1	2	9	15	24	32	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	6.2	41	<1	1	4	8	16	22	26
B. *Operated*	5	3.4	4	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	315	9.4	87	1	2	6	12	21	27	45
B. *Operated*	28	11.1	73	2	3	9	16	24	29	36
1. SINGLE DX	58	6.0	39	<1	<1	4	7	15	22	26
2. MULTIPLE DX	343	9.6	86	1	2	7	13	21	28	43
A. NOT OPERATED	368	9.0	82	1	2	6	11	21	26	42
B. OPERATED	33	10.0	70	1	2	8	13	22	28	36
TOTAL 0-19 YRS	21	7.4	158	1	1	3	5	20	40	54
20-34	72	10.6	100	1	2	7	14	22	31	49
35-49	44	9.9	83	<1	1	6	16	24	29	34
50-64	78	9.9	108	1	2	7	13	23	25	62
65+	186	8.1	53	2	2	6	10	17	23	38
GRAND TOTAL	**401**	**9.1**	**81**	**1**	**2**	**6**	**11**	**21**	**26**	**42**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.0	26	<1	1	1	2	3	3	33
20-34	65	4.7	92	1	1	2	4	8	14	61
35-49	33	4.6	27	1	1	3	5	11	14	27
50-64	24	10.0	99	<1	1	7	15	25	30	36
65+	244	8.6	69	1	2	6	10	18	25	41
B. *Operated*										
0-19 YRS	6	4.7	44	1	1	2	4	17	18	18
20-34	3	3.0	12	<1	<1	1	5	7	7	7
35-49	3	3.3		3	3	3	4	4	4	4
50-64	2	7.5	13	5	5	7	10	10	10	10
65+	10	6.4	27	2	2	5	7	14	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	5.2	103	1	1	2	4	14	21	60
20-34	122	5.9	36	<1	1	4	8	15	19	27
35-49	116	9.0	149	1	2	6	9	21	33	68
50-64	207	10.1	101	2	2	7	12	24	31	62
65+	1808	9.5	77	2	2	7	12	20	28	48
B. *Operated*										
0-19 YRS	9	12.6	206	1	1	10	17	37	41	41
20-34	12	5.1	23	1	1	4	5	13	16	17
35-49	15	10.9	232	<1	<1	7	9	44	49	51
50-64	24	11.5	139	2	2	7	18	24	34	52
65+	207	15.2	156	3	4	11	21	30	42	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	460	6.5	69	1	1	3	8	14	23	45
B. *Operated*	24	5.3	24	<1	1	4	6	11	19	20
2. MULTIPLE DX										
A. *Not Operated*	2356	9.1	83	1	2	6	11	19	28	48
B. *Operated*	267	14.1	158	2	3	10	20	30	42	86
1. SINGLE DX	484	6.4	67	1	1	3	8	14	22	44
2. MULTIPLE DX	2623	9.6	93	1	2	7	12	21	29	52
A. NOT OPERATED	2816	8.7	82	1	2	6	11	19	27	47
B. OPERATED	291	13.3	152	2	2	9	18	29	41	80
TOTAL 0-19 YRS	212	4.1	76	1	1	1	3	10	18	47
20-34	202	5.4	53	<1	1	3	6	12	18	36
35-49	167	8.2	132	1	1	5	9	19	32	54
50-64	257	10.2	103	1	2	7	13	24	31	51
65+	2269	9.9	86	2	2	7	13	21	29	50
GRAND TOTAL	**3107**	**9.1**	**90**	**1**	**2**	**6**	**12**	**21**	**28**	**50**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	9	7.1	20	2	2	8	11	13	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	8.0	28	2	2	10	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	13.0		13	13	13	13	13	13	13
50-64	12	15.8	96	5	6	13	22	31	36	37
65+	115	9.3	80	2	2	7	12	18	25	48
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	18.0		18	18	18	18	18	18	18
65+	13	18.5	287	4	5	14	23	47	55	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.5	21	1	1	6	11	13	14	14
B. *Operated*	3	8.0	28	2	2	10	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	128	10.0	84	2	3	7	13	20	26	48
B. *Operated*	14	18.5	265	4	5	14	18	46	55	57
1. SINGLE DX	13	6.8	21	1	2	8	11	12	14	14
2. MULTIPLE DX	142	10.8	106	2	3	7	13	21	37	53
A. NOT OPERATED	138	9.7	80	2	2	7	12	20	25	47
B. OPERATED	17	16.6	236	3	4	12	18	43	53	57
TOTAL 0-19 YRS										
20-34										
35-49	1	13.0		13	13	13	13	13	13	13
50-64	14	14.9	98	2	5	13	21	29	35	37
65+	140	10.0	100	2	2	7	12	19	31	53
GRAND TOTAL	**155**	**10.5**	**100**	**2**	**3**	**7**	**13**	**20**	**35**	**53**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	53	2.6	4	<1	1	2	3	5	7	10
35-49	62	3.5	8	1	1	3	4	6	9	15
50-64	37	4.0	15	1	1	3	5	10	15	16
65+	26	5.4	13	1	2	5	7	9	14	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	4.2	3	3	3	4	5	7	7	7
50-64	2	6.5	5	5	5	6	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.6	70	<1	1	4	6	23	28	30
20-34	357	7.1	71	1	2	4	6	24	30	34
35-49	515	6.4	50	1	2	4	6	14	25	32
50-64	436	7.6	60	1	2	5	9	17	24	35
65+	225	9.0	57	2	2	6	12	21	24	33
B. *Operated*										
0-19 YRS										
20-34	16	7.7	99	<1	<1	4	8	29	32	33
35-49	23	7.9	51	1	1	5	12	20	23	24
50-64	22	10.8	130	1	2	7	14	28	40	44
65+	30	16.7	187	3	3	12	25	37	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	3.6	10	1	1	3	4	7	10	16
B. *Operated*	7	4.9	4	3	3	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1548	7.3	59	1	2	5	8	20	25	33
B. *Operated*	91	11.5	134	1	2	8	15	31	38	52
1. SINGLE DX	189	3.6	9	1	1	3	5	7	10	16
2. MULTIPLE DX	1639	7.5	64	1	2	5	8	21	26	35
A. NOT OPERATED	1730	6.9	55	1	2	4	7	17	24	32
B. OPERATED	98	11.0	128	1	2	7	14	29	37	51
TOTAL 0-19 YRS	19	5.5	59	<1	<1	3	5	16	27	30
20-34	426	6.6	66	1	1	4	6	21	29	33
35-49	605	6.1	46	1	2	4	6	13	24	32
50-64	497	7.5	60	1	2	5	9	16	24	38
65+	281	9.5	73	2	2	6	13	21	25	42
GRAND TOTAL	**1828**	**7.1**	**60**	**1**	**2**	**4**	**7**	**18**	**25**	**34**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	8.4	119	1	1	6	10	17	36	46
20-34	28	4.6	15	1	1	3	7	10	13	15
35-49	7	2.9	10	1	1	2	3	9	10	10
50-64	8	4.0	9	<1	<1	3	6	9	9	9
65+	7	6.1	8	3	3	5	8	10	11	11
B. *Operated*										
0-19 YRS										
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	7.3	88	1	1	4	10	19	30	45
20-34	216	5.7	29	1	2	4	7	11	15	31
35-49	74	5.8	35	1	1	4	6	14	22	28
50-64	47	7.4	63	1	1	5	9	14	19	45
65+	121	7.2	44	2	2	6	8	15	20	38
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	1	15.0		15	15	15	15	15	15	15
35-49	4	6.3	47	1	1	4	11	16	16	16
50-64	8	14.5	126	2	4	11	19	33	37	37
65+	10	13.6	239	2	2	7	19	37	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	5.5	41	1	1	3	8	10	15	41
B. *Operated*	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	504	6.4	42	1	1	5	7	13	20	34
B. *Operated*	24	12.8	147	1	2	10	16	26	41	52
1. SINGLE DX	69	5.5	40	1	1	3	8	10	15	40
2. MULTIPLE DX	528	6.7	49	1	2	5	7	14	21	35
A. NOT OPERATED	571	6.3	42	1	1	4	7	12	19	34
B. OPERATED	26	12.3	138	2	2	9	16	25	40	52
TOTAL 0-19 YRS	64	7.8	94	1	1	4	10	17	30	46
20-34	247	5.6	28	1	1	4	7	11	15	31
35-49	85	5.6	34	1	1	4	6	14	20	28
50-64	63	7.8	70	1	1	5	10	14	28	44
65+	138	7.6	58	2	2	6	9	16	21	49
GRAND TOTAL	**597**	**6.5**	**48**	**1**	**1**	**5**	**7**	**14**	**20**	**36**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	13.3	191	1	2	10	19	36	60	99+
20-34	809	11.1	104	1	2	8	15	23	30	51
35-49	360	9.9	59	1	2	8	14	21	26	34
50-64	148	11.8	91	2	2	9	16	24	30	50
65+	41	13.7	135	1	2	10	18	30	41	48
B. *Operated*										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	38	6.8	38	2	2	5	8	12	22	31
35-49	13	7.6	42	1	1	6	12	18	20	21
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	2	11.0	2	10	10	11	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	14.8	162	1	2	10	23	38	42	99+
20-34	602	11.8	112	2	2	9	15	25	34	56
35-49	312	11.3	99	2	3	8	15	22	29	49
50-64	155	13.7	84	3	4	11	19	26	33	44
65+	70	13.5	158	3	3	10	18	27	41	65
B. *Operated*										
0-19 YRS	3	20.3	64	12	12	21	26	28	28	28
20-34	26	15.9	141	4	5	10	24	35	40	41
35-49	15	16.9	204	3	4	14	21	38	51	56
50-64	10	22.4	105	5	5	26	31	32	32	32
65+	8	26.4	219	9	10	25	32	49	56	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1427	11.1	97	1	2	8	15	23	29	50
B. *Operated*	57	7.2	36	1	2	5	9	14	21	31
2. MULTIPLE DX										
A. *Not Operated*	1178	12.1	110	2	3	9	16	25	33	56
B. *Operated*	62	18.7	162	4	5	17	28	35	40	56
1. SINGLE DX	1484	10.9	95	1	2	8	15	23	29	50
2. MULTIPLE DX	1240	12.5	114	2	3	9	16	26	34	56
A. NOT OPERATED	2605	11.6	103	1	2	9	15	24	31	51
B. OPERATED	119	13.2	134	2	3	8	20	30	35	56
TOTAL 0-19 YRS	113	13.9	175	1	2	11	20	37	49	99+
20-34	1475	11.4	107	1	2	8	15	24	31	54
35-49	700	10.7	81	2	2	8	15	21	27	40
50-64	315	13.0	91	2	3	10	18	26	31	45
65+	121	14.4	159	2	3	10	19	30	42	64
GRAND TOTAL	**2724**	**11.6**	**104**	**1**	**2**	**9**	**15**	**24**	**31**	**52**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	14.7	227	<1	1	9	20	43	48	48
20-34	47	7.1	31	1	1	5	11	15	18	23
35-49	14	8.9	28	2	3	7	12	16	20	21
50-64	6	11.0	58	2	2	11	17	20	20	20
65+	3	7.7	16	4	4	7	11	12	12	12
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	20.9	272	1	2	19	35	44	48	49
20-34	32	10.8	64	1	2	9	17	22	26	29
35-49	16	11.9	123	1	1	12	16	28	37	41
50-64	11	13.5	60	5	5	14	18	25	28	28
65+	8	23.4	635	<1	1	13	39	63	73	73
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	16.0		16	16	16	16	16	16	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	9.3	80	1	1	6	12	19	23	48
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	79	14.2	174	1	2	11	19	29	41	66
B. *Operated*	3	13.0	27	7	7	16	16	16	16	16
1. SINGLE DX	90	9.2	79	1	1	7	12	19	23	48
2. MULTIPLE DX	82	14.2	168	1	2	12	18	29	41	65
A. NOT OPERATED	168	11.6	129	1	2	8	16	24	39	49
B. OPERATED	4	11.8	24	7	7	12	16	16	16	16
TOTAL 0-19 YRS	31	17.1	246	<1	2	10	25	44	48	49
20-34	80	8.6	46	1	1	7	13	19	22	28
35-49	31	10.4	77	1	2	7	15	19	29	41
50-64	19	13.0	52	3	4	15	17	22	26	28
65+	11	19.1	502	<1	1	9	34	53	71	73
GRAND TOTAL	**172**	**11.6**	**127**	**1**	**2**	**8**	**16**	**24**	**39**	**49**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	18.2	330	2	3	12	24	44	62	78
20-34	948	10.9	87	1	2	8	15	23	29	41
35-49	436	11.0	101	1	2	8	15	23	30	51
50-64	148	12.7	78	2	3	11	17	25	30	39
65+	46	12.5	164	1	2	8	17	27	40	63
B. *Operated*										
0-19 YRS										
20-34	20	7.7	62	<1	1	5	11	16	26	33
35-49	22	8.1	69	2	3	6	10	13	27	41
50-64	6	10.7	103	3	3	5	21	25	26	26
65+	4	10.5	108	3	3	7	18	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	18.4	212	2	4	17	26	38	50	99+
20-34	752	13.1	148	2	3	9	17	28	36	62
35-49	426	11.9	126	1	3	9	15	25	32	61
50-64	237	13.4	135	2	3	10	18	29	39	56
65+	80	15.9	192	3	4	11	18	40	49	58
B. *Operated*										
0-19 YRS	7	23.9	584	1	1	14	45	59	61	61
20-34	31	24.4	419	2	4	20	36	57	88	99+
35-49	28	19.9	361	2	3	14	27	44	57	87
50-64	11	14.3	91	2	3	18	24	50	93	99+
65+	15	20.1	343	5	6	13	27	44	66	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1708	11.7	114	1	2	8	16	24	32	54
B. *Operated*	52	8.4	69	1	2	5	10	20	26	41
2. MULTIPLE DX										
A. *Not Operated*	1615	13.3	150	2	3	10	18	29	38	62
B. *Operated*	92	21.1	357	2	4	16	29	49	75	99+
1. SINGLE DX	1760	11.6	113	1	2	8	16	24	32	53
2. MULTIPLE DX	1707	13.8	164	2	3	10	18	30	40	67
A. NOT OPERATED	3323	12.5	132	1	2	9	17	26	35	59
B. OPERATED	144	16.5	289	2	2	11	23	41	55	99+
TOTAL 0-19 YRS	257	18.4	279	2	3	14	25	40	58	88
20-34	1751	12.0	123	1	2	9	17	25	34	56
35-49	912	11.6	122	1	2	8	15	25	32	60
50-64	402	13.1	112	2	3	10	18	26	35	54
65+	145	15.1	198	2	3	11	18	35	47	64
GRAND TOTAL	**3467**	**12.6**	**139**	**1**	**2**	**9**	**17**	**27**	**35**	**62**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	30.4	280	6	7	34	45	57	89	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	25.0	450	1	2	25	42	87	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	30.4	280	6	7	34	45	57	89	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	22	25.0	460	1	2	25	42	87	99+	99+
B. *Operated*										
1. SINGLE DX	14	30.4	280	6	7	34	45	57	89	99+
2. MULTIPLE DX	22	25.0	460	1	2	26	44	99+	99+	99+
A. NOT OPERATED	36	27.1	387	2	3	26	43	74	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	36	27.1	387	2	3	27	44	93	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**36**	**27.1**	**387**	**2**	**3**	**27**	**44**	**93**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	18.9	374	1	3	14	27	45	72	99+
20-34	507	9.6	106	1	2	7	12	22	30	48
35-49	488	10.8	127	1	2	7	14	24	31	58
50-64	315	13.6	150	2	3	10	17	32	39	66
65+	251	16.1	161	2	3	13	22	33	42	58
B. *Operated*										
0-19 YRS										
20-34	8	14.5	369	2	2	6	18	48	59	59
35-49	7	15.1	365	4	4	10	12	49	58	58
50-64	8	11.9	90	3	4	8	18	27	28	28
65+	11	14.0	85	4	4	11	24	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	18.3	304	2	2	13	28	46	59	99+
20-34	1021	11.8	157	1	2	8	14	26	37	69
35-49	871	12.5	138	2	3	9	17	28	37	59
50-64	641	14.1	173	2	3	10	18	31	43	67
65+	725	17.4	214	3	4	14	23	39	49	69
B. *Operated*										
0-19 YRS	12	31.4	877	2	2	36	52	99	99+	99+
20-34	58	15.0	150	2	3	11	23	31	37	57
35-49	77	16.3	141	3	5	14	23	33	39	90
50-64	58	18.2	194	4	6	15	27	37	53	97
65+	101	24.5	285	3	6	21	33	48	60	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1672	12.3	154	1	2	8	16	28	37	64
B. *Operated*	34	13.9	191	3	4	10	17	27	52	59
2. MULTIPLE DX										
A. *Not Operated*	3464	14.0	181	2	3	10	18	31	42	69
B. *Operated*	306	19.7	245	3	4	16	28	41	53	99+
1. SINGLE DX	1706	12.4	155	1	2	8	16	28	37	63
2. MULTIPLE DX	3770	14.4	189	2	3	10	19	32	43	71
A. NOT OPERATED	5136	13.4	173	2	2	9	17	30	42	67
B. OPERATED	340	19.1	242	3	4	15	28	39	53	99+
TOTAL 0-19 YRS	329	19.0	351	2	2	14	28	49	62	99+
20-34	1594	11.2	143	1	2	7	14	25	34	63
35-49	1443	12.2	137	1	2	8	16	27	35	60
50-64	1022	14.1	167	2	3	10	18	32	41	69
65+	1088	17.8	211	3	4	14	24	38	49	69
GRAND TOTAL	**5476**	**13.8**	**179**	**2**	**2**	**10**	**18**	**31**	**42**	**69**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	14.6	156	2	4	11	19	33	36	70
20-34	659	12.3	103	1	2	10	17	26	31	52
35-49	427	11.4	104	1	2	9	15	23	32	53
50-64	226	12.1	112	2	3	9	16	25	30	54
65+	101	15.9	148	3	4	13	21	31	36	65
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	9	9.1	48	1	2	6	16	19	21	21
50-64	6	6.5	4	5	5	6	7	10	10	10
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	19.2	243	2	3	15	31	37	46	75
20-34	628	13.4	120	1	2	10	19	29	36	50
35-49	544	12.3	119	2	3	9	17	26	33	66
50-64	409	13.3	105	2	3	10	18	27	35	48
65+	254	17.4	166	3	4	14	23	35	46	60
B. *Operated*										
0-19 YRS	5	14.8	339	1	1	8	25	45	45	45
20-34	36	19.2	145	4	6	17	28	33	43	49
35-49	30	17.0	303	3	3	12	24	31	44	90
50-64	25	19.4	124	3	7	20	25	39	62	99+
65+	29	27.3	394	5	7	22	33	61	73	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1491	12.4	112	1	2	9	17	26	32	54
B. *Operated*	19	8.5	29	2	3	6	13	16	19	21
2. MULTIPLE DX										
A. *Not Operated*	1925	13.9	132	2	3	11	19	30	36	55
B. *Operated*	125	20.4	251	3	4	18	27	43	53	92
1. SINGLE DX	1510	12.3	111	1	3	9	16	26	32	53
2. MULTIPLE DX	2050	14.3	141	2	3	11	19	30	38	59
A. NOT OPERATED	3416	13.2	123	2	3	10	18	28	35	55
B. OPERATED	144	18.8	238	3	4	16	25	40	50	90
TOTAL 0-19 YRS	174	17.0	207	2	3	13	24	35	42	75
20-34	1325	13.0	113	1	2	10	18	28	35	50
35-49	1010	12.0	118	1	2	9	16	25	33	63
50-64	666	13.1	109	2	3	10	18	27	35	51
65+	385	17.8	184	3	4	14	23	35	47	67
GRAND TOTAL	**3560**	**13.4**	**129**	**2**	**3**	**10**	**18**	**28**	**36**	**57**

100: Miscellaneous psychoses (297; 298,

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	8.9	62	1	1	6	14	19	26	32
20-34	251	7.5	83	1	1	5	9	16	22	32
35-49	136	8.2	63	<1	1	6	11	17	27	37
50-64	91	9.4	99	1	1	6	11	22	29	45
65+	98	8.6	51	1	1	6	13	19	24	31
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	4.4	10	3	3	3	5	10	10	10
35-49	3	11.0	31	5	5	12	15	16	16	16
50-64	2	11.5	113	4	4	11	19	19	19	19
65+	4	8.5	4	7	7	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	15.4	366	1	1	8	16	48	56	85
20-34	316	8.3	58	1	2	6	11	18	24	37
35-49	220	10.5	115	1	2	7	14	24	29	68
50-64	205	8.6	66	1	2	6	11	19	24	42
65+	545	9.7	72	2	2	7	13	20	28	37
B. *Operated*										
0-19 YRS	1	50.0		50	50	50	50	50	50	50
20-34	14	11.1	125	2	2	5	18	30	32	32
35-49	16	11.2	102	2	3	6	17	24	34	38
50-64	36	12.1	258	1	2	7	14	22	47	84
65+	67	14.7	184	2	3	10	21	31	55	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	8.2	74	1	1	6	10	18	24	39
B. *Operated*	15	7.5	28	1	3	7	11	16	18	19
2. MULTIPLE DX										
A. *Not Operated*	1361	9.6	93	1	2	7	12	20	28	49
B. *Operated*	134	13.5	195	2	2	9	20	30	49	86
1. SINGLE DX	650	8.2	73	1	1	6	10	18	24	38
2. MULTIPLE DX	1495	10.0	103	1	2	7	13	21	30	55
A. NOT OPERATED	1996	9.2	87	1	2	7	12	20	27	46
B. OPERATED	149	12.9	182	2	2	8	18	29	48	84
TOTAL 0-19 YRS	136	12.8	249	1	1	7	15	32	49	80
20-34	586	8.0	70	1	2	6	10	17	23	36
35-49	375	9.7	96	1	2	7	13	22	28	59
50-64	334	9.2	96	1	2	6	12	20	28	46
65+	714	10.0	81	1	2	8	13	21	28	48
GRAND TOTAL	**2145**	**9.4**	**95**	**1**	**2**	**7**	**12**	**21**	**28**	**49**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.4	9	<1	1	2	4	8	11	13
20-34	88	3.6	15	<1	<1	2	4	8	12	20
35-49	82	3.7	22	<1	1	2	4	8	13	27
50-64	54	4.0	16	1	1	3	5	7	11	21
65+	30	4.4	25	1	1	3	5	11	14	24
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.8	2	1	1	3	4	4	4	4
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	8	9.9	149	1	2	4	16	30	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	8.3	133	<1	1	4	12	28	50	99+
20-34	230	5.8	49	1	1	4	6	13	20	34
35-49	270	5.9	72	1	1	4	6	13	20	36
50-64	202	4.7	37	1	1	3	5	10	12	28
65+	241	4.7	22	1	1	3	6	9	13	25
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	20	5.0	11	<1	1	4	7	9	11	13
35-49	14	4.1	9	1	1	3	5	8	12	13
50-64	23	9.7	155	<1	1	5	13	23	38	56
65+	22	6.3	19	1	2	5	8	12	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	3.8	18	<1	1	2	4	8	13	21
B. *Operated*	17	6.1	80	<1	1	3	5	24	30	31
2. MULTIPLE DX										
A. *Not Operated*	976	5.4	49	1	1	3	6	12	16	35
B. *Operated*	80	6.5	57	1	1	4	8	13	18	48
1. SINGLE DX	293	3.9	21	<1	1	2	4	8	13	26
2. MULTIPLE DX	1056	5.5	50	1	1	3	6	12	16	35
A. NOT OPERATED	1252	5.1	43	1	1	3	6	11	16	34
B. OPERATED	97	6.4	61	1	1	4	8	13	21	44
TOTAL 0-19 YRS	57	6.2	86	<1	1	3	6	17	29	96
20-34	339	5.2	38	<1	1	3	6	12	16	32
35-49	371	5.3	59	1	1	3	5	12	19	34
50-64	281	5.0	44	1	1	3	6	10	14	30
65+	301	5.0	26	1	1	3	6	10	14	29
GRAND TOTAL	**1349**	**5.2**	**44**	**1**	**1**	**3**	**6**	**12**	**16**	**34**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	13.7	217	1	2	8	16	37	52	90
20-34	273	6.3	46	1	1	4	8	15	19	36
35-49	204	6.9	80	1	1	4	8	14	19	51
50-64	87	7.4	41	1	1	6	9	16	24	73
65+	38	7.1	73	1	2	4	9	13	19	51
B. *Operated*										
0-19 YRS	4	6.5	47	1	1	4	11	16	16	16
20-34	9	6.8	45	1	2	5	6	17	24	24
35-49	10	10.9	204	<1	1	5	11	36	45	45
50-64	4	18.5	26	15	15	16	21	26	26	26
65+	4	15.0	206	2	2	12	26	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	17.6	298	1	2	11	27	42	51	81
20-34	688	7.6	54	1	1	5	10	18	23	34
35-49	512	8.2	72	1	1	5	11	18	25	44
50-64	302	8.1	62	1	2	6	11	17	22	31
65+	295	9.1	70	2	3	6	11	19	25	39
B. *Operated*										
0-19 YRS	8	31.9	571	1	2	35	50	63	65	66
20-34	44	11.1	157	<1	1	7	12	33	43	51
35-49	34	10.4	75	2	2	8	14	25	29	35
50-64	22	13.9	116	2	3	12	19	31	38	39
65+	35	12.1	118	3	4	9	15	23	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	683	7.5	82	1	1	4	9	16	24	52
B. *Operated*	31	10.6	119	1	1	6	16	26	33	45
2. MULTIPLE DX										
A. *Not Operated*	1979	9.0	92	1	2	6	11	21	28	48
B. *Operated*	143	12.8	161	1	2	8	16	32	40	59
1. SINGLE DX	714	7.7	84	1	1	5	9	17	26	52
2. MULTIPLE DX	2122	9.2	98	1	2	6	12	21	29	50
A. NOT OPERATED	2662	8.6	90	1	1	6	11	20	28	50
B. OPERATED	174	12.4	154	1	2	8	16	31	39	58
TOTAL 0-19 YRS	275	16.7	287	1	2	11	27	42	53	81
20-34	1014	7.4	57	1	1	5	9	17	23	36
35-49	760	8.0	76	1	1	5	10	17	25	44
50-64	415	8.4	62	1	2	6	11	19	24	38
65+	372	9.2	77	2	3	6	11	19	27	49
GRAND TOTAL	**2836**	**8.8**	**95**	**1**	**1**	**6**	**11**	**20**	**28**	**51**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	7.1	160	<1	1	2	7	18	31	71
20-34	252	6.6	76	<1	1	3	7	16	24	46
35-49	112	7.1	96	<1	1	4	7	14	32	49
50-64	43	5.6	38	<1	1	4	6	12	19	28
65+	13	6.9	42	1	1	4	10	18	21	22
B. *Operated*										
0-19 YRS	11	2.7	2	<1	1	2	4	5	6	6
20-34	61	7.1	8	1	2	9	9	9	10	11
35-49	35	6.7	9	1	2	9	9	9	9	9
50-64	31	4.1	10	1	1	3	6	9	9	13
65+	7	4.6	10	2	2	3	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	10.7	271	<1	1	5	11	27	53	91
20-34	682	8.6	118	1	1	5	11	20	27	63
35-49	383	7.5	99	1	1	4	9	18	29	65
50-64	174	7.5	53	1	1	5	12	17	24	40
65+	143	7.5	58	1	1	5	9	18	23	49
B. *Operated*										
0-19 YRS	13	19.2	627	1	1	8	37	60	74	77
20-34	66	11.5	160	1	1	9	15	32	40	94
35-49	42	7.4	62	1	1	5	9	14	23	43
50-64	36	7.2	98	<1	1	4	8	10	36	45
65+	17	8.6	54	2	3	7	9	28	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	6.7	95	<1	1	3	7	15	27	50
B. *Operated*	145	5.9	11	1	2	6	9	9	9	11
2. MULTIPLE DX										
A. *Not Operated*	1595	8.4	122	1	1	5	10	20	29	69
B. *Operated*	174	9.9	154	1	1	6	9	27	41	94
1. SINGLE DX	692	6.6	78	<1	1	4	9	14	23	48
2. MULTIPLE DX	1769	8.6	126	1	1	5	10	20	30	71
A. NOT OPERATED	2142	8.0	116	1	1	4	9	18	28	66
B. OPERATED	319	8.1	92	1	2	6	9	13	28	70
TOTAL 0-19 YRS	364	9.5	242	<1	1	4	9	26	44	84
20-34	1061	8.2	105	1	1	5	10	19	27	58
35-49	572	7.4	90	1	1	4	9	16	28	52
50-64	284	6.8	53	1	1	4	9	15	23	41
65+	180	7.4	55	1	1	5	9	18	26	82
GRAND TOTAL	**2461**	**8.0**	**113**	**1**	**1**	**4**	**9**	**18**	**28**	**67**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	5.8	75	<1	<1	1	5	23	28	29
20-34	429	10.6	115	<1	1	4	22	28	29	31
35-49	470	10.2	115	1	1	4	21	28	30	33
50-64	283	9.1	99	1	2	4	13	28	30	31
65+	112	9.6	80	1	1	5	16	23	28	31
B. *Operated*										
0-19 YRS	8	16.3	401	1	1	8	30	48	51	51
20-34	31	14.1	216	1	1	4	30	32	34	35
35-49	28	14.5	196	<1	<1	5	30	30	31	34
50-64	6	21.5	208	3	3	29	30	34	34	34
65+	3	10.0	97	2	2	7	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	22.3	307	1	1	24	31	46	59	97
20-34	1761	15.5	136	1	1	16	26	30	31	39
35-49	2142	13.5	124	1	2	9	24	29	30	37
50-64	1852	13.0	119	1	2	8	22	29	30	37
65+	989	13.2	106	2	2	10	21	27	30	37
B. *Operated*										
0-19 YRS	44	35.1	302	1	1	44	46	51	53	70
20-34	110	21.1	175	1	1	29	30	33	37	45
35-49	147	18.4	154	2	2	22	30	31	33	40
50-64	136	16.6	144	2	3	13	29	32	35	42
65+	95	16.6	123	2	4	13	24	31	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1352	9.9	108	1	1	4	21	28	29	31
B. *Operated*	76	14.9	216	<1	1	4	30	31	34	49
2. MULTIPLE DX										
A. *Not Operated*	7016	14.2	134	1	2	11	24	30	31	42
B. *Operated*	532	19.6	186	1	3	22	30	34	43	51
1. SINGLE DX	1428	10.1	115	1	1	4	21	28	30	33
2. MULTIPLE DX	7548	14.6	139	1	2	12	24	30	31	44
A. NOT OPERATED	8368	13.5	132	1	2	8	23	29	30	40
B. OPERATED	608	19.0	192	1	2	21	30	34	42	51
TOTAL 0-19 YRS	382	21.1	331	<1	1	21	31	46	53	85
20-34	2331	14.9	141	1	1	13	26	30	31	38
35-49	2787	13.2	127	1	2	7	24	29	30	37
50-64	2277	12.8	121	1	2	7	22	29	30	37
65+	1199	13.2	107	2	2	10	21	28	30	39
GRAND TOTAL	**8976**	**13.9**	**138**	**1**	**2**	**9**	**24**	**30**	**31**	**43**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	13.7	310	3	3	4	26	34	34	34
20-34	52	13.5	153	1	1	9	25	31	36	45
35-49	14	13.6	133	<1	1	8	20	30	37	39
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	14.7	140	1	1	21	22	22	22	22
B *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	24.2	683	<1	<1	21	34	68	68	68
20-34	168	12.8	125	2	3	7	25	30	31	41
35-49	41	14.9	131	2	3	10	29	30	30	34
50-64	21	13.0	82	2	3	11	21	25	30	33
65+	8	11.6	38	1	3	11	16	20	21	21
B. *Operated*										
0-19 YRS										
20-34	8	21.4	240	1	2	28	30	39	43	43
35-49	3	9.0	31	3	3	10	13	14	14	14
50-64										
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	13.5	145	1	1	8	22	31	36	44
B. *Operated*	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	243	13.3	131	2	3	8	24	30	31	42
B. *Operated*	12	17.3	194	1	2	12	29	35	42	43
1. SINGLE DX	75	13.2	144	1	1	8	22	30	35	44
2. MULTIPLE DX	255	13.5	134	2	3	8	25	30	31	42
A. NOT OPERATED	316	13.4	134	1	2	8	24	30	32	42
B. OPERATED	14	15.3	191	1	2	10	28	32	41	43
TOTAL 0-19 YRS	8	20.3	509	<1	1	14	28	58	68	68
20-34	229	13.2	136	1	2	7	26	30	32	42
35-49	59	14.1	125	1	3	9	27	30	30	39
50-64	22	12.8	79	2	3	10	21	25	29	33
65+	12	12.3	52	1	1	11	18	21	22	22
GRAND TOTAL	**330**	**13.5**	**136**	**1**	**2**	**8**	**24**	**30**	**32**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	30.4	467	2	4	29	38	66	72	76
20-34	66	15.1	156	1	1	8	28	30	35	39
35-49	21	12.3	154	1	1	6	22	32	35	37
50-64	4	8.5	62	2	2	6	13	20	20	20
65+										
B. *Operated*										
0-19 YRS	2	12.0	242	<1	<1	11	23	23	23	23
20-34	5	22.6	162	1	1	30	30	31	31	31
35-49	1	23.0		23	23	23	23	23	23	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	32.4	353	4	9	30	43	63	70	94
20-34	236	17.0	179	1	2	15	29	34	38	48
35-49	74	20.1	174	2	3	22	30	35	40	56
50-64	33	14.6	101	2	3	14	22	30	33	36
65+	25	12.2	79	1	2	11	21	24	26	28
B. *Operated*										
0-19 YRS	17	34.8	227	6	11	37	45	47	57	62
20-34	30	23.4	159	2	3	29	31	36	39	45
35-49	6	18.5	112	6	6	18	30	30	30	30
50-64	2	16.5	13	14	14	16	19	19	19	19
65+	5	18.8	97	9	9	17	28	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	17.1	244	1	1	11	29	32	39	71
B. *Operated*	8	20.0	152	<1	<1	23	30	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	446	19.8	233	1	3	21	30	38	46	68
B. *Operated*	60	25.5	194	3	5	29	33	45	46	60
1. SINGLE DX	119	17.3	237	1	1	15	30	32	38	70
2. MULTIPLE DX	506	20.5	231	2	3	21	30	38	46	67
A. NOT OPERATED	557	19.2	236	1	2	20	30	37	46	68
B. OPERATED	68	24.9	190	2	4	29	32	44	45	59
TOTAL 0-19 YRS	117	32.0	353	3	7	30	45	62	68	87
20-34	337	17.3	176	1	2	19	29	33	38	48
35-49	102	18.5	172	2	3	20	30	35	38	51
50-64	39	14.1	94	2	3	14	21	29	32	36
65+	30	13.3	85	1	2	12	21	26	28	30
GRAND TOTAL	**625**	**19.9**	**234**	**1**	**2**	**21**	**30**	**38**	**46**	**68**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	1.1		<1	<1	1	1	2	2	3
20-34	64	2.3	26	<1	<1	1	1	3	6	30
35-49	31	3.4	51	<1	<1	1	2	4	28	30
50-64	19	2.3	9	<1	<1	1	2	5	10	13
65+	7	2.7	4	1	1	2	5	5	5	5
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	5.6	143	<1	<1	1	2	26	33	58
20-34	142	2.5	16	<1	<1	1	2	4	7	30
35-49	106	3.5	45	<1	<1	1	3	8	12	42
50-64	86	4.7	41	1	1	2	5	12	22	30
65+	57	4.4	21	<1	1	3	5	10	15	23
B. *Operated*										
0-19 YRS	5	2.2	5	1	1	1	3	6	6	6
20-34	14	1.7	2	<1	<1	1	2	4	5	5
35-49	4	1.3		<1	<1	<1	1	2	2	2
50-64	8	5.3	51	<1	<1	3	6	17	22	22
65+	7	6.6	30	1	1	5	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	1.9	15	<1	<1	1	1	2	4	30
B. *Operated*	8	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	508	4.0	57	<1	<1	1	3	8	17	43
B. *Operated*	38	3.4	20	<1	<1	1	4	7	14	22
1. SINGLE DX	242	1.9	15	<1	<1	1	1	2	4	30
2. MULTIPLE DX	546	4.0	54	<1	<1	1	3	8	16	43
A. NOT OPERATED	742	3.3	45	<1	<1	1	2	6	14	31
B. OPERATED	46	3.1	17	<1	<1	1	4	7	14	22
TOTAL 0-19 YRS	238	3.3	75	<1	<1	1	1	3	24	47
20-34	223	2.4	18	<1	<1	1	2	4	7	30
35-49	143	3.4	44	<1	<1	1	3	6	13	32
50-64	113	4.3	37	<1	1	2	5	10	20	30
65+	71	4.4	21	1	1	3	5	11	14	23
GRAND TOTAL	**788**	**3.3**	**43**	**<1**	**<1**	**1**	**3**	**6**	**14**	**31**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	13.5	214	<1	1	5	26	35	42	47
20-34	58	10.2	128	<1	<1	3	22	28	29	35
35-49	20	8.2	94	<1	1	3	12	26	27	27
50-64	2	8.5	5	7	7	8	10	10	10	10
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	31.4	497	<1	1	30	47	63	70	80
20-34	219	13.3	144	1	1	8	24	30	31	44
35-49	70	14.2	152	1	1	10	25	30	30	52
50-64	37	8.6	55	<1	1	7	11	21	25	25
65+	21	11.0	125	1	2	5	20	30	32	32
B. *Operated*										
0-19 YRS	8	31.3	394	3	5	32	37	60	69	69
20-34	9	18.0	175	2	3	23	29	33	35	35
35-49	3	6.0	19	1	1	8	9	9	9	9
50-64	2	13.0	98	6	6	13	20	20	20	20
65+	3	8.0	13	5	5	7	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	10.9	150	<1	1	4	23	29	35	44
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	506	18.7	324	1	1	14	29	44	55	75
B. *Operated*	25	19.2	270	2	3	12	30	35	46	69
1. SINGLE DX	119	10.9	150	<1	1	4	23	29	35	44
2. MULTIPLE DX	531	18.7	321	1	1	14	29	43	55	74
A. NOT OPERATED	625	17.2	300	<1	1	11	28	41	52	73
B. OPERATED	25	19.2	270	2	3	12	30	35	46	69
TOTAL 0-19 YRS	206	28.0	486	<1	1	28	43	60	69	79
20-34	286	12.8	143	<1	1	7	24	30	30	41
35-49	93	12.6	141	1	1	8	24	29	30	48
50-64	41	8.9	53	<1	1	7	11	21	25	25
65+	24	10.6	110	1	2	6	15	29	32	32
GRAND TOTAL	**650**	**17.3**	**298**	**<1**	**1**	**11**	**28**	**40**	**52**	**73**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	2	<1	<1	2	3	4	5	8
20-34	43	3.0	4	<1	1	2	4	6	7	9
35-49	27	5.1	36	1	1	4	5	12	16	30
50-64	21	3.1	20	<1	<1	1	3	6	13	21
65+	11	2.9	7	1	1	2	4	7	10	10
B. *Operated*										
0-19 YRS	5	4.2	20	1	1	3	5	12	12	12
20-34	3	2.7		2	2	3	3	3	3	3
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	9.0	330	<1	<1	2	4	44	49	78
20-34	88	4.6	12	1	1	4	7	10	11	15
35-49	110	5.3	59	1	1	3	6	11	18	41
50-64	91	5.2	45	1	1	3	6	10	17	41
65+	98	4.5	10	1	1	4	6	9	11	13
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	14	7.3	29	2	2	5	12	15	17	18
35-49	7	9.4	105	1	1	6	18	25	26	26
50-64	15	5.3	10	2	2	5	7	10	11	12
65+	10	5.8	10	1	2	5	9	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.3	14	<1	1	2	4	6	8	23
B. *Operated*	13	3.2	9	1	1	3	3	7	11	12
2. MULTIPLE DX										
A. *Not Operated*	419	5.2	56	1	1	3	6	10	13	48
B. *Operated*	49	6.4	28	1	2	5	9	13	18	26
1. SINGLE DX	142	3.3	13	<1	1	2	4	6	9	22
2. MULTIPLE DX	468	5.4	53	1	1	3	6	10	14	46
A. NOT OPERATED	548	4.8	46	1	1	3	5	9	13	43
B. OPERATED	62	5.7	26	1	1	4	7	12	16	26
TOTAL 0-19 YRS	67	5.7	167	<1	<1	2	3	7	44	73
20-34	148	4.4	12	1	1	3	6	9	12	16
35-49	147	5.4	55	1	1	3	6	13	19	31
50-64	128	4.8	37	1	1	3	6	10	15	30
65+	120	4.5	10	1	1	4	6	9	11	13
GRAND TOTAL	**610**	**4.9**	**44**	**1**	**1**	**3**	**6**	**10**	**13**	**35**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	8.7	138	<1	1	4	11	22	33	54
20-34	311	4.4	27	<1	<1	3	5	9	14	27
35-49	193	4.1	15	<1	1	3	5	9	11	20
50-64	65	4.0	17	<1	1	3	5	7	10	26
65+	32	5.4	36	<1	1	3	6	14	18	28
B. *Operated*										
0-19 YRS	14	4.4	21	1	1	3	5	8	17	19
20-34	33	3.1	5	1	1	3	3	7	8	9
35-49	16	4.4	17	1	1	2	5	12	14	15
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	4	16.3	277	6	6	9	26	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	14.3	386	1	1	6	17	48	66	87
20-34	786	5.5	38	<1	1	3	7	12	16	33
35-49	506	5.2	35	1	1	3	7	11	15	24
50-64	196	5.0	21	1	1	3	7	11	16	22
65+	182	7.0	47	1	2	5	8	15	21	36
B. *Operated*										
0-19 YRS	41	6.9	141	<1	<1	2	5	21	41	49
20-34	92	7.1	138	1	1	4	8	14	26	89
35-49	56	7.0	87	1	1	4	9	18	36	96
50-64	28	5.0	13	2	2	4	6	12	13	15
65+	8	14.6	24	8	9	14	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	776	5.3	52	<1	1	3	6	12	19	38
B. *Operated*	70	4.4	31	1	1	3	5	8	12	37
2. MULTIPLE DX										
A. *Not Operated*	2042	7.1	111	1	1	4	8	15	24	63
B. *Operated*	225	7.1	108	<1	1	4	8	17	25	80
1. SINGLE DX	846	5.2	50	<1	1	3	6	12	18	39
2. MULTIPLE DX	2267	7.1	111	1	1	4	8	15	24	68
A. NOT OPERATED	2818	6.6	96	<1	1	3	7	14	22	59
B. OPERATED	295	6.4	91	<1	1	3	7	15	23	73
TOTAL 0-19 YRS	602	11.9	298	<1	1	5	14	37	57	81
20-34	1222	5.3	42	<1	1	3	6	12	15	34
35-49	771	5.0	34	1	1	3	6	11	15	26
50-64	292	4.8	19	1	1	3	6	10	14	22
65+	226	7.2	51	1	2	5	8	16	22	37
GRAND TOTAL	**3113**	**6.6**	**95**	**<1**	**1**	**3**	**7**	**14**	**22**	**60**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	20.2	483	1	2	10	38	59	75	99+
20-34	280	9.0	187	<1	1	4	9	24	34	75
35-49	155	6.5	67	<1	1	4	8	14	20	41
50-64	69	10.4	229	<1	1	5	11	28	38	87
65+	35	11.1	130	2	2	7	15	24	32	54
B. *Operated*										
0-19 YRS	9	7.2	105	1	1	2	8	26	28	28
20-34	21	6.7	124	1	1	3	5	19	38	45
35-49	20	7.2	57	1	1	4	1[illegible]	19	25	29
50-64	8	7.1	14	2	2	7	10	12	13	13
65+	9	7.2	42	2	2	4	12	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	586	22.6	473	1	2	13	42	56	66	99+
20-34	717	10.0	170	1	1	5	12	25	41	82
35-49	478	8.6	114	1	1	5	11	19	27	55
50-64	285	8.5	107	1	2	5	10	19	28	50
65+	342	7.8	58	2	2	6	10	15	21	39
B. *Operated*										
0-19 YRS	27	21.7	828	1	1	5	63	91	99+	99+
20-34	56	11.1	156	2	2	7	13	39	47	96
35-49	60	10.8	76	1	2	8	14	24	35	93
50-64	44	12.8	180	1	2	7	14	37	43	52
65+	60	10.8	77	2	3	8	13	25	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	854	12.9	307	1	1	5	15	42	57	96
B. *Operated*	67	7.0	73	1	1	4	8	19	28	43
2. MULTIPLE DX										
A. *Not Operated*	2408	12.3	243	1	2	6	14	36	51	82
B. *Operated*	247	12.4	202	1	2	8	14	37	50	99+
1. SINGLE DX	921	12.4	293	1	1	5	14	41	56	96
2. MULTIPLE DX	2655	12.3	239	1	2	6	14	37	51	84
A. NOT OPERATED	3262	12.5	260	1	2	6	14	38	52	87
B. OPERATED	314	11.2	179	1	2	7	14	32	45	99+
TOTAL 0-19 YRS	937	21.6	485	1	2	12	41	57	71	99+
20-34	1074	9.7	173	1	1	5	11	25	40	79
35-49	713	8.3	100	1	1	5	10	18	25	55
50-64	406	9.2	135	1	2	5	11	23	32	52
65+	446	8.4	67	2	2	6	10	17	24	43
GRAND TOTAL	**3576**	**12.4**	**253**	**1**	**2**	**6**	**14**	**37**	**52**	**88**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	33.0	338	20	20	33	46	46	46	46
20-34	3	16.3	276	1	1	14	29	34	34	34
35-49	2	7.5	85	1	1	7	14	14	14	14
50-64	2	18.0		18	18	18	18	18	18	18
65+										
B. *Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	1	29.0		29	29	29	29	29	29	29
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.2	53	1	1	4	8	14	25	28
20-34	16	4.4	16	<1	<1	3	5	9	15	17
35-49	8	8.0	23	3	4	6	10	16	17	17
50-64	6	16.8	225	3	3	13	27	40	41	41
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	6	5.2	3	4	4	5	6	8	8	8
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	3	5.3	16	1	1	6	8	9	9	9
50-64	2	24.5	145	16	16	24	33	33	33	33
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	18.4	207	1	1	18	23	41	46	46
B. *Operated*	3	11.7	229	<1	<1	5	23	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	45	7.2	66	1	1	4	8	17	27	41
B. *Operated*	13	7.8	72	<1	1	5	8	19	30	33
1. SINGLE DX	12	16.8	201	<1	1	16	24	38	45	46
2. MULTIPLE DX	58	7.3	66	<1	1	5	8	17	28	40
A. NOT OPERATED	54	9.0	104	1	1	5	14	21	33	46
B. OPERATED	16	8.6	90	<1	<1	5	8	28	32	33
TOTAL 0-19 YRS	23	8.0	108	<1	1	4	8	22	34	46
20-34	22	7.0	80	<1	<1	4	7	21	31	34
35-49	13	7.3	25	1	1	6	10	15	17	17
50-64	10	18.6	151	3	3	18	27	37	41	41
65+	2	2.5	5	1	1	2	4	4	4	4
GRAND TOTAL	**70**	**8.9**	**100**	**<1**	**1**	**5**	**10**	**23**	**33**	**45**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	342	9.8	16	2	3	10	11	14	16	21
20-34	41	6.4	26	1	2	5	8	14	17	22
35-49	29	7.2	28	1	1	6	10	15	18	21
50-64	12	6.9	33	1	1	5	10	16	19	19
65+	5	6.8	29	1	1	8	10	14	14	14
B. *Operated*										
0-19 YRS	33	12.5	67	2	5	11	13	18	27	48
20-34	24	6.0	28	1	1	4	8	14	17	20
35-49	29	3.4	7	1	1	2	5	8	9	9
50-64	15	6.0	61	<1	1	3	7	20	26	28
65+	6	5.5	39	1	1	3	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	10.7	24	2	3	11	12	16	19	27
20-34	55	7.9	42	1	2	7	11	15	16	34
35-49	52	11.5	120	1	2	9	15	20	37	61
50-64	64	12.3	106	2	3	10	15	21	36	53
65+	44	15.3	92	3	4	13	21	27	34	48
B. *Operated*										
0-19 YRS	85	15.5	90	4	7	14	20	25	43	84
20-34	28	18.2	292	1	1	13	32	47	61	99+
35-49	51	16.6	329	2	2	10	23	41	48	95
50-64	50	24.5	500	3	3	17	40	72	99	99+
65+	37	25.2	453	2	3	20	32	54	70	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	9.2	20	2	3	10	11	14	16	21
B. *Operated*	107	7.3	51	1	1	5	11	15	20	37
2. MULTIPLE DX										
A. *Not Operated*	551	11.1	52	2	3	11	13	18	23	38
B. *Operated*	251	19.2	308	2	3	14	25	47	62	99+
1. SINGLE DX	536	8.8	26	1	2	10	11	14	17	23
2. MULTIPLE DX	802	13.6	146	2	3	11	15	27	40	88
A. NOT OPERATED	980	10.2	39	2	3	10	12	16	20	35
B. OPERATED	358	15.7	261	1	2	12	20	40	54	99+
TOTAL 0-19 YRS	796	10.9	32	2	3	11	12	16	20	33
20-34	148	9.1	100	1	1	6	12	20	33	59
35-49	161	10.9	170	1	1	7	13	24	40	60
50-64	141	15.5	281	1	2	10	19	40	60	99+
65+	92	18.2	268	1	3	15	23	34	52	84
GRAND TOTAL	**1338**	**11.7**	**104**	**1**	**2**	**10**	**13**	**20**	**31**	**61**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.3	16	5	5	5	10	12	12	12
35-49	4	9.3	63	4	4	7	41	99+	99+	99+
50-64	24	6.0	18	2	3	5	6	11	18	19
65+	74	6.7	32	1	2	6	8	12	17	33
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	7	13.6	76	4	4	15	18	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	7	6.3	19	1	2	5	9	13	14	14
50-64	75	8.7	47	2	3	7	11	19	21	38
65+	579	9.9	80	2	3	8	12	19	24	44
B. *Operated*										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49										
50-64	18	8.1	50	1	2	6	10	22	25	25
65+	90	16.3	196	4	5	12	22	32	42	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	6.6	29	1	2	5	8	12	19	64
B. *Operated*	8	12.3	79	3	3	11	18	25	28	28
2. MULTIPLE DX										
A. *Not Operated*	663	9.7	76	2	3	8	12	19	23	43
B. *Operated*	109	15.0	178	3	4	11	20	31	39	95
1. SINGLE DX	113	7.0	34	1	2	6	8	15	19	58
2. MULTIPLE DX	772	10.5	94	2	3	8	13	21	30	46
A. NOT OPERATED	768	9.3	71	2	3	7	11	18	23	43
B. OPERATED	117	14.8	171	3	4	11	20	31	39	95
TOTAL 0-19 YRS										
20-34	6	7.0	23	3	3	5	12	14	14	14
35-49	11	7.4	32	1	3	6	12	45	92	99+
50-64	118	8.0	42	2	3	6	9	18	21	31
65+	750	10.4	95	2	3	8	13	21	30	46
GRAND TOTAL	**885**	**10.0**	**87**	**2**	**3**	**8**	**12**	**20**	**27**	**46**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	11	1	1	8	8	9	9	9
20-34	87	7.4	36	<1	1	5	12	16	19	22
35-49	113	9.2	56	1	1	8	13	19	22	38
50-64	31	10.5	78	2	2	7	18	23	27	31
65+	9	6.2	26	<1	1	5	9	15	15	15
B. *Operated*										
0-19 YRS										
20-34	25	3.2	10	1	1	2	4	7	9	15
35-49	21	4.5	21	1	1	3	5	11	15	19
50-64	11	9.3	74	2	2	7	13	23	29	30
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	11	1	1	3	5	9	10	10
20-34	110	11.0	76	2	2	10	15	22	29	41
35-49	174	10.6	115	1	2	8	14	21	30	47
50-64	92	9.9	51	1	3	8	14	18	27	35
65+	36	10.6	105	2	2	7	12	29	32	46
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	33	10.0	114	1	2	5	12	27	35	39
35-49	41	11.6	125	1	2	7	17	28	38	43
50-64	39	14.5	279	1	2	11	17	45	69	99+
65+	10	20.4	639	2	3	12	28	58	87	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	8.6	50	1	1	7	13	18	22	31
B. *Operated*	58	5.0	31	1	1	3	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	418	10.4	88	1	2	8	14	21	30	46
B. *Operated*	124	12.9	214	1	2	9	17	31	42	90
1. SINGLE DX	303	7.9	48	1	1	6	12	18	21	30
2. MULTIPLE DX	542	11.0	118	1	2	8	14	23	32	63
A. NOT OPERATED	663	9.8	75	1	2	8	14	19	25	42
B. OPERATED	182	10.4	169	1	1	6	14	26	34	81
TOTAL 0-19 YRS	12	7.1	67	1	1	5	9	16	29	31
20-34	255	8.9	66	1	2	6	13	19	24	35
35-49	349	9.9	93	1	2	8	13	21	27	45
50-64	173	11.0	110	2	2	8	14	21	30	70
65+	56	11.7	195	2	2	7	13	30	32	84
GRAND TOTAL	**845**	**9.9**	**95**	**1**	**2**	**7**	**14**	**20**	**28**	**46**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	344	2.2	3	1	1	2	3	4	5	10
20-34	214	2.6	6	1	1	2	3	5	6	16
35-49	108	2.8	8	1	1	2	3	6	8	16
50-64	74	3.6	23	<1	1	2	4	5	11	31
65+	78	4.1	18	1	1	3	4	8	12	23
B. *Operated*										
0-19 YRS	6	3.3	9	1	1	2	4	8	9	9
20-34	13	4.6	12	1	1	4	6	8	13	14
35-49	7	1.9	1	<1	<1	1	3	4	4	4
50-64	6	3.7	4	1	1	3	4	7	7	7
65+	5	3.6	6	<1	<1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	496	3.5	16	1	1	2	4	7	11	18
20-34	394	3.9	16	1	1	3	5	8	13	26
35-49	314	4.6	30	1	1	3	5	8	15	29
50-64	372	5.1	32	1	1	3	6	10	14	36
65+	569	6.4	34	1	2	5	8	13	18	31
B. *Operated*										
0-19 YRS	25	7.2	98	<1	1	3	9	16	25	48
20-34	40	6.4	36	1	1	4	8	15	21	26
35-49	26	12.0	187	1	1	6	16	28	47	54
50-64	56	7.6	62	1	2	5	10	15	26	39
65+	59	12.7	129	2	3	8	17	28	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	818	2.7	8	1	1	2	3	5	7	16
B. *Operated*	37	3.6	8	<1	<1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	2145	4.8	27	1	1	3	6	10	14	28
B. *Operated*	206	9.3	102	1	2	6	12	22	29	51
1. SINGLE DX	855	2.7	8	1	1	2	3	5	7	16
2. MULTIPLE DX	2351	5.2	35	1	1	3	6	11	16	33
A. NOT OPERATED	2963	4.2	23	1	1	3	5	9	13	24
B. OPERATED	243	8.4	91	1	1	5	10	19	28	48
TOTAL 0-19 YRS	871	3.1	14	1	1	2	3	6	9	17
20-34	661	3.7	15	1	1	2	4	8	12	22
35-49	455	4.5	36	1	1	3	5	9	16	35
50-64	508	5.1	35	1	1	3	6	10	15	35
65+	711	6.7	44	1	2	4	8	14	19	35
GRAND TOTAL	**3206**	**4.5**	**29**	**1**	**1**	**3**	**5**	**10**	**15**	**28**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.8	40	<1	1	2	4	7	13	73
20-34	152	3.6	13	1	1	2	4	7	11	19
35-49	109	3.4	9	1	1	2	4	9	11	48
50-64	99	4.7	30	1	1	3	5	10	13	33
65+	152	4.9	16	1	1	4	7	10	13	25
B. *Operated*										
0-19 YRS	112	4.4	33	<1	1	3	5	9	11	30
20-34	165	4.1	17	1	1	2	6	9	13	18
35-49	157	4.1	21	<1	1	3	5	10	11	16
50-64	106	5.1	47	<1	1	3	6	10	17	42
65+	104	6.1	26	1	1	4	9	14	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	5.0	75	<1	1	3	5	10	19	51
20-34	261	7.7	100	1	1	4	8	20	31	99+
35-49	252	7.3	102	1	2	4	8	14	26	57
50-64	422	10.1	166	1	2	6	11	23	38	76
65+	1420	10.4	115	2	3	7	12	23	35	66
B. *Operated*										
0-19 YRS	247	8.0	171	1	1	4	8	15	31	86
20-34	255	10.4	202	1	1	6	11	25	43	82
35-49	251	10.5	193	1	1	6	13	23	44	79
50-64	339	11.8	208	1	2	7	14	27	41	91
65+	616	14.9	208	2	3	10	21	34	47	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	624	4.1	21	1	1	3	5	9	12	25
B. *Operated*	644	4.6	27	1	1	3	6	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	2593	9.3	120	1	2	6	11	22	34	71
B. *Operated*	1708	12.0	205	1	2	7	15	29	44	87
1. SINGLE DX	1268	4.4	24	1	1	3	5	10	13	24
2. MULTIPLE DX	4301	10.4	155	1	2	6	12	25	37	80
A. NOT OPERATED	3217	8.3	105	1	1	5	10	19	29	66
B. OPERATED	2352	10.0	167	1	1	6	12	24	37	80
TOTAL 0-19 YRS	709	5.8	99	<1	1	3	6	11	19	74
20-34	833	7.1	106	1	1	4	8	17	27	79
35-49	769	7.2	109	1	1	4	8	15	24	62
50-64	966	9.6	160	1	2	5	11	22	36	80
65+	2292	11.1	137	2	2	7	13	26	37	71
GRAND TOTAL	**5569**	**9.0**	**132**	**1**	**1**	**5**	**10**	**21**	**33**	**74**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	1.8	2	<1	1	1	2	3	5	6
20-34	243	2.9	6	1	1	2	3	5	6	10
35-49	189	2.9	4	1	1	2	4	6	8	11
50-64	54	3.0	8	<1	1	2	4	6	9	16
65+	12	1.9	1	1	1	2	3	3	4	4
B. *Operated*										
0-19 YRS	7	3.3	7	1	1	2	6	7	7	7
20-34	34	2.6	3	1	1	2	4	4	6	7
35-49	31	3.3	4	1	1	3	4	6	7	9
50-64	17	2.8	8	<1	1	2	3	6	10	12
65+	6	2.7	1	1	1	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	2.9	4	1	1	2	3	6	8	11
20-34	328	3.5	9	1	1	3	4	7	8	15
35-49	318	4.7	24	1	1	3	5	9	12	28
50-64	177	3.9	9	1	1	3	5	7	10	14
65+	66	4.4	16	1	2	4	6	7	9	27
B. *Operated*										
0-19 YRS	3	5.0	37	1	1	2	9	12	12	12
20-34	39	4.8	13	1	1	3	7	12	12	13
35-49	31	4.8	10	1	1	4	7	10	12	12
50-64	28	3.9	6	1	1	3	6	8	8	9
65+	7	5.4	12	1	1	5	8	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	588	2.7	5	1	1	2	3	5	7	10
B. *Operated*	95	2.9	4	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	964	4.0	14	1	1	3	5	7	10	21
B. *Operated*	108	4.6	11	1	1	4	7	10	12	13
1. SINGLE DX	683	2.7	5	1	1	2	3	5	7	10
2. MULTIPLE DX	1072	4.1	14	1	1	3	5	8	10	21
A. NOT OPERATED	1552	3.5	11	1	1	3	4	7	9	18
B. OPERATED	203	3.8	8	1	1	3	5	8	11	12
TOTAL 0-19 YRS	175	2.4	4	1	1	2	3	5	7	11
20-34	644	3.3	8	1	1	3	4	6	8	14
35-49	569	4.0	16	1	1	3	5	8	10	25
50-64	276	3.7	9	1	1	3	5	7	9	14
65+	91	4.1	14	1	1	3	5	7	9	23
GRAND TOTAL	**1755**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	1.5		<1	<1	1	2	2	2	2
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	28	1.4		<1	<1	1	2	2	2	3
20-34	423	1.5	1	<1	<1	1	2	3	3	4
35-49	690	1.6	1	<1	<1	1	2	3	3	5
50-64	661	1.6	1	<1	<1	1	2	3	3	5
65+	462	1.7	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	2.1	6	<1	<1	<1	2	5	9	9
35-49	19	2.5	2	<1	<1	2	4	5	5	5
50-64	20	2.9	5	<1	<1	2	4	6	8	9
65+	12	3.3	5	<1	<1	3	5	6	8	8
B. *Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	155	2.2	4	<1	<1	2	3	4	6	10
35-49	259	2.3	3	<1	<1	2	3	4	6	11
50-64	469	2.4	4	<1	1	2	3	4	6	11
65+	391	2.7	9	<1	1	2	3	5	6	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.5		<1	<1	1	2	2	2	2
B. *Operated*	2264	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	63	2.7	4	<1	<1	2	4	5	7	9
B. *Operated*	1281	2.5	5	<1	<1	2	3	4	6	12
1. SINGLE DX	2274	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	1344	2.5	5	<1	<1	2	3	5	6	12
A. NOT OPERATED	73	2.5	4	<1	<1	2	3	5	7	9
B. OPERATED	3545	1.9	3	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	36	1.4		<1	<1	1	2	2	3	3
20-34	590	1.7	2	<1	<1	1	2	3	4	7
35-49	974	1.8	2	<1	<1	1	2	3	4	7
50-64	1152	2.0	2	<1	<1	2	2	3	4	9
65+	866	2.2	5	<1	<1	2	2	4	5	12
GRAND TOTAL	**3618**	**1.9**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	6.2	77	1	1	3	7	12	27	48
20-34	103	7.5	151	<1	1	4	7	15	30	75
35-49	109	6.5	56	1	1	4	8	13	19	44
50-64	103	5.9	87	1	1	3	6	9	20	61
65+	60	4.7	39	1	1	3	6	8	11	44
B. *Operated*										
0-19 YRS	85	3.7	58	<1	1	2	4	6	8	51
20-34	549	3.3	8	<1	1	2	4	7	9	14
35-49	565	3.2	9	<1	1	2	4	6	8	17
50-64	525	2.8	7	<1	<1	2	3	6	8	13
65+	233	3.3	13	<1	1	2	4	6	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	8.8	114	<1	1	5	11	15	32	52
20-34	143	6.2	53	1	1	4	7	12	17	38
35-49	188	6.6	49	1	2	4	8	14	19	33
50-64	309	7.7	108	1	2	4	9	14	22	63
65+	447	7.8	73	1	2	6	9	14	23	45
B. *Operated*										
0-19 YRS	55	4.9	43	<1	1	3	5	8	17	38
20-34	332	5.2	81	1	1	3	5	9	15	66
35-49	442	5.6	58	1	1	4	6	11	16	34
50-64	538	5.6	65	1	1	3	6	12	18	79
65+	438	8.5	150	1	1	5	9	20	29	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	6.3	87	1	1	3	7	11	19	56
B. *Operated*	1957	3.2	11	<1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	1112	7.4	78	1	2	5	9	14	21	51
B. *Operated*	1805	6.2	88	1	1	4	7	13	20	63
1. SINGLE DX	2390	3.7	26	<1	1	2	4	7	9	24
2. MULTIPLE DX	2917	6.7	84	1	1	4	7	13	20	58
A. NOT OPERATED	1545	7.1	80	1	1	4	8	14	20	52
B. OPERATED	3762	4.6	50	<1	1	3	5	9	14	36
TOTAL 0-19 YRS	223	5.2	67	<1	1	3	5	10	18	50
20-34	1127	4.6	50	<1	1	3	5	9	13	33
35-49	1304	4.8	37	<1	1	3	5	9	14	27
50-64	1475	5.1	58	<1	1	3	6	10	15	52
65+	1178	7.0	92	1	1	4	8	14	22	56
GRAND TOTAL	**5307**	**5.3**	**60**	**1**	**1**	**3**	**6**	**11**	**16**	**45**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	2.3	5	1	1	1	4	5	5	5
65+	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	49	3.6	3	1	2	4	5	6	6	10
20-34	103	3.7	3	1	2	3	4	6	7	9
35-49	117	4.1	4	1	2	4	5	7	8	11
50-64	343	4.5	32	1	2	4	5	7	8	14
65+	369	4.2	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	6	4.2	10	1	1	3	5	9	10	10
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	44	4.3	7	1	2	4	6	7	9	14
20-34	104	5.2	8	2	3	5	6	7	11	16
35-49	116	5.2	12	1	2	4	7	9	12	21
50-64	387	4.7	8	1	2	4	6	8	9	15
65+	534	4.9	10	2	2	4	6	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.3	5	1	1	4	5	6	6	6
B. Operated	981	4.2	14	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	13	2.7	7	<1	<1	2	3	6	9	10
B. Operated	1185	4.9	9	2	2	4	6	8	10	16
1. SINGLE DX	988	4.2	14	1	2	4	5	7	8	12
2. MULTIPLE DX	1198	4.9	9	1	2	4	6	8	10	16
A. NOT OPERATED	20	2.9	6	<1	<1	2	4	6	8	10
B. OPERATED	2166	4.6	11	1	2	4	6	7	9	14
TOTAL 0-19 YRS	97	3.9	5	1	2	4	5	6	7	13
20-34	208	4.4	6	2	2	4	6	7	8	14
35-49	236	4.6	8	1	2	4	6	8	9	15
50-64	739	4.6	19	1	2	4	6	8	9	14
65+	906	4.6	8	1	2	4	6	8	9	14
GRAND TOTAL	**2186**	**4.6**	**11**	**1**	**2**	**4**	**6**	**7**	**9**	**14**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	8	2.4	10	1	1	1	2	8	10	10
65+	22	1.7	3	<1	1	1	2	3	5	9
B. Operated										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	7	2.1	1	1	1	2	2	4	4	4
35-49	30	2.3	2	<1	1	2	3	4	5	8
50-64	65	2.3	3	<1	<1	2	2	5	6	10
65+	143	2.2	2	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	1.5		1	1	1	2	2	2	2
65+	30	2.6	5	<1	1	2	3	5	5	12
B. Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	7	2.9	4	1	1	3	4	6	6	6
35-49	15	2.3	2	<1	<1	2	3	5	5	5
50-64	60	3.3	10	1	1	2	4	8	10	16
65+	190	3.7	13	1	1	3	4	7	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	1.9	4	1	1	1	2	3	8	10
B. Operated	250	2.2	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	37	2.4	4	<1	1	2	3	5	5	12
B. Operated	274	3.5	11	1	1	2	4	7	10	19
1. SINGLE DX	282	2.2	3	<1	<1	2	2	4	6	10
2. MULTIPLE DX	311	3.4	11	1	1	2	4	7	10	18
A. NOT OPERATED	69	2.2	4	1	1	1	2	4	6	12
B. OPERATED	524	2.9	8	<1	1	2	3	6	8	15
TOTAL 0-19 YRS	7	2.4	2	1	1	2	4	5	5	5
20-34	15	2.5	2	1	1	2	4	4	6	6
35-49	49	2.2	2	<1	1	2	3	4	5	8
50-64	137	2.7	7	<1	1	2	3	6	9	13
65+	385	2.9	8	<1	1	2	3	6	8	17
GRAND TOTAL	**593**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	8	2.8	9	1	1	2	3	8	10	10
B. *Operated*										
0-19 YRS	9	3.0	4	1	1	3	4	6	6	6
20-34	18	1.6	1	<1	<1	1	2	2	5	6
35-49	35	2.5	2	<1	1	2	3	5	6	7
50-64	74	2.6	7	<1	<1	2	3	5	7	17
65+	104	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	25	<1	<1	1	7	12	13	13
20-34	5	2.6	4	1	1	2	4	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	2.7	5	1	1	2	3	7	7	7
65+	26	2.7	5	<1	1	2	4	5	8	10
B. *Operated*										
0-19 YRS	6	2.2		2	2	2	2	3	3	3
20-34	10	2.8	10	<1	<1	1	3	8	11	11
35-49	29	2.4	2	<1	<1	2	3	5	6	7
50-64	45	3.2	11	<1	1	2	3	5	11	19
65+	141	3.5	13	1	1	3	4	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.5	6	1	1	2	2	5	9	10
B. *Operated*	240	2.3	4	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	44	2.8	7	<1	1	2	4	7	9	13
B. *Operated*	231	3.2	11	<1	1	2	3	6	10	20
1. SINGLE DX	254	2.3	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	275	3.2	10	<1	1	2	3	6	10	18
A. NOT OPERATED	58	2.8	7	<1	1	2	3	7	9	13
B. OPERATED	471	2.7	7	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	23	3.1	8	<1	1	2	4	6	9	13
20-34	35	2.1	4	<1	<1	1	2	5	6	11
35-49	67	2.4	2	<1	<1	2	3	5	6	7
50-64	125	2.8	8	<1	1	2	3	5	8	19
65+	279	2.9	8	<1	<1	2	3	5	9	13
GRAND TOTAL	**529**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**5**	**8**	**13**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	2.0	2	<1	<1	1	3	4	4	4
65+	22	1.7		<1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	361	1.8	1	<1	1	2	2	2	3	5
50-64	2198	1.8	1	<1	1	2	2	3	3	5
65+	9438	1.9	1	<1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	1.4	1	<1	<1	1	2	3	3	3
50-64	58	1.6	3	<1	<1	1	1	3	5	9
65+	239	1.9	3	<1	<1	1	2	3	5	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	241	2.1	1	<1	1	2	2	3	4	6
50-64	1962	2.1	2	1	1	2	2	3	4	8
65+	10170	2.3	5	1	1	2	2	3	4	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.7	1	<1	<1	2	2	3	3	4
B. *Operated*	11997	1.9	1	<1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	305	1.9	3	<1	<1	1	2	3	5	10
B. *Operated*	12373	2.3	4	1	1	2	2	3	4	9
1. SINGLE DX	12024	1.9	1	<1	1	2	2	3	3	4
2. MULTIPLE DX	12678	2.3	4	1	1	2	2	3	4	9
A. NOT OPERATED	332	1.9	3	<1	<1	1	2	3	5	10
B. OPERATED	24370	2.1	2	<1	1	2	2	3	4	7
TOTAL 0-19 YRS										
20-34										
35-49	611	1.9	1	<1	1	2	2	3	3	6
50-64	4222	2.0	1	<1	1	2	2	3	3	7
65+	19869	2.1	3	<1	1	2	2	3	4	8
GRAND TOTAL	**24702**	**2.1**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	43	1.6	1	<1	<1	1	2	2	3	8
20-34	42	1.8	1	<1	<1	2	2	3	4	5
35-49	50	1.8		<1	<1	2	2	3	3	3
50-64	91	1.6		<1	<1	2	2	2	3	3
65+	177	1.4	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	7	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	35	2.4	3	<1	<1	2	3	4	5	10
20-34	37	1.8	1	<1	<1	2	2	3	4	5
35-49	51	2.9	10	<1	<1	2	3	5	8	21
50-64	118	2.3	7	<1	1	2	2	3	4	14
65+	257	2.1	1	<1	<1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4	1	<1	<1	<1	1	3	3	3
B. *Operated*	403	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	13	1.3		<1	<1	1	2	2	2	2
B. *Operated*	498	2.2	4	<1	<1	2	2	3	5	10
1. SINGLE DX	408	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	511	2.2	4	<1	<1	2	2	3	5	10
A. NOT OPERATED	18	1.3		<1	<1	1	2	2	3	3
B. OPERATED	901	1.9	2	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	82	1.9	2	<1	<1	1	2	4	5	9
20-34	79	1.8	1	<1	<1	2	2	3	4	5
35-49	104	2.3	6	<1	<1	2	2	3	5	16
50-64	211	2.0	4	<1	<1	2	2	3	3	7
65+	443	1.8	1	<1	<1	2	2	3	3	7
GRAND TOTAL	**919**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5	1	<1	<1	1	2	3	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	5	2.8	5	1	1	2	4	6	6	6
50-64	3	3.3		3	3	3	4	4	4	4
65+	4	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	925	1.4	1	<1	<1	1	2	2	2	7
20-34	154	1.4		<1	<1	1	2	2	2	3
35-49	81	1.4		<1	<1	1	2	2	2	3
50-64	36	1.6	1	<1	<1	1	2	2	3	5
65+	46	1.9	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.5	1	<1	<1	1	2	3	3	4
20-34	10	4.9	33	1	1	3	4	13	21	21
35-49	9	3.9	11	1	1	2	6	9	11	11
50-64	19	5.0	49	<1	1	3	5	7	21	33
65+	33	4.3	7	1	1	3	6	8	9	9
B. *Operated*										
0-19 YRS	257	1.3		<1	<1	1	1	2	2	3
20-34	64	2.1	7	<1	<1	2	2	3	5	17
35-49	48	1.7	1	<1	<1	2	2	2	4	6
50-64	22	2.3	3	<1	1	2	2	4	7	9
65+	63	2.5	3	1	1	2	3	5	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.2	2	<1	<1	2	3	4	5	6
B. *Operated*	1242	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	97	3.7	18	<1	<1	3	4	8	9	27
B. *Operated*	454	1.7	2	<1	<1	1	2	2	4	8
1. SINGLE DX	1270	1.4	1	<1	<1	1	2	2	2	6
2. MULTIPLE DX	551	2.0	5	<1	<1	1	2	4	6	9
A. NOT OPERATED	125	3.4	15	<1	<1	2	4	7	8	24
B. OPERATED	1696	1.5	1	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	1221	1.4	1	<1	<1	1	2	2	2	5
20-34	231	1.8	4	<1	<1	1	2	2	3	13
35-49	143	1.7	2	<1	<1	1	2	2	4	7
50-64	80	2.7	14	<1	<1	2	3	5	7	26
65+	146	2.7	4	<1	1	2	3	6	8	9
GRAND TOTAL	**1821**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.1	5	<1	<1	1	3	[illegible]	7	9
20-34	16	4.0	8	1	1	3	6	[illegible]	10	12
35-49	9	4.7	7	1	1	4	7	[illegible]	[illegible]	8
50-64	15	3.9	10	<1	<1	3	5	[illegible]	11	11
65+	24	5.5	12	<1	2	5	7	[illegible]	14	15
B. *Operated*										
0-19 YRS	131	1.7	2	<1	<1	1	2	3	[illegible]	8
20-34	159	1.9	1	<1	<1	2	3	3	4	6
35-49	168	1.9	4	<1	<1	1	2	3	4	8
50-64	211	1.7	1	<1	<1	1	2	3	4	6
65+	400	2.1	4	<1	<1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	2.8	4	<1	<1	2	3	5	7	10
20-34	15	3.7	11	1	1	2	5	9	12	13
35-49	21	6.2	23	1	2	5	8	11	17	23
50-64	27	5.9	75	<1	1	3	6	13	29	40
65+	76	6.7	28	1	1	5	9	14	16	25
B. *Operated*										
0-19 YRS	59	2.9	6	<1	<1	2	4	6	9	12
20-34	85	3.2	11	<1	1	3	4	5	6	22
35-49	121	3.2	21	<1	1	2	3	5	8	31
50-64	236	2.7	8	<1	1	2	3	5	7	13
65+	654	3.2	13	<1	1	2	4	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.9	8	<1	<1	2	4	7	8	14
B. *Operated*	1069	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	236	4.8	25	<1	1	3	6	10	14	27
B. *Operated*	1155	3.1	12	<1	1	2	4	5	8	20
1. SINGLE DX	1270	2.1	4	<1	<1	1	2	4	5	9
2. MULTIPLE DX	1391	3.4	15	<1	1	2	4	7	9	21
A. NOT OPERATED	437	3.9	18	<1	<1	3	5	8	12	21
B. OPERATED	2224	2.5	8	<1	<1	2	3	4	6	13
TOTAL 0-19 YRS	424	2.3	4	<1	<1	1	3	5	6	10
20-34	275	2.5	6	<1	<1	2	3	5	6	12
35-49	319	2.7	13	<1	<1	2	3	5	8	23
50-64	489	2.5	9	<1	<1	2	3	4	7	14
65+	1154	3.1	12	<1	<1	2	3	6	9	17
GRAND TOTAL	2661	2.8	10	<1	<1	2	3	5	7	16

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.2-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	280	3.1	3	1	1	3	4	5	6	9
20-34	33	3.4	5	1	1	3	4	7	8	11
35-49	29	3.5	6	1	1	2	5	8	9	9
50-64	23	3.5	6	1	1	3	4	7	9	10
65+	34	3.5	6	1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	50	2.2	5	<1	<1	1	2	4	8	12
20-34	89	1.8	10	<1	<1	<1	2	3	4	20
35-49	95	1.7	2	<1	<1	1	2	3	5	8
50-64	216	2.1	3	<1	<1	2	2	4	5	10
65+	658	2.0	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	283	3.8	5	1	2	3	4	7	8	11
20-34	50	4.3	44	1	1	3	4	8	11	42
35-49	37	5.2	14	1	2	4	7	8	12	22
50-64	76	5.1	24	1	2	3	6	9	13	30
65+	128	4.7	21	1	1	3	6	10	12	27
B. *Operated*										
0-19 YRS	73	3.8	12	1	1	3	5	7	8	21
20-34	129	3.3	4	<1	2	3	4	6	7	12
35-49	99	3.6	7	1	1	3	4	8	10	13
50-64	332	3.7	15	1	1	2	4	7	9	19
65+	869	3.1	10	1	1	2	3	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	3.2	4	1	1	3	4	6	7	10
B. *Operated*	1108	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	574	4.3	15	1	1	3	5	8	10	23
B. *Operated*	1502	3.3	11	1	1	2	4	7	9	15
1. SINGLE DX	1507	2.3	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX	2076	3.6	12	1	1	3	4	7	9	17
A. NOT OPERATED	973	3.9	11	1	1	3	5	7	9	14
B. OPERATED	2610	2.8	8	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	686	3.4	5	1	1	3	4	6	7	11
20-34	301	3.0	13	<1	<1	2	4	5	7	18
35-49	260	3.1	8	<1	<1	2	4	7	9	13
50-64	647	3.3	13	<1	1	2	4	7	9	15
65+	1689	2.8	8	<1	1	2	3	6	7	14
GRAND TOTAL	3583	3.1	9	<1	1	2	3	6	8	14

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64	7	3.9	34	<1	<1	2	3	14	17	17
65+	6	3.3	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	8	2.9	17	<1	<1	1	2	10	13	13
20-34	15	2.1	4	<1	<1	1	3	3	8	9
35-49	5	2.2	2	<1	<1	2	3	4	4	4
50-64	8	1.6	1	<1	<1	1	2	3	4	4
65+	17	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	5	<1	<1	3	4	6	8	8
20-34	17	2.8	3	1	1	2	3	6	7	7
35-49	19	2.6	2	1	1	2	4	4	6	7
50-64	31	4.9	17	1	1	3	6	10	12	20
65+	40	4.0	9	1	1	3	5	7	11	16
B. *Operated*										
0-19 YRS	11	1.9	2	<1	<1	1	3	4	4	4
20-34	16	3.2	3	1	1	3	4	7	7	7
35-49	19	2.3	1	<1	1	2	3	4	4	4
50-64	38	3.4	7	1	1	3	4	6	8	16
65+	42	2.5	1	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.7	10	<1	<1	2	3	5	7	17
B. *Operated*	53	2.0	4	<1	<1	1	2	3	4	13
2. MULTIPLE DX										
A. *Not Operated*	121	3.7	9	1	1	3	5	7	10	17
B. *Operated*	126	2.8	4	1	1	2	3	5	6	11
1. SINGLE DX	81	2.2	6	<1	<1	2	2	4	6	16
2. MULTIPLE DX	247	3.3	6	1	1	3	4	6	8	16
A. NOT OPERATED	149	3.5	9	<1	1	3	4	7	9	17
B. OPERATED	179	2.6	4	<1	<1	2	3	4	6	12
TOTAL 0-19 YRS	39	2.5	6	<1	<1	2	3	5	7	13
20-34	52	2.7	3	<1	1	2	3	6	7	9
35-49	48	2.3	2	<1	1	2	3	4	4	7
50-64	84	3.9	13	1	1	3	5	8	11	19
65+	105	3.0	5	<1	1	2	4	5	6	14
GRAND TOTAL	**328**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**5**	**7**	**16**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	252	2.3	2	<1	1	2	3	4	5	8
20-34	6	4.0	11	1	1	3	5	9	10	10
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64										
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	2795	1.1	2	<1	<1	<1	<1	1	2	3
20-34	243	1.7	1	1	1	2	2	2	3	4
35-49	231	1.6	1	1	1	2	2	2	3	4
50-64	244	1.6	1	1	1	2	2	2	3	4
65+	88	1.5		<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	962	2.6	3	<1	1	2	3	4	5	10
20-34	35	4.0	7	1	1	3	5	8	10	11
35-49	30	3.2	3	1	1	3	4	6	6	7
50-64	20	3.9	6	<1	1	3	5	7	9	11
65+	26	6.0	21	<1	1	5	8	12	15	21
B. *Operated*										
0-19 YRS	1978	1.4	3	<1	<1	1	1	2	3	6
20-34	239	2.1	2	<1	1	2	2	3	4	9
35-49	219	2.1	2	<1	1	2	3	3	5	8
50-64	201	2.3	5	<1	1	2	3	4	5	9
65+	110	2.6	5	<1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	2.4	2	<1	1	2	3	4	5	9
B. *Operated*	3601	1.2	2	<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	1073	2.7	4	<1	1	2	3	5	7	11
B. *Operated*	2747	1.6	3	<1	<1	1	2	3	3	8
1. SINGLE DX	3865	1.3	2	<1	<1	<1	1	2	3	4
2. MULTIPLE DX	3820	1.9	4	<1	<1	1	2	4	5	9
A. NOT OPERATED	1337	2.7	4	<1	1	2	3	5	6	11
B. OPERATED	6348	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	5987	1.5	3	<1	<1	<1	1	3	4	7
20-34	523	2.0	2	1	1	2	2	3	4	9
35-49	484	1.9	1	1	1	2	2	3	4	7
50-64	465	2.0	3	1	1	2	2	3	4	8
65+	226	2.6	6	<1	1	2	3	5	8	13
GRAND TOTAL	**7685**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.5	4	1	1	3	4	6	8	9
20-34	20	2.9	3	1	1	2	3	6	6	6
35-49	15	3.9	5	1	2	4	5	6	9	10
50-64	6	4.3	3	3	3	4	6	7	7	7
65+	7	6.7	13	3	3	5	10	12	12	12
B. *Operated*										
0-19 YRS	150	1.5	2	<1	<1	1	1	3	4	8
20-34	34	2.4	4	1	1	2	3	6	6	9
35-49	25	1.8	2	<1	1	1	2	3	5	7
50-64	20	2.0	1	<1	<1	2	3	3	4	4
65+	17	2.2	1	<1	<1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	4.6	23	1	1	3	5	10	13	26
20-34	40	4.0	9	1	1	3	5	7	10	15
35-49	42	3.7	4	1	2	3	5	6	7	12
50-64	31	7.3	109	1	1	5	6	11	41	48
65+	42	7.2	49	1	2	5	9	13	25	33
B. *Operated*										
0-19 YRS	234	2.5	16	<1	<1	1	2	6	8	23
20-34	66	2.8	6	1	1	2	3	7	8	13
35-49	53	3.4	33	1	1	2	3	5	9	41
50-64	51	7.3	115	1	1	2	7	25	33	46
65+	47	9.1	123	1	1	3	13	30	34	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	3.7	5	1	2	3	5	7	8	12
B. *Operated*	246	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	271	5.1	33	1	1	4	5	9	13	39
B. *Operated*	451	3.9	44	<1	<1	2	3	8	16	37
1. SINGLE DX	335	2.3	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	722	4.3	40	<1	1	2	5	9	14	37
A. NOT OPERATED	360	4.7	26	1	1	4	5	9	12	33
B. OPERATED	697	3.1	30	<1	<1	2	3	6	10	34
TOTAL 0-19 YRS	541	2.7	14	<1	<1	1	3	6	8	17
20-34	160	3.0	6	1	1	2	4	6	8	13
35-49	135	3.3	15	1	1	2	4	5	7	17
50-64	108	6.1	89	1	1	3	5	15	31	47
65+	113	7.2	74	1	1	4	8	18	32	36
GRAND TOTAL	1057	3.7	29	<1	<1	2	4	7	11	34

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	4	1	1	2	4	6	7	7
20-34	66	3.1	5	1	1	3	3	6	8	11
35-49	119	2.6	3	1	1	2	3	5	6	9
50-64	169	2.5	2	1	1	2	3	4	5	9
65+	231	3.0	5	1	1	2	3	6	8	11
B. *Operated*										
0-19 YRS	12	2.2	1	1	1	2	3	4	4	4
20-34	58	2.9	3	1	1	3	3	6	7	9
35-49	89	3.6	5	1	1	3	5	7	8	11
50-64	102	3.5	5	1	1	3	4	7	8	10
65+	43	3.7	9	1	2	3	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.0	42	<1	1	3	5	12	23	25
20-34	81	3.0	4	1	1	3	4	5	6	10
35-49	157	3.5	7	1	1	3	4	7	9	12
50-64	396	3.5	6	1	1	3	4	7	8	13
65+	977	4.1	14	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	8	4.1	23	2	2	3	3	12	16	16
20-34	32	4.5	11	1	1	4	6	9	11	15
35-49	44	5.5	28	1	1	4	7	11	20	24
50-64	87	5.7	13	2	2	5	8	11	12	18
65+	103	5.6	25	1	1	4	8	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	595	2.8	4	1	1	2	3	5	7	11
B. *Operated*	304	3.4	5	1	1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	1623	3.9	11	1	1	3	5	8	10	15
B. *Operated*	274	5.4	20	1	2	4	8	11	13	24
1. SINGLE DX	899	3.0	4	1	1	2	4	6	7	11
2. MULTIPLE DX	1897	4.1	13	1	1	3	5	8	10	17
A. NOT OPERATED	2218	3.6	9	1	1	3	4	7	9	14
B. OPERATED	578	4.4	13	1	1	3	6	8	11	21
TOTAL 0-19 YRS	42	3.5	18	1	1	2	4	5	11	25
20-34	237	3.2	5	1	1	3	4	6	8	11
35-49	409	3.5	8	1	1	3	4	7	8	15
50-64	754	3.5	7	1	1	3	4	7	9	13
65+	1354	4.0	13	1	1	3	5	8	10	16
GRAND TOTAL	2796	3.7	10	1	1	3	5	7	9	15

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	11	1.3		1	1	1	1	2	3	3
20-34	162	1.5	1	1	1	1	2	3	3	5
35-49	245	1.5	1	1	1	1	2	3	3	4
50-64	243	1.4	1	1	1	1	2	2	3	4
65+	94	1.5	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.7	1	<1	<1	<1	2	3	3	3
65+	3	7.0	48	3	3	3	12	15	15	15
B. *Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	43	2.0	1	1	1	2	2	3	4	5
35-49	68	1.8	1	<1	1	2	2	3	4	4
50-64	76	1.9	2	1	1	2	2	3	4	8
65+	39	2.8	8	1	1	2	3	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	755	1.5	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	9	3.2	20	<1	<1	<1	3	10	15	15
B. *Operated*	230	2.1	2	1	1	2	2	3	4	9
1. SINGLE DX	757	1.5	1	1	1	1	2	3	3	4
2. MULTIPLE DX	239	2.1	3	1	1	2	2	3	4	10
A. NOT OPERATED	11	2.9	17	<1	<1	1	3	8	14	15
B. OPERATED	985	1.6	1	1	1	1	2	3	3	5
TOTAL 0-19 YRS	15	1.5	1	1	1	1	2	3	3	3
20-34	208	1.6	1	1	1	1	2	3	3	5
35-49	314	1.5	1	1	1	1	2	3	3	4
50-64	322	1.5	1	1	1	1	2	3	3	5
65+	137	2.0	4	1	1	1	2	3	5	15
GRAND TOTAL	**996**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	7	<1	<1	1	3	6	9	10
20-34	10	3.3	6	<1	<1	3	5	7	9	9
35-49	12	3.5	8	<1	1	3	4	7	11	12
50-64	9	3.9	9	1	1	3	5	8	10	10
65+	8	3.1	5	<1	<1	3	4	7	8	8
B. *Operated*										
0-19 YRS	525	1.5	2	<1	<1	1	2	2	3	4
20-34	312	1.6	1	<1	1	1	2	2	3	7
35-49	244	1.7	15	<1	1	1	2	2	3	5
50-64	201	1.6	2	<1	1	1	2	3	3	5
65+	88	1.8	3	<1	1	1	2	2	4	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.0	5	<1	<1	1	2	5	8	9
20-34	14	3.8	11	<1	<1	3	5	8	12	13
35-49	16	3.4	2	1	1	3	5	5	6	6
50-64	29	4.0	12	1	1	3	6	8	9	17
65+	45	7.1	97	1	2	5	7	12	21	64
B. *Operated*										
0-19 YRS	405	1.5		<1	<1	1	2	2	3	4
20-34	264	1.7	3	<1	1	1	2	3	4	7
35-49	226	1.9	2	<1	1	2	2	3	4	7
50-64	223	2.3	5	1	1	2	3	4	5	11
65+	123	2.8	10	<1	1	2	3	5	7	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.2	7	<1	<1	2	4	7	10	12
B. *Operated*	1370	1.6	4	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	128	4.6	43	<1	<1	3	5	8	12	31
B. *Operated*	1241	1.9	3	<1	1	2	2	3	4	7
1. SINGLE DX	1421	1.7	4	<1	<1	1	2	2	3	7
2. MULTIPLE DX	1369	2.2	7	<1	1	2	2	4	5	12
A. NOT OPERATED	179	4.2	33	<1	<1	3	5	8	11	22
B. OPERATED	2611	1.8	4	<1	<1	1	2	3	3	7
TOTAL 0-19 YRS	966	1.5	1	<1	<1	1	2	2	3	5
20-34	600	1.7	2	<1	1	1	2	3	4	8
35-49	498	1.9	8	<1	1	1	2	3	4	7
50-64	462	2.2	5	1	1	2	2	4	5	10
65+	264	3.2	25	<1	1	2	3	6	10	22
GRAND TOTAL	**2790**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.1	10	2	2	4	7	10	12	12
20-34	13	4.5	5	2	2	4	6	8	9	9
35-49	3	3.3	6	<1	<1	3	5	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	9.0	3	8	8	8	10	11	11	11
65+	2	10.5	5	9	9	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	7.3	70	1	2	4	8	17	30	35
20-34	11	7.5	127	2	2	4	7	21	39	41
35-49	10	5.8	10	1	1	6	8	10	12	12
50-64	20	6.5	21	1	2	5	8	12	17	21
65+	31	7.8	78	2	2	5	9	14	21	49
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	12	4.5	10	1	1	4	6	9	12	12
50-64	10	5.6	19	1	1	4	10	12	13	13
65+	14	8.3	61	1	2	6	12	21	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.8	7	2	2	4	7	8	10	12
B. *Operated*	6	8.8	6	5	5	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	96	7.1	61	1	2	5	8	13	21	45
B. *Operated*	38	6.1	32	1	2	4	8	13	19	25
1. SINGLE DX	39	5.4	9	2	2	5	8	10	11	12
2. MULTIPLE DX	134	6.9	53	1	2	5	8	13	21	42
A. NOT OPERATED	129	6.6	48	2	2	5	8	12	16	43
B. OPERATED	44	6.5	29	1	2	5	9	12	18	25
TOTAL 0-19 YRS	39	6.4	47	1	2	4	8	12	23	35
20-34	25	5.9	58	2	2	4	6	8	17	41
35-49	26	4.9	9	1	1	4	7	8	12	12
50-64	34	6.4	19	1	2	6	9	12	13	21
65+	49	8.0	66	2	2	6	10	16	21	49
GRAND TOTAL	**173**	**6.5**	**43**	**1**	**2**	**5**	**8**	**12**	**17**	**40**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.0	1	1	1	2	3	3	3	3
35-49	9	5.6	46	<1	<1	2	9	17	21	21
50-64	7	2.6	1	1	1	3	3	4	4	4
65+	6	4.3	9	<1	<1	4	7	8	8	8
B. *Operated*										
0-19 YRS	7	5.3	20	<1	<1	2	10	10	10	10
20-34	20	3.7	7	1	1	2	6	8	9	9
35-49	50	4.9	28	1	1	2	8	11	14	26
50-64	65	7.0	42	1	2	2	11	16	20	27
65+	33	5.3	27	1	1	2	9	12	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	20	1	1	6	9	10	10	10
20-34	24	4.5	59	1	1	3	4	5	16	40
35-49	73	3.6	7	<1	1	3	4	7	10	13
50-64	138	5.3	16	1	1	4	7	11	14	20
65+	287	7.8	44	2	2	6	10	15	17	38
B. *Operated*										
0-19 YRS	10	9.9	122	1	1	6	14	26	37	37
20-34	51	8.4	40	2	2	9	12	14	22	30
35-49	176	8.8	63	1	2	9	12	17	22	88
50-64	398	10.4	119	1	2	9	14	21	26	54
65+	336	11.6	119	1	2	10	16	24	36	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.7	17	<1	1	2	3	8	11	21
B. *Operated*	175	5.6	31	1	1	2	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	525	6.4	35	1	2	5	8	13	17	33
B. *Operated*	971	10.4	106	1	2	9	14	22	30	63
1. SINGLE DX	205	5.3	29	1	1	2	9	13	17	25
2. MULTIPLE DX	1496	9.0	85	1	2	7	12	19	24	53
A. NOT OPERATED	555	6.2	34	1	1	4	8	12	17	33
B. OPERATED	1146	9.7	97	1	2	8	13	21	27	55
TOTAL 0-19 YRS	21	7.4	70	<1	1	3	10	15	25	37
20-34	102	6.1	40	1	1	4	9	12	15	35
35-49	308	6.8	49	1	1	4	10	14	19	56
50-64	608	8.8	91	1	2	6	12	18	24	50
65+	662	9.6	86	1	2	7	13	20	27	53
GRAND TOTAL	**1701**	**8.6**	**79**	**1**	**2**	**6**	**12**	**18**	**24**	**50**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	4	<1	<1	2	3	6	7	7
20-34	37	2.0	2	<1	<1	2	2	4	5	6
35-49	127	2.9	4	1	1	3	4	5	6	10
50-64	156	3.3	6	1	1	3	4	6	8	12
65+	126	3.1	5	1	1	3	4	5	7	14
B. *Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	24	2.2	[illegible]	<1	1	2	3	4	5	7
35-49	29	2.9	4	1	1	2	4	5	7	10
50-64	36	3.1	6	1	1	2	4	7	8	12
65+	23	3.5	9	<1	1	2	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.3	23	1	1	3	5	7	9	27
20-34	153	3.5	7	1	1	3	4	6	7	18
35-49	540	4.0	12	1	1	3	5	7	9	16
50-64	940	4.5	22	1	1	3	5	8	11	19
65+	1569	5.5	23	1	2	4	7	11	13	24
B. *Operated*										
0-19 YRS	8	6.8	72	1	1	3	9	22	25	25
20-34	57	5.1	14	1	1	4	8	10	13	15
35-49	140	5.6	20	1	2	4	8	11	14	19
50-64	186	5.5	18	1	1	4	8	12	15	21
65+	237	7.9	64	1	2	6	10	15	20	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	3.0	5	1	1	2	4	5	7	12
B. *Operated*	116	2.9	5	1	1	2	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	3232	4.9	21	1	2	4	6	9	12	21
B. *Operated*	628	6.4	37	1	2	5	8	13	16	32
1. SINGLE DX	574	3.0	5	1	1	2	4	6	7	12
2. MULTIPLE DX	3860	5.1	24	1	2	4	6	10	13	23
A. NOT OPERATED	3690	4.6	19	1	1	3	6	9	12	21
B. OPERATED	744	5.9	34	1	1	4	8	12	15	31
TOTAL 0-19 YRS	54	4.1	25	1	1	3	5	7	13	27
20-34	271	3.5	8	1	1	3	4	7	9	15
35-49	836	4.1	12	1	1	3	5	8	10	16
50-64	1318	4.5	20	1	1	3	5	9	12	19
65+	1955	5.6	28	1	2	4	7	11	14	27
GRAND TOTAL	**4434**	**4.8**	**22**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	14	3.4	4	1	1	3	5	6	8	8
50-64	40	3.4	3	1	1	3	5	6	7	8
65+	76	4.6	12	1	2	3	6	8	10	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	4.3	13	1	1	3	7	9	9	9
50-64	11	2.9	8	<1	<1	2	3	7	11	11
65+	9	4.6	13	1	1	2	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	8	3.8	2	2	2	4	5	6	6	6
35-49	99	4.3	12	1	2	3	5	8	10	21
50-64	339	6.2	26	2	2	5	8	12	16	27
65+	1299	7.2	32	2	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	4	4.8	6	3	3	4	6	8	8	8
35-49	28	5.1	17	1	1	4	6	11	14	19
50-64	90	5.7	33	1	2	3	8	14	17	29
65+	190	10.7	69	2	2	9	14	22	31	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	4.1	9	1	1	3	5	8	9	17
B. *Operated*	24	3.8	10	<1	1	2	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	1748	6.8	30	2	2	5	8	13	17	31
B. *Operated*	314	8.7	59	1	2	6	12	19	26	36
1. SINGLE DX	158	4.0	9	1	1	3	5	8	10	16
2. MULTIPLE DX	2062	7.1	35	2	2	5	9	14	19	33
A. NOT OPERATED	1882	6.6	29	2	2	5	8	13	17	30
B. OPERATED	338	8.3	57	1	2	6	12	19	25	35
TOTAL 0-19 YRS	7	4.7	13	1	1	4	8	9	9	9
20-34	14	3.9	3	2	2	4	5	6	8	8
35-49	145	4.3	12	1	1	4	5	8	10	19
50-64	480	5.8	26	1	2	4	7	12	16	27
65+	1574	7.5	37	2	2	6	9	15	20	34
GRAND TOTAL	**2220**	**6.9**	**33**	**2**	**2**	**5**	**8**	**14**	**18**	**32**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49	7	6.4	111	1	1	2	5	25	30	30
50-64	10	2.5	1	1	1	2	3	4	5	5
65+	10	5.7	27	2	2	3	9	14	18	18
B. *Operated*										
0-19 YRS	4	5.0	54	1	1	2	9	16	16	16
20-34	18	2.7	7	<1	<1	1	3	7	9	9
35-49	25	2.8	6	<1	<1	2	3	5	9	11
50-64	25	5.4	31	1	1	3	7	14	18	23
65+	17	5.1	66	1	1	2	4	14	27	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.4	21	1	1	5	7	14	16	16
20-34	28	3.7	9	<1	<1	3	5	7	9	14
35-49	32	4.5	11	1	2	4	5	8	9	18
50-64	78	6.4	28	1	2	5	8	11	18	29
65+	168	9.3	55	2	3	8	11	17	23	44
B. *Operated*										
0-19 YRS	16	9.0	307	1	1	3	8	19	56	72
20-34	70	10.6	199	2	2	6	11	28	42	70
35-49	127	8.2	68	1	2	5	12	19	28	36
50-64	154	9.1	123	1	2	5	11	21	30	50
65+	177	13.5	184	1	2	9	17	32	45	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.2	33	1	1	2	4	9	17	30
B. *Operated*	89	4.0	27	<1	<1	2	4	9	16	29
2. MULTIPLE DX										
A. *Not Operated*	323	7.5	43	1	2	6	9	15	19	34
B. *Operated*	554	10.5	149	1	2	6	13	25	35	41
1. SINGLE DX	122	4.1	28	<1	1	2	4	9	16	31
2. MULTIPLE DX	877	9.4	112	1	2	6	11	21	30	55
A. NOT OPERATED	356	7.2	43	1	2	5	9	15	19	33
B. OPERATED	643	9.6	137	1	2	5	12	24	32	58
TOTAL 0-19 YRS	39	6.6	139	1	1	3	7	15	11	72
20-34	120	7.5	132	<1	1	4	8	16	31	64
35-49	191	6.8	56	1	1	4	9	15	25	32
50-64	277	7.8	87	1	2	5	9	17	25	45
65+	372	11.0	122	1	2	8	14	25	35	57
GRAND TOTAL	**999**	**8.7**	**104**	**1**	**2**	**5**	**11**	**20**	**29**	**53**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	15.0	50	10	10	15	20	20	20	20
20-34	23	8.2	8	3	4	8	10	13	13	13
35-49	382	8.3	10	3	4	8	10	12	14	17
50-64	820	9.0	13	3	5	9	11	13	14	18
65+	785	9.2	14	4	5	9	11	13	15	21
B. *Operated*										
0-19 YRS										
20-34	6	8.0	26	1	1	8	12	15	15	15
35-49	72	7.5	23	1	1	7	11	13	15	21
50-64	146	9.2	24	1	2	10	12	14	16	26
65+	87	11.1	26	2	6	10	14	18	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.4	11	5	5	7	11	13	14	16
20-34	78	7.4	21	2	2	7	9	11	17	27
35-49	1040	8.9	17	3	4	9	11	13	15	23
50-64	3636	9.6	23	3	5	9	11	14	17	27
65+	6729	10.6	30	4	5	10	13	17	20	31
B. *Operated*										
0-19 YRS	8	9.3	18	<1	2	10	12	14	15	15
20-34	34	7.6	30	1	1	7	12	15	17	19
35-49	575	9.4	39	1	2	9	12	16	19	31
50-64	1759	11.1	64	1	2	10	14	19	25	38
65+	1746	14.5	95	2	5	13	18	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2012	8.9	13	3	5	9	11	13	15	19
B. *Operated*	311	9.3	26	1	2	10	12	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	11493	10.1	27	3	5	9	12	15	19	29
B. *Operated*	4122	12.3	77	2	2	11	15	22	28	46
1. SINGLE DX	2323	9.0	15	3	5	9	11	13	15	20
2. MULTIPLE DX	15615	10.7	41	3	5	10	13	17	22	34
A. NOT OPERATED	13505	9.9	25	3	5	9	12	15	18	28
B. OPERATED	4433	12.1	74	2	2	11	15	21	27	44
TOTAL 0-19 YRS	20	9.4	18	2	5	9	12	14	17	20
20-34	141	7.6	21	1	2	7	10	13	15	23
35-49	2069	8.9	22	2	3	9	11	14	16	25
50-64	6361	9.9	34	2	4	9	12	15	19	30
65+	9347	11.2	43	4	5	10	13	18	23	37
GRAND TOTAL	**17938**	**10.5**	**38**	**3**	**5**	**10**	**12**	**17**	**21**	**33**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	27	2.3	4	<1	1	1	4	4	6	10
35-49	202	2.8	4	1	1	2	4	5	6	11
50-64	443	3.0	5	1	1	2	4	5	7	9
65+	426	3.1	5	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.3		1	1	1	2	2	2	2
35-49	86	3.0	7	1	1	2	3	8	10	14
50-64	150	2.8	7	1	1	2	3	6	8	13
65+	81	2.9	5	1	1	2	3	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.1	13	2	2	4	8	10	12	12
20-34	60	3.4	5	1	1	3	4	7	9	12
35-49	880	3.3	5	1	1	3	4	6	7	10
50-64	3111	3.7	7	1	1	3	4	7	8	14
65+	5464	4.6	13	1	2	4	6	8	10	18
B. *Operated*										
0-19 YRS	9	4.0	10	2	2	2	7	9	10	10
20-34	41	7.2	193	1	1	4	8	12	20	89
35-49	802	4.4	19	1	1	2	7	10	12	18
50-64	2844	5.3	26	1	1	3	8	12	15	23
65+	2198	6.8	55	1	1	4	10	15	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1100	3.0	5	1	1	2	4	5	7	10
B. *Operated*	321	2.9	6	1	1	2	3	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	9526	4.1	10	1	1	3	5	8	10	16
B. *Operated*	5894	5.7	38	1	1	3	9	13	16	28
1. SINGLE DX	1421	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	15420	4.8	21	1	1	3	6	10	13	22
A. NOT OPERATED	10626	4.0	10	1	1	3	5	7	9	16
B. OPERATED	6215	5.6	37	1	1	3	8	13	16	27
TOTAL 0-19 YRS	23	4.5	10	2	2	3	7	9	11	12
20-34	131	4.4	67	1	1	3	4	8	10	35
35-49	1970	3.7	11	1	1	3	4	8	10	15
50-64	6548	4.3	16	1	1	3	5	9	12	19
65+	8169	5.1	25	1	2	4	6	10	14	25
GRAND TOTAL	**16841**	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	109	3.0	3	1	1	3	4	5	7	9
50-64	246	3.6	5	1	1	3	5	6	7	10
65+	266	3.7	5	1	2	3	4	7	9	12
B. *Operated*										
0-19 YRS										
20-34	4	7.5	84	1	1	4	13	21	21	21
35-49	28	4.3	23	1	1	2	5	10	16	21
50-64	94	4.0	12	1	1	3	5	9	12	15
65+	58	4.8	18	1	1	3	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	23	3.5	5	1	2	3	4	6	8	11
35-49	454	4.0	9	1	2	3	5	7	10	16
50-64	1800	4.4	11	1	2	4	5	8	10	16
65+	3453	5.2	14	2	2	4	6	9	12	19
B. *Operated*										
0-19 YRS										
20-34	28	7.2	19	2	2	6	12	13	14	15
35-49	387	7.0	38	1	2	7	10	13	15	19
50-64	1578	8.3	41	1	2	8	11	15	18	32
65+	1440	10.3	72	2	2	9	14	19	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	623	3.5	5	1	1	3	4	6	8	11
B. *Operated*	184	4.4	17	1	1	3	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	5732	4.8	13	1	2	4	6	9	11	18
B. *Operated*	3433	9.0	55	1	2	8	12	17	21	39
1. SINGLE DX	807	3.7	8	1	1	3	4	7	9	14
2. MULTIPLE DX	9165	6.4	33	1	2	5	8	13	16	28
A. NOT OPERATED	6355	4.7	12	1	2	4	6	8	11	17
B. OPERATED	3617	8.8	54	1	2	8	12	17	21	38
TOTAL 0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	56	5.6	19	1	2	4	8	12	14	21
35-49	978	5.1	23	1	1	3	7	11	13	18
50-64	3718	6.0	27	1	2	4	8	12	15	24
65+	5217	6.5	35	2	2	5	8	13	17	30
GRAND TOTAL	**9972**	**6.2**	**31**	**1**	**2**	**4**	**8**	**12**	**16**	**28**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	33	2.8	5	1	1	2	3	5	6	13
50-64	90	3.6	24	<1	1	2	3	7	11	30
65+	101	4.3	15	1	1	3	5	9	12	20
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	16	2.7	6	1	1	2	3	5	9	11
35-49	382	3.8	12	1	1	2	6	9	11	14
50-64	1264	4.2	16	1	1	2	7	10	12	17
65+	659	4.4	20	1	1	2	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	16	1	1	2	7	10	11	11
20-34	14	3.7	10	1	1	3	4	10	11	11
35-49	314	3.6	7	<1	1	3	4	7	9	13
50-64	1190	4.6	18	1	1	4	6	9	11	19
65+	3095	6.2	30	1	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	18	5.9	31	<1	<1	3	10	13	17	19
20-34	55	8.7	239	1	1	3	10	14	30	82
35-49	1365	5.4	29	1	1	3	8	11	14	22
50-64	4733	6.6	41	1	1	4	10	13	17	30
65+	3535	8.7	78	1	2	7	12	18	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	3.8	17	<1	1	3	4	7	11	20
B. *Operated*	2322	4.2	16	1	1	2	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	4620	5.6	26	1	2	4	7	11	15	24
B. *Operated*	9706	7.2	55	1	1	5	10	15	19	36
1. SINGLE DX	2551	4.2	17	1	1	2	7	10	12	18
2. MULTIPLE DX	14326	6.7	46	1	1	4	9	14	18	32
A. NOT OPERATED	4849	5.5	26	1	2	4	7	11	14	24
B. OPERATED	12028	6.6	49	1	1	4	10	14	18	33
TOTAL 0-19 YRS	26	5.8	31	<1	<1	3	10	13	17	19
20-34	90	6.5	156	1	1	3	8	12	14	82
35-49	2094	4.8	23	1	1	3	8	11	13	19
50-64	7277	5.8	34	1	1	3	9	12	15	26
65+	7390	7.2	54	1	2	5	10	15	20	35
GRAND TOTAL	**16877**	**6.3**	**43**	**1**	**1**	**4**	**9**	**13**	**17**	**30**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.6	13	<1	<1	8	9	10	10	10
20-34	57	7.5	11	2	3	7	9	13	14	14
35-49	71	7.9	11	3	4	8	10	12	14	17
50-64	85	7.5	11	3	4	7	9	12	14	18
65+	93	8.7	11	2	5	9	10	12	15	19
B. *Operated*										
0-19 YRS										
20-34	11	6.2	6	2	3	6	8	9	10	10
35-49	9	9.8	20	2	4	9	13	16	17	17
50-64	15	10.1	13	4	6	10	13	14	15	15
65+	25	10.1	10	3	7	10	12	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.3	2	7	7	8	9	11	11	11
20-34	99	9.2	70	3	5	8	10	12	16	53
35-49	160	9.1	14	3	5	9	11	13	16	20
50-64	333	9.9	20	4	5	9	12	14	17	27
65+	773	11.3	34	4	6	10	13	17	22	35
B. *Operated*										
0-19 YRS	3	10.0	3	9	9	9	11	12	12	12
20-34	44	10.4	25	5	6	9	13	16	20	28
35-49	74	10.6	27	4	5	10	13	16	18	33
50-64	143	12.0	63	5	7	11	13	17	23	37
65+	263	14.3	88	6	7	12	17	24	33	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	7.9	11	2	4	8	10	12	14	17
B. *Operated*	60	9.3	13	3	4	9	12	14	15	17
2. MULTIPLE DX										
A. *Not Operated*	1371	10.5	32	4	5	10	12	16	19	31
B. *Operated*	527	12.8	69	5	6	11	15	22	28	42
1. SINGLE DX	371	8.2	12	2	4	8	10	13	14	17
2. MULTIPLE DX	1898	11.2	43	4	6	10	13	17	22	35
A. NOT OPERATED	1682	10.0	29	4	5	9	12	[illegible]	18	30
B. OPERATED	587	12.5	64	5	6	11	14	20	27	40
TOTAL 0-19 YRS	14	8.1	7	1	4	8	9	11	12	12
20-34	211	8.9	42	3	4	8	10	13	16	26
35-49	314	9.2	17	3	5	9	11	14	16	25
50-64	576	10.1	31	4	5	9	12	14	18	30
65+	1154	11.7	46	5	6	10	14	18	24	37
GRAND TOTAL	**2269**	**10.7**	**39**	**4**	**5**	**10**	**13**	**17**	**21**	**34**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	4	3	3	5	6	7	7	7
35-49	2	9.0	32	5	5	9	13	13	13	13
50-64	3	10.7	9	8	8	10	13	14	14	14
65+	2	19.5	365	6	6	19	33	33	33	33
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	30.0		30	30	30	30	30	30	30
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	20.3	80	5	8	22	29	30	31	31
20-34	37	18.4	135	2	3	16	29	35	39	40
35-49	29	20.1	214	4	4	14	30	44	48	55
50-64	27	23.6	181	3	4	24	31	42	47	54
65+	71	26.0	183	3	7	28	35	44	49	54
B. *Operated*										
0-19 YRS	7	39.7	181	22	24	36	53	58	58	58
20-34	21	30.9	249	8	13	32	41	46	58	72
35-49	11	27.6	188	9	10	30	30	48	55	56
50-64	30	25.9	315	6	7	19	38	51	57	72
65+	35	32.5	270	5	10	35	44	55	56	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	10.4	76	3	4	7	13	23	33	33
B. *Operated*	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	176	22.7	177	3	5	22	32	42	46	54
B. *Operated*	104	30.2	269	6	8	31	42	55	57	72
1. SINGLE DX	11	12.2	103	3	4	8	14	31	33	33
2. MULTIPLE DX	280	25.5	224	4	7	25	35	45	54	65
A. NOT OPERATED	186	22.0	179	3	5	20	31	41	45	54
B. OPERATED	105	30.2	267	6	8	31	41	55	57	72
TOTAL 0-19 YRS	19	27.5	201	7	11	29	33	51	58	58
20-34	61	22.0	214	3	4	18	33	40	45	69
35-49	43	21.7	208	4	5	17	30	43	50	56
50-64	60	24.1	246	4	7	20	34	45	55	70
65+	108	28.0	220	5	7	29	38	47	54	61
GRAND TOTAL	**291**	**25.0**	**225**	**4**	**6**	**24**	**35**	**44**	**54**	**64**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.5	12	<1	<1	1	2	5	7	19
20-34	18	1.3		<1	<1	1	1	3	3	3
35-49	47	1.7	1	<1	<1	1	2	3	4	4
50-64	71	2.0	3	<1	1	1	2	4	5	12
65+	74	2.0	2	<1	1	2	2	4	4	10
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	5.3		5	5	5	6	6	6	6
50-64	4	3.3		3	3	3	4	4	4	4
65+	7	3.0	4	1	1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.5	3	1	1	2	3	4	7	8
20-34	35	2.5	2	1	1	2	3	4	5	8
35-49	82	2.3	3	<1	1	2	3	5	6	8
50-64	289	3.3	7	1	1	2	4	7	9	13
65+	501	4.2	13	1	1	3	5	8	11	19
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	5	4.0	7	<1	<1	4	6	7	7	7
35-49	14	3.3	7	<1	<1	2	4	8	9	9
50-64	25	6.2	30	<1	1	5	11	18	35	99+
65+	58	9.4	169	1	2	5	10	16	32	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	1.9	3	<1	<1	1	2	4	4	11
B. *Operated*	16	3.3	3	1	1	3	5	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	931	3.6	10	1	1	3	4	7	9	15
B. *Operated*	105	7.4	106	1	1	5	9	14	32	88
1. SINGLE DX	255	2.0	4	<1	1	1	2	4	5	11
2. MULTIPLE DX	1036	4.0	21	1	1	3	5	8	11	21
A. NOT OPERATED	1170	3.3	9	1	1	2	4	7	9	14
B. OPERATED	121	6.8	94	1	1	4	8	13	24	84
TOTAL 0-19 YRS	56	2.5	7	<1	1	2	3	4	6	18
20-34	60	2.3	3	<1	1	2	3	4	6	8
35-49	146	2.3	3	<1	1	2	3	5	6	9
50-64	389	3.3	9	1	1	2	4	7	10	17
65+	640	4.4	28	1	1	3	5	8	11	26
GRAND TOTAL	**1291**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	41	2.1	3	<1	<1	1	3	5	6	7
35-49	121	2.0	2	<1	<1	1	2	4	5	9
50-64	280	2.0	5	<1	<1	1	2	4	5	9
65+	386	2.6	4	<1	1	2	3	5	7	10
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	11	2.1	3	1	1	2	2	4	7	7
50-64	24	3.0	6	1	1	2	4	6	9	9
65+	22	4.0	8	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	3	<1	<1	2	4	6	6	6
20-34	79	2.2	3	1	1	2	3	4	6	10
35-49	254	3.0	5	<1	1	2	4	6	7	12
50-64	1260	3.8	16	<1	1	3	5	7	10	19
65+	3838	5.0	21	1	1	4	6	10	13	21
B. *Operated*										
0-19 YRS	4	6.0	25	<1	<1	5	10	12	12	12
20-34	1	3.0		3	3	3	3	3	3	3
35-49	36	3.9	12	1	1	3	5	9	12	16
50-64	155	6.7	45	1	2	5	9	14	18	28
65+	505	9.0	57	2	2	7	11	18	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	832	2.3	4	<1	<1	2	3	4	6	9
B. *Operated*	61	3.2	6	1	1	2	4	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	5446	4.6	19	1	1	3	6	9	12	21
B. *Operated*	701	8.2	53	1	2	6	10	17	21	43
1. SINGLE DX	893	2.3	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	6147	5.0	24	1	1	4	6	10	14	24
A. NOT OPERATED	6278	4.3	18	1	1	3	5	9	12	20
B. OPERATED	762	7.8	51	1	2	6	10	16	21	42
TOTAL 0-19 YRS	24	3.3	8	<1	<1	2	5	8	9	12
20-34	124	2.2	3	<1	1	2	3	4	6	9
35-49	422	2.7	5	<1	1	2	3	5	7	12
50-64	1719	3.7	18	<1	1	3	4	8	11	20
65+	4751	5.2	26	1	1	4	7	10	14	24
GRAND TOTAL	**7040**	**4.7**	**23**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.5	5	<1	<1	2	3	6	8	11
20-34	65	2.4	5	<1	<1	2	3	5	6	14
35-49	135	2.5	4	<1	1	2	3	5	6	10
50-64	193	2.6	3	1	1	2	3	5	7	9
65+	281	3.3	8	1	1	3	4	6	8	14
B. *Operated*										
0-19 YRS										
20-34	8	7.3	65	2	2	4	8	21	26	26
35-49	32	3.5	6	1	1	3	4	7	9	11
50-64	97	3.3	5	<1	1	2	5	7	7	10
65+	285	5.1	9	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.0	27	<1	1	2	4	9	11	32
20-34	194	2.9	6	<1	1	2	4	6	7	13
35-49	555	3.5	13	1	1	3	4	6	9	16
50-64	1666	4.5	17	1	1	3	5	9	12	20
65+	4107	5.4	22	1	2	4	7	10	13	25
B. *Operated*										
0-19 YRS	19	5.6	22	<1	1	4	8	11	16	20
20-34	53	7.8	117	1	1	5	8	17	20	63
35-49	169	6.4	71	1	1	4	8	12	17	33
50-64	602	6.4	37	1	2	5	8	13	18	29
65+	2569	8.4	53	2	3	7	10	16	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	715	2.8	5	1	1	2	3	5	7	11
B. *Operated*	422	4.6	10	1	1	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	6609	4.9	20	1	1	4	6	10	13	23
B. *Operated*	3412	7.9	52	2	2	6	10	15	21	37
1. SINGLE DX	1137	3.5	8	1	1	3	4	7	9	14
2. MULTIPLE DX	10021	5.9	33	1	2	4	7	12	15	29
A. NOT OPERATED	7324	4.7	19	1	1	4	6	9	12	22
B. OPERATED	3834	7.6	49	2	2	6	9	15	20	35
TOTAL 0-19 YRS	147	3.8	21	<1	1	2	4	8	11	21
20-34	320	3.8	29	<1	1	2	4	7	10	22
35-49	891	3.9	24	1	1	3	4	8	10	24
50-64	2558	4.7	22	1	1	3	6	9	13	23
65+	7242	6.4	34	1	2	5	8	12	16	29
GRAND TOTAL	**11158**	**5.7**	**31**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	5	1	1	4	6	7	7	7
20-34	6	4.2	6	2	2	3	6	8	8	8
35-49	16	5.1	8	1	2	5	7	8	10	11
50-64	106	4.7	10	1	2	4	6	8	11	15
65+	551	5.1	12	1	2	4	6	9	13	18
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.5		1	1	1	2	2	2	2
50-64	8	9.0	19	5	5	7	12	16	17	17
65+	39	6.1	10	2	3	5	8	11	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	7.1	39	1	1	6	10	16	19	31
20-34	64	6.1	22	1	2	5	7	12	17	24
35-49	315	6.3	18	2	2	5	8	11	15	20
50-64	2417	6.8	30	2	2	5	8	13	17	30
65+	13790	7.6	36	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	27	12.3	222	1	2	7	12	35	51	53
20-34	28	7.8	138	1	1	4	9	16	32	58
35-49	88	8.4	55	1	2	7	11	15	22	42
50-64	451	11.9	105	2	2	9	15	24	32	52
65+	1711	13.2	115	3	4	10	17	26	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	5.0	12	1	2	4	6	9	12	17
B. *Operated*	51	6.2	13	1	2	5	8	12	14	17
2. MULTIPLE DX										
A. *Not Operated*	16672	7.5	35	2	3	6	9	14	18	30
B. *Operated*	2305	12.7	113	2	3	10	16	26	33	59
1. SINGLE DX	737	5.1	12	1	2	4	7	9	12	17
2. MULTIPLE DX	18977	8.1	47	2	3	6	10	15	20	36
A. NOT OPERATED	17358	7.4	34	2	2	6	9	14	18	30
B. OPERATED	2356	12.5	112	2	3	10	16	25	33	58
TOTAL 0-19 YRS	120	8.1	83	1	1	6	10	17	30	52
20-34	98	6.5	54	1	2	4	8	13	18	44
35-49	423	6.6	26	1	2	6	9	12	16	24
50-64	2982	7.5	44	2	2	6	9	15	19	37
65+	16091	8.1	47	2	3	6	10	15	20	35
GRAND TOTAL	**19714**	**8.0**	**46**	**2**	**3**	**6**	**10**	**15**	**20**	**35**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.6	3	1	1	2	4	5	6	8
20-34	101	2.8	4	1	1	2	4	5	7	11
35-49	164	3.0	6	1	1	2	4	6	8	13
50-64	130	3.8	7	1	1	3	5	7	10	14
65+	90	5.3	32	1	1	4	7	9	12	37
B. *Operated*										
0-19 YRS	40	3.5	15	<1	1	2	5	8	12	19
20-34	55	4.5	14	1	1	2	7	11	12	14
35-49	102	3.5	11	1	1	2	4	9	11	14
50-64	224	4.2	32	1	1	2	5	10	13	18
65+	142	4.6	25	1	1	2	6	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	5.4	25	1	1	4	6	12	15	26
20-34	260	4.8	15	1	1	4	7	10	13	20
35-49	464	5.4	35	1	1	4	7	11	14	31
50-64	1059	5.8	21	1	2	5	8	11	14	22
65+	1734	7.2	36	2	2	6	9	14	17	32
B. *Operated*										
0-19 YRS	68	6.5	90	1	1	3	8	13	15	56
20-34	131	8.3	86	1	1	5	10	19	29	45
35-49	369	7.3	68	1	1	4	10	17	22	40
50-64	1022	7.5	69	1	1	4	11	16	23	40
65+	1163	10.2	94	1	2	8	14	22	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	3.5	11	1	1	3	4	7	9	14
B. *Operated*	563	4.2	24	1	1	2	5	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	3614	6.3	30	1	2	5	8	12	16	29
B. *Operated*	2753	8.6	83	1	1	6	12	19	26	47
1. SINGLE DX	1084	3.9	18	1	1	2	4	9	12	17
2. MULTIPLE DX	6367	7.3	54	1	2	5	10	15	20	38
A. NOT OPERATED	4135	6.0	29	1	2	4	8	12	15	28
B. OPERATED	3316	7.8	75	1	1	5	11	18	24	45
TOTAL 0-19 YRS	241	5.0	40	1	1	3	6	11	14	29
20-34	547	5.2	33	1	1	3	7	11	15	29
35-49	1099	5.5	42	1	1	3	7	12	16	33
50-64	2435	6.2	43	1	1	4	8	13	17	32
65+	3129	8.1	60	1	2	6	11	17	23	41
GRAND TOTAL	**7451**	**6.8**	**50**	**1**	**1**	**4**	**9**	**14**	**19**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	5.5	41	1	1	5	10	10	10	10
65+	10	2.8	2	1	1	3	3	4	5	5
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	8	6.6	78	1	1	2	8	22	27	27
65+	5	5.6	17	2	2	3	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	19	4.3	10	1	1	3	6	9	12	13
50-64	107	4.9	12	1	1	4	7	11	12	14
65+	528	6.9	41	2	2	5	8	13	17	33
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	18	6.6	42	1	2	3	9	19	21	21
50-64	115	7.9	39	1	2	8	11	15	20	30
65+	136	10.1	81	1	2	8	13	20	29	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.2	6	1	1	3	4	6	9	10
B. *Operated*	14	6.9	53	1	2	3	10	16	25	27
2. MULTIPLE DX										
A. *Not Operated*	657	6.5	36	1	2	5	8	12	16	28
B. *Operated*	271	8.9	61	1	2	8	11	19	23	41
1. SINGLE DX	27	5.1	32	1	1	3	6	11	17	27
2. MULTIPLE DX	928	7.2	45	1	2	5	9	14	19	37
A. NOT OPERATED	670	6.4	36	1	2	5	8	12	16	27
B. OPERATED	285	8.8	61	1	2	7	11	19	23	41
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	4	6.5	33	3	3	4	10	15	15	15
35-49	38	5.4	26	1	1	3	7	12	19	21
50-64	232	6.5	29	1	1	5	9	13	15	25
65+	679	7.5	50	1	2	6	9	15	20	41
GRAND TOTAL	**955**	**7.1**	**44**	**1**	**2**	**5**	**9**	**14**	**19**	**37**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	2.0	1	<1	<1	2	3	4	4	4
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	6	17.8	411	<1	<1	12	29	50	52	52
B. *Operated*										
0-19 YRS	5	8.4	21	4	4	7	11	16	16	16
20-34	10	15.4	117	1	2	12	23	32	33	33
35-49	22	13.5	87	1	2	14	19	27	32	33
50-64	13	19.1	73	3	8	17	25	31	32	32
65+	9	14.1	180	1	1	15	30	66	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	114	1	1	2	15	20	20	20
20-34	4	3.8	13	1	1	2	6	9	9	9
35-49	7	2.0	5	<1	<1	1	2	6	7	7
50-64	14	14.1	301	<1	1	8	20	33	59	66
65+	24	15.5	168	1	2	13	26	35	61	99+
B. *Operated*										
0-19 YRS	5	15.2	106	6	6	10	23	31	31	31
20-34	26	20.4	221	4	6	16	33	42	71	99+
35-49	48	24.5	323	6	9	21	27	58	77	99+
50-64	55	26.5	529	2	5	19	44	73	99	99+
65+	44	32.1	504	4	10	26	41	76	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.8	202	<1	<1	2	4	28	45	52
B. *Operated*	59	14.7	99	1	2	14	23	31	33	93
2. MULTIPLE DX										
A. *Not Operated*	52	11.9	185	<1	1	7	22	29	46	99
B. *Operated*	178	26.1	421	4	6	21	35	67	79	99+
1. SINGLE DX	75	13.3	127	1	1	12	21	31	33	87
2. MULTIPLE DX	230	22.9	402	1	2	19	31	63	77	99+
A. NOT OPERATED	68	11.0	189	<1	1	4	20	29	48	94
B. OPERATED	237	23.3	365	2	4	19	31	62	77	99+
TOTAL 0-19 YRS	13	10.8	74	1	2	9	17	22	29	31
20-34	40	17.5	196	1	2	16	27	36	53	99+
35-49	85	17.7	278	1	1	15	23	33	61	94
50-64	84	22.7	437	1	2	17	32	63	81	99+
65+	83	24.3	424	1	2	22	32	70	81	99+
GRAND TOTAL	**305**	**20.5**	**351**	**1**	**2**	**17**	**29**	**52**	**76**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	26.0		26	26	26	26	26	26	26
65+	2	47.5	5	46	46	47	49	49	49	49
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	27.8	557	3	5	24	67	97	99+	99+
50-64	10	36.4	594	11	12	34	57	94	99+	99+
65+	7	35.1	696	6	7	42	43	75	83	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3	40.3	156	26	26	46	48	49	49	49
B. *Operated*	22	34.0	572	5	10	30	55	91	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	25	34.8	518	6	11	34	50	89	99+	99+
A. NOT OPERATED	3	40.3	156	26	26	46	48	49	49	49
B. OPERATED	22	34.0	572	5	10	30	55	91	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	5	27.8	557	3	5	24	67	97	99+	99+
50-64	11	35.5	545	11	12	30	55	93	99	99+
65+	9	37.9	552	6	8	43	47	69	83	83
GRAND TOTAL	**25**	**34.8**	**518**	**6**	**11**	**34**	**50**	**89**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0		3	3	3	3	3	3	3
35-49	4	2.3	6	<1	<1	1	3	6	6	6
50-64	9	12.0	216	1	2	7	14	36	49	49
65+	26	8.8	30	1	1	9	12	16	18	21
B. *Operated*										
0-19 YRS	3	12.0	244	2	2	4	23	30	30	30
20-34	12	7.9	25	2	2	7	12	15	16	16
35-49	14	14.1	241	2	3	10	16	27	56	64
50-64	30	9.3	75	3	4	9	11	15	20	25
65+	51	11.7	79	3	4	9	14	20	32	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	8.4	71	<1	1	5	10	22	28	30
20-34	9	16.1	425	1	1	9	20	52	64	64
35-49	11	5.9	28	<1	1	4	8	14	19	19
50-64	78	11.8	134	1	3	8	15	24	33	63
65+	249	14.9	162	1	3	11	19	30	38	61
B. *Operated*										
0-19 YRS	13	12.7	40	5	7	12	15	23	26	27
20-34	20	19.1	326	4	5	14	23	42	62	79
35-49	29	19.9	337	2	5	13	22	50	68	72
50-64	70	25.7	526	4	6	17	36	71	88	99+
65+	226	20.8	289	4	6	16	28	48	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	8.4	70	<1	1	8	12	16	19	49
B. *Operated*	110	10.9	87	2	3	9	14	19	25	59
2. MULTIPLE DX										
A. *Not Operated*	360	13.7	158	1	3	10	18	28	37	62
B. *Operated*	358	21.3	336	4	6	15	27	51	69	99+
1. SINGLE DX	152	10.2	83	1	2	8	13	18	24	56
2. MULTIPLE DX	718	17.5	261	2	4	13	22	38	59	89
A. NOT OPERATED	402	13.2	151	1	2	9	17	27	37	62
B. OPERATED	468	18.9	296	3	5	14	24	47	65	98
TOTAL 0-19 YRS	30	10.4	70	1	2	8	14	24	30	30
20-34	43	14.6	264	2	3	9	15	35	52	79
35-49	58	14.7	266	<1	1	10	18	33	59	72
50-64	187	16.6	314	2	4	11	20	44	65	96
65+	552	16.7	214	2	4	12	21	37	54	77
GRAND TOTAL	**870**	**16.2**	**237**	**2**	**3**	**12**	**20**	**37**	**55**	**84**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	13.0		13	13	13	13	13	13	13
35-49	4	32.0	1397	5	5	18	57	86	86	86
50-64	37	22.8	371	4	5	17	32	46	63	90
65+	97	21.2	221	6	7	16	29	43	57	66
B. *Operated*										
0-19 YRS	2	41.5	3121	2	2	41	81	81	81	81
20-34	6	33.7	793	1	1	35	49	72	75	75
35-49	6	39.8	660	8	9	36	59	77	79	79
50-64	16	22.6	265	6	8	18	50	86	99+	99+
65+	51	27.9	390	7	9	20	38	53	76	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	141	21.6	287	4	6	16	30	43	58	86
B. *Operated*	81	28.5	446	5	8	21	42	71	80	99+
1. SINGLE DX										
2. MULTIPLE DX	222	24.1	354	5	6	17	35	53	67	93
A. NOT OPERATED	141	21.6	287	4	6	16	30	43	58	86
B. OPERATED	81	28.5	446	5	8	21	42	71	80	99+
TOTAL 0-19 YRS	4	21.5	1574	1	1	2	42	81	81	81
20-34	7	30.7	722	1	2	26	48	70	75	75
35-49	10	36.7	848	5	6	32	59	82	86	86
50-64	53	22.7	333	4	6	17	34	54	83	99+
65+	148	23.5	287	6	8	17	34	46	58	77
GRAND TOTAL	**222**	**24.1**	**354**	**5**	**6**	**17**	**35**	**53**	**67**	**93**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	6	6.8	70	2	2	3	9	22	23	23
65+	14	4.2	42	1	1	2	5	7	22	26
B. *Operated*										
0-19 YRS										
20-34	2	8.5	85	2	2	8	15	15	15	15
35-49	34	4.4	15	1	1	4	6	8	14	18
50-64	357	4.6	15	1	1	4	5	8	10	18
65+	782	4.5	10	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3		5	5	5	6	6	6	6
35-49	6	4.5	6	<1	<1	4	6	8	8	8
50-64	56	4.7	22	1	1	4	6	9	12	30
65+	230	6.0	40	1	1	4	7	11	18	37
B. *Operated*										
0-19 YRS	6	8.2	30	1	1	8	11	16	16	16
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	90	6.4	31	1	1	5	9	12	17	30
50-64	1052	6.4	29	1	2	5	8	13	16	25
65+	2826	7.1	40	1	2	5	8	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.0	44	1	1	3	5	13	24	26
B. *Operated*	1175	4.5	12	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	295	5.7	36	1	1	4	7	11	15	34
B. *Operated*	3977	6.9	37	1	2	5	8	13	18	29
1. SINGLE DX	1197	4.5	12	1	1	4	6	8	10	18
2. MULTIPLE DX	4272	6.8	37	1	2	5	8	13	18	29
A. NOT OPERATED	317	5.6	36	1	1	4	7	11	17	33
B. OPERATED	5152	6.3	32	1	2	5	8	12	16	28
TOTAL 0-19 YRS	6	8.2	30	1	1	8	11	16	16	16
20-34	8	5.5	17	2	2	5	6	12	15	15
35-49	132	5.8	26	1	1	4	8	11	17	24
50-64	1471	5.9	26	1	2	5	7	11	15	25
65+	3852	6.5	35	1	2	5	8	12	17	29
GRAND TOTAL	**5469**	**6.3**	**32**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64	4	3.8	2	2	2	4	5	5	5	5
65+	25	19.1	409	2	3	12	23	51	66	80
B. Operated										
0-19 YRS										
20-34	1	43.0		43	43	43	43	43	43	43
35-49	6	6.0	13	2	2	5	8	12	12	12
50-64	54	15.0	348	2	3	7	20	47	60	99+
65+	125	15.1	257	2	2	10	18	36	52	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	29	17.0	380	2	3	7	20	48	62	80
B. Operated	186	15.0	279	2	2	8	19	39	53	99
1. SINGLE DX										
2. MULTIPLE DX	215	15.2	292	2	2	8	19	41	53	98
A. NOT OPERATED	29	17.0	380	2	3	7	20	48	62	80
B. OPERATED	186	15.0	279	2	2	8	19	39	53	99
TOTAL 0-19 YRS										
20-34	1	43.0		43	43	43	43	43	43	43
35-49	6	6.0	13	2	2	5	8	12	12	12
50-64	58	14.2	332	2	2	6	19	45	58	99+
65+	150	15.8	282	2	2	10	19	38	53	80
GRAND TOTAL	**215**	**15.2**	**292**	**2**	**2**	**8**	**19**	**41**	**53**	**98**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	4	3.5	3	2	2	3	5	6	6	6
35-49	20	7.2	130	1	1	4	8	10	32	54
50-64	45	6.2	25	1	1	5	8	12	16	25
65+	134	7.4	42	1	2	6	9	14	18	35
B. Operated										
0-19 YRS										
20-34	6	4.8	19	1	1	3	8	12	12	12
35-49	11	5.4	17	<1	1	4	9	11	13	13
50-64	21	6.4	10	2	2	8	8	10	12	13
65+	17	4.1	9	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.4	3	3	3	5	6	8	8	8
20-34	20	6.6	13	1	2	6	9	12	13	13
35-49	60	8.5	59	2	3	7	9	14	23	48
50-64	401	9.5	77	2	3	7	11	19	29	47
65+	1705	11.5	105	3	3	8	14	24	32	52
B. Operated										
0-19 YRS	3	18.3	542	2	2	8	36	45	45	45
20-34	11	14.5	165	6	6	10	15	32	49	51
35-49	46	12.0	231	3	3	7	14	21	32	99
50-64	144	11.6	133	2	3	7	14	26	39	58
65+	363	14.7	201	2	3	11	19	32	48	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	206	7.0	45	1	2	5	9	13	17	38
B. Operated	55	5.3	12	1	1	4	8	10	12	13
2. MULTIPLE DX										
A. Not Operated	2191	11.0	99	2	3	8	13	22	32	50
B. Operated	567	13.7	188	2	3	9	17	30	47	89
1. SINGLE DX	261	6.6	39	1	2	5	8	12	16	34
2. MULTIPLE DX	2758	11.5	118	2	3	8	14	24	34	57
A. NOT OPERATED	2397	10.6	95	2	3	8	13	22	31	49
B. OPERATED	622	13.0	178	2	3	9	16	29	44	88
TOTAL 0-19 YRS	11	8.0	156	2	2	5	7	23	43	45
20-34	41	8.1	66	1	2	6	10	14	17	51
35-49	137	9.2	126	2	2	7	10	16	26	60
50-64	611	9.6	86	2	3	7	11	19	32	49
65+	2219	11.7	120	2	3	8	14	25	34	58
GRAND TOTAL	**3019**	**11.1**	**113**	**2**	**3**	**8**	**13**	**23**	**33**	**55**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	2	43.0	2450	8	8	43	78	78	78	78
35-49	23	13.4	223	3	4	8	13	32	56	60
50-64	144	15.1	253	3	3	9	17	37	55	76
65+	821	16.1	174	3	4	12	21	36	45	66
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	4	8.8	44	2	2	8	14	17	17	17
35-49	10	32.5	1157	3	5	16	66	87	94	94
50-64	42	26.8	662	4	6	13	43	63	89	98
65+	136	26.1	344	4	6	22	40	54	61	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	992	16.0	190	3	4	11	21	36	47	74
B. *Operated*	193	26.2	447	4	6	20	40	55	69	99
1. SINGLE DX										
2. MULTIPLE DX	1185	17.6	246	3	4	12	23	43	52	83
A. NOT OPERATED	992	16.0	190	3	4	11	21	36	47	74
B. OPERATED	193	26.2	447	4	6	20	40	55	69	99
TOTAL 0-19 YRS	3	13.7	41	9	9	11	18	21	21	21
20-34	6	20.2	829	2	2	9	17	72	78	78
35-49	33	19.2	558	3	4	10	18	61	79	94
50-64	186	17.8	367	3	3	11	21	45	65	98
65+	957	17.5	210	3	4	13	24	40	48	73
GRAND TOTAL	**1185**	**17.6**	**246**	**3**	**4**	**12**	**23**	**43**	**52**	**83**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	2.6	2	1	1	2	3	5	5	5
35-49	47	2.3	1	1	1	2	3	3	5	6
50-64	187	2.7	4	1	1	2	3	5	6	10
65+	447	3.3	8	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	1.7		1	1	2	2	2	2	2
35-49	38	2.7	5	1	1	2	3	4	6	13
50-64	117	3.4	7	1	1	3	5	7	9	13
65+	155	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	5	2	2	4	5	8	9	9
20-34	20	2.5	2	<1	1	2	3	4	6	7
35-49	121	3.4	4	1	1	3	5	6	7	10
50-64	726	3.9	16	1	1	3	5	7	9	14
65+	3770	5.1	21	1	2	4	6	10	13	21
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	14	4.1	8	1	2	3	6	7	10	11
35-49	80	4.8	57	1	1	3	5	9	14	50
50-64	407	5.1	20	1	2	4	6	10	13	23
65+	1139	7.0	56	1	2	5	8	13	18	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	691	3.0	6	1	1	2	4	6	7	12
B. *Operated*	315	3.3	7	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	4646	4.9	20	1	2	4	6	9	12	21
B. *Operated*	1641	6.4	47	1	2	5	8	12	17	35
1. SINGLE DX	1006	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	6287	5.3	28	1	2	4	6	10	13	24
A. NOT OPERATED	5337	4.6	19	1	1	4	6	9	12	20
B. OPERATED	1956	5.9	42	1	2	4	7	11	15	32
TOTAL 0-19 YRS	13	3.7	5	1	1	3	5	7	9	9
20-34	46	2.9	4	1	1	2	4	6	6	11
35-49	286	3.5	19	1	1	3	4	6	8	19
50-64	1437	4.1	15	1	1	3	5	7	10	16
65+	5511	5.3	28	1	2	4	6	10	13	24
GRAND TOTAL	**7293**	**5.0**	**25**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	6	3.2	15	1	1	2	2	10	11	11
35-49	25	7.1	60	1	2	6	8	12	19	4.
50-64	118	6.5	29	1	1	5	9	14	17	26
65+	444	7.7	53	2	2	6	9	16	21	44
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	12.2	123	4	4	11	16	31	31	31
35-49	11	4.8	8	2	2	4	7	9	11	11
50-64	28	7.0	58	1	1	5	7	19	25	34
65+	53	10.4	94	1	3	7	14	25	29	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.6	20	2	3	8	9	13	18	19
20-34	13	5.7	12	1	1	5	7	11	13	13
35-49	94	8.6	76	2	2	7	9	15	24	51
50-64	656	9.3	106	2	2	6	11	19	27	53
65+	3901	11.1	93	2	3	8	14	22	31	51
B. *Operated*										
0-19 YRS	2	42.0	2738	5	5	42	79	79	79	79
20-34	16	14.3	124	1	2	10	23	32	33	33
35-49	38	11.1	126	1	2	8	13	21	39	55
50-64	181	14.1	226	2	2	9	18	37	58	99+
65+	614	16.4	250	2	4	11	21	36	55	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	595	7.4	48	1	2	6	9	15	20	41
B. *Operated*	99	8.7	77	1	2	6	10	23	28	44
2. MULTIPLE DX										
A. *Not Operated*	4677	10.8	94	2	3	8	13	22	30	51
B. *Operated*	851	15.7	243	2	3	10	20	35	55	99
1. SINGLE DX	694	7.6	53	1	2	6	9	15	22	41
2. MULTIPLE DX	5528	11.5	120	2	3	8	14	24	34	62
A. NOT OPERATED	5272	10.4	90	2	3	8	13	21	29	51
B. OPERATED	950	15.0	230	2	3	10	19	35	53	97
TOTAL 0-19 YRS	19	10.4	292	2	2	6	9	16	52	79
20-34	40	9.6	87	1	1	6	11	28	32	33
35-49	168	8.7	82	2	2	7	9	16	24	53
50-64	983	9.8	123	2	2	7	12	21	32	69
65+	5012	11.4	113	2	3	8	14	23	33	58
GRAND TOTAL	**6222**	**11.1**	**114**	**2**	**3**	**8**	**14**	**23**	**33**	**60**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	9	1	1	3	6	7	7	7
20-34	3	7.0	7	4	4	8	9	9	9	9
35-49	42	9.7	100	2	3	6	10	20	36	48
50-64	296	12.5	145	2	3	9	15	23	39	75
65+	1547	15.4	164	3	4	11	19	33	44	63
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	18.0		18	18	18	18	18	18	18
35-49	19	23.2	277	3	6	21	28	54	59	61
50-64	61	24.0	558	4	5	18	33	61	83	95
65+	224	23.4	305	4	5	19	33	52	58	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1892	14.8	161	3	4	11	18	33	43	63
B. *Operated*	307	23.4	351	4	5	18	33	55	60	94
1. SINGLE DX										
2. MULTIPLE DX	2199	16.0	196	3	4	12	20	36	47	70
A. NOT OPERATED	1892	14.8	161	3	4	11	18	33	43	63
B. OPERATED	307	23.4	351	4	5	18	33	55	60	94
TOTAL 0-19 YRS	6	3.5	8	1	1	3	6	7	7	7
20-34	4	9.8	35	4	4	8	13	18	18	18
35-49	61	13.9	191	2	3	9	17	32	49	60
50-64	357	14.4	233	3	3	10	17	35	45	92
65+	1771	16.4	188	3	4	12	21	36	48	65
GRAND TOTAL	**2199**	**16.0**	**196**	**3**	**4**	**12**	**20**	**36**	**47**	**70**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	5	1.4		<1	<1	<1	2	2	2	2
35-49	18	3.9	5	2	2	3	5	7	9	11
50-64	44	5.5	106	1	1	3	5	8	11	70
65+	76	4.1	18	1	1	3	5	7	9	28
B. *Operated*										
0-19 YRS	3	4.3	33	1	1	1	9	11	11	11
20-34	7	4.9	25	1	1	3	11	74	99+	99+
35-49	18	4.8	28	1	1	2	5	13	18	21
50-64	49	5.3	34	1	1	2	8	13	17	29
65+	40	3.4	13	<1	1	2	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.8	14	1	2	5	9	10	11	11
20-34	32	3.3	10	1	1	2	4	7	11	14
35-49	97	6.5	47	1	2	4	6	17	23	34
50-64	249	6.6	60	1	2	4	8	13	21	75
65+	1318	7.7	51	2	2	6	9	16	22	40
B. *Operated*										
0-19 YRS	7	11.1	89	2	2	8	17	26	28	28
20-34	29	10.4	114	1	1	9	12	35	41	99+
35-49	51	11.2	116	1	2	8	14	29	38	43
50-64	140	10.0	164	1	1	6	11	24	33	67
65+	359	10.9	163	1	2	7	13	24	39	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	4.4	43	1	1	3	5	8	10	32
B. *Operated*	117	4.5	25	1	1	2	7	11	16	52
2. MULTIPLE DX										
A. *Not Operated*	1708	7.4	52	2	2	5	9	15	22	40
B. *Operated*	586	10.7	155	1	2	7	12	25	38	64
1. SINGLE DX	262	4.5	35	1	1	3	5	10	13	30
2. MULTIPLE DX	2294	8.2	80	1	2	5	10	17	26	50
A. NOT OPERATED	1853	7.1	52	1	2	5	8	15	22	40
B. OPERATED	703	9.7	139	1	1	6	11	23	35	63
TOTAL 0-19 YRS	24	7.2	40	1	1	6	10	12	22	28
20-34	73	6.2	63	<1	1	3	10	14	36	99+
35-49	184	7.3	66	1	2	4	8	18	28	39
50-64	482	7.3	94	1	1	4	8	15	27	69
65+	1793	8.1	74	1	2	5	10	17	24	48
GRAND TOTAL	**2556**	**7.8**	**77**	**1**	**2**	**5**	**9**	**16**	**25**	**49**

164: Atherosclerosis (440)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	2.8	2	1	1	3	4	4	4	4
65+	7	2.3	3	1	1	1	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	19	4.2	8	<1	1	4	6	8	9	10
50-64	91	4.1	13	1	1	2	7	9	11	15
65+	121	4.1	17	1	1	2	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	9.0	32	5	5	9	13	13	13	13
35-49	6	4.8	17	2	2	3	5	12	13	13
50-64	43	3.8	4	1	1	3	5	7	8	8
65+	272	6.4	32	1	1	5	8	13	17	33
B. *Operated*										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	6	6.7	59	1	1	3	10	20	21	21
35-49	79	7.7	55	1	1	6	10	16	19	41
50-64	626	9.2	103	1	1	7	12	19	30	58
65+	1109	11.7	172	1	1	8	15	26	39	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.4	2	1	1	2	4	4	5	5
B. *Operated*	231	4.1	15	1	1	2	6	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	323	6.0	29	1	1	5	7	12	16	30
B. *Operated*	1822	10.7	144	1	1	8	13	23	35	73
1. SINGLE DX	244	4.0	14	1	1	2	6	10	12	16
2. MULTIPLE DX	2145	10.0	130	1	1	7	13	21	32	68
A. NOT OPERATED	336	5.9	28	1	1	5	7	12	15	29
B. OPERATED	2053	9.9	134	1	1	7	13	22	33	71
TOTAL 0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	8	7.3	48	1	1	4	11	19	21	21
35-49	105	6.9	46	1	1	5	9	14	17	37
50-64	765	8.3	90	1	1	6	10	18	26	55
65+	1509	10.1	141	1	1	7	13	22	34	71
GRAND TOTAL	**2389**	**9.4**	**121**	**1**	**1**	**7**	**12**	**20**	**30**	**66**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	17	3.2	7	1	1	3	4	8	9	9
B. *Operated*										
0-19 YRS										
20-34	3	13.0	21	8	8	14	16	17	17	17
35-49	2	11.5	41	7	7	11	16	16	16	16
50-64	54	8.3	15	1	2	9	10	12	14	20
65+	139	9.2	25	1	2	9	11	15	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	85	6	6	12	19	19	19	19
20-34										
35-49	3	2.7		2	2	3	3	3	3	3
50-64	23	4.7	12	<1	1	4	6	9	13	15
65+	159	6.0	40	1	1	4	7	14	19	36
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	12.0	86	1	1	10	15	27	30	30
35-49	18	8.7	34	<1	1	9	13	15	19	21
50-64	377	11.5	73	2	3	10	13	18	22	49
65+	1173	13.4	106	2	3	11	16	24	33	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.2	7	1	1	2	4	7	9	9
B. *Operated*	198	9.0	23	1	2	9	11	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	187	5.9	37	1	1	4	7	13	18	33
B. *Operated*	1579	12.9	98	2	3	11	15	22	31	65
1. SINGLE DX	218	8.5	24	1	1	9	11	14	17	22
2. MULTIPLE DX	1766	12.2	96	1	2	11	15	21	30	62
A. NOT OPERATED	207	5.6	34	1	1	4	7	13	18	30
B. OPERATED	1777	12.5	91	2	3	11	15	21	29	61
TOTAL 0-19 YRS	3	9.0	79	2	2	6	16	19	19	19
20-34	14	11.5	70	1	1	10	15	25	29	30
35-49	23	8.1	34	<1	1	7	13	15	18	21
50-64	456	10.8	66	1	2	10	12	17	21	47
65+	1488	12.1	97	1	2	10	15	22	30	64
GRAND TOTAL	**1984**	**11.8**	**89**	**1**	**2**	**10**	**14**	**21**	**28**	**56**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	5	12.8	229	2	2	9	18	39	39	39
20-34	8	4.4	23	1	1	2	6	13	15	15
35-49	15	5.0	24	<1	<1	2	8	13	14	15
50-64	44	5.8	55	1	1	4	8	10	18	41
65+	51	6.2	36	1	1	4	8	15	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	3	6.0	12	4	4	4	9	10	10	10
65+	8	4.0	38	<1	<1	2	3	14	19	19
B. *Operated*										
0-19 YRS	4	6.3	33	1	1	5	11	13	13	13
20-34	11	7.6	37	1	1	7	12	16	20	20
35-49	18	9.2	69	1	1	7	13	21	28	32
50-64	116	11.4	199	1	2	7	13	26	45	95
65+	193	9.8	72	2	2	8	12	19	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	9	<1	<1	2	4	8	8	8
B. *Operated*	123	6.0	48	1	1	4	8	13	20	40
2. MULTIPLE DX										
A. *Not Operated*	13	4.4	25	<1	1	3	4	12	18	19
B. *Operated*	342	10.2	114	1	2	8	12	21	29	67
1. SINGLE DX	128	5.9	47	1	1	4	8	13	19	39
2. MULTIPLE DX	355	10.0	111	1	2	8	12	21	29	66
A. NOT OPERATED	18	3.9	21	<1	<1	2	4	9	15	19
B. OPERATED	465	9.1	99	1	1	7	11	19	27	60
TOTAL 0-19 YRS	9	9.9	139	1	1	9	11	29	39	39
20-34	19	6.3	32	1	1	4	9	15	18	20
35-49	36	7.1	48	<1	1	5	11	15	21	32
50-64	164	9.7	162	1	1	7	10	23	36	89
65+	255	8.8	66	1	2	7	11	19	23	36
GRAND TOTAL	**483**	**8.9**	**97**	**1**	**1**	**7**	**11**	**19**	**27**	**59**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	5	3.0	6	1	1	2	4	7	7	7
50-64	14	4.4	7	<1	<1	4	6	8	9	9
65+	13	5.2	15	1	1	4	8	11	12	12
B. *Operated*										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	11	5.6	46	1	1	3	7	17	22	23
35-49	81	5.2	27	1	1	4	8	10	11	32
50-64	275	5.3	21	1	1	5	8	10	12	17
65+	297	6.0	31	1	1	5	9	12	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	11	6.5	19	<1	1	6	10	12	14	14
35-49	13	5.7	24	1	1	4	9	12	16	17
50-64	48	6.1	34	<1	1	4	9	12	15	34
65+	161	6.6	23	1	1	6	9	13	17	22
B. *Operated*										
0-19 YRS	12	14.9	261	1	2	9	18	43	56	58
20-34	22	13.4	111	4	5	11	17	21	37	53
35-49	199	9.4	74	1	1	8	11	18	25	46
50-64	926	9.5	79	1	2	8	12	17	26	55
65+	1771	11.2	105	1	2	9	14	21	29	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.7	10	<1	1	4	7	9	11	12
B. *Operated*	666	5.6	27	1	1	5	8	11	13	26
2. MULTIPLE DX										
A. *Not Operated*	234	6.5	25	1	1	5	9	12	16	22
B. *Operated*	2930	10.6	96	1	2	9	13	20	28	55
1. SINGLE DX	700	5.6	26	1	1	5	8	11	13	25
2. MULTIPLE DX	3164	10.3	92	1	2	8	13	19	27	54
A. NOT OPERATED	268	6.2	23	1	1	5	9	12	15	22
B. OPERATED	3596	9.6	87	1	1	8	12	18	26	52
TOTAL 0-19 YRS	15	13.7	228	1	3	10	13	36	52	58
20-34	46	9.6	80	1	1	8	13	18	24	53
35-49	298	8.0	62	1	1	7	10	15	22	43
50-64	1263	8.4	67	1	1	7	11	15	22	48
65+	2242	10.1	93	1	1	6	13	19	26	52
GRAND TOTAL	**3864**	**9.4**	**83**	**1**	**1**	**8**	**12**	**18**	**25**	**51**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	4.6	10	1	1	5	6	8	9	17
20-34	14	5.6	18	2	3	4	6	10	17	19
35-49	11	5.4	48	2	2	3	5	14	25	26
50-64	30	2.7	5	<1	1	2	3	6	8	10
65+	24	3.8	12	<1	1	3	5	8	11	15
B. *Operated*										
0-19 YRS	22	2.1	2	<1	<1	2	3	4	5	6
20-34	34	3.0	13	<1	<1	2	3	6	13	17
35-49	74	2.8	6	<1	<1	2	4	7	9	11
50-64	156	3.5	18	1	1	2	5	8	10	12
65+	198	4.3	19	<1	1	2	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	6.5	29	1	1	5	9	15	19	21
20-34	40	4.3	8	1	1	3	5	9	11	13
35-49	55	5.6	27	<1	1	4	7	11	19	24
50-64	127	5.3	37	<1	1	3	6	10	16	36
65+	326	6.7	37	1	2	5	8	14	19	34
B. *Operated*										
0-19 YRS	18	9.2	98	<1	1	6	10	23	33	39
20-34	48	8.0	148	1	1	4	11	18	36	99+
35-49	156	7.4	109	1	1	4	8	14	28	62
50-64	532	7.6	90	1	1	4	9	17	26	62
65+	948	10.9	145	1	2	7	14	25	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	4.2	14	1	1	3	6	8	9	20
B. *Operated*	484	3.6	16	<1	1	2	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	595	6.1	34	1	1	4	8	12	18	31
B. *Operated*	1702	9.5	126	1	1	6	11	22	32	62
1. SINGLE DX	613	3.7	16	<1	1	2	5	8	11	19
2. MULTIPLE DX	2297	8.6	105	1	1	5	10	20	29	57
A. NOT OPERATED	724	5.8	31	1	1	4	7	11	18	29
B. OPERATED	2186	8.2	108	1	1	5	10	20	29	58
TOTAL 0-19 YRS	137	5.5	30	1	1	4	7	11	18	25
20-34	136	5.4	63	1	1	3	6	12	17	80
35-49	296	5.8	69	1	1	3	7	11	21	58
50-64	845	6.3	69	1	1	4	8	12	21	44
65+	1496	9.0	109	1	1	6	11	20	30	55
GRAND TOTAL	**2910**	**7.6**	**90**	**1**	**1**	**4**	**9**	**17**	**25**	**54**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	7.8	16	1	3	7	10	13	16	17
20-34	151	7.2	12	2	3	7	9	12	13	18
35-49	180	7.0	13	2	3	7	9	11	12	18
50-64	221	6.3	10	1	3	6	8	10	12	15
65+	232	7.0	12	2	3	6	9	11	13	17
B. *Operated*										
0-19 YRS	12	7.6	21	1	2	8	11	14	15	15
20-34	110	6.6	15	2	2	6	9	12	14	18
35-49	131	6.9	20	1	2	7	9	12	13	21
50-64	119	6.6	13	2	2	6	9	12	13	17
65+	111	6.6	13	2	2	6	9	11	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	8.0	9	3	4	7	10	12	13	13
20-34	156	7.2	11	3	3	7	9	11	13	19
35-49	317	8.3	22	2	3	8	10	14	16	23
50-64	589	8.0	18	3	3	8	10	13	15	25
65+	1058	8.6	20	3	4	8	11	14	17	25
B. *Operated*										
0-19 YRS	10	9.4	11	4	5	9	10	14	16	16
20-34	104	8.8	26	2	3	8	11	17	20	23
35-49	217	9.6	69	2	3	8	11	17	22	53
50-64	388	9.7	41	3	3	9	12	16	20	38
65+	667	10.9	60	3	4	9	13	18	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	796	6.8	12	2	3	7	9	11	13	18
B. *Operated*	483	6.7	16	2	2	7	9	12	13	19
2. MULTIPLE DX										
A. *Not Operated*	2133	8.3	20	3	4	8	10	13	16	24
B. *Operated*	1386	10.2	53	3	4	9	12	17	21	43
1. SINGLE DX	1279	6.8	13	2	2	7	9	11	13	18
2. MULTIPLE DX	3519	9.0	34	3	4	8	11	15	18	29
A. NOT OPERATED	2929	7.9	18	3	3	7	10	13	15	22
B. OPERATED	1869	9.3	46	2	3	8	11	16	20	37
TOTAL 0-19 YRS	47	8.1	14	2	3	8	10	13	15	17
20-34	521	7.4	16	2	3	7	9	12	15	20
35-49	845	8.1	33	2	3	7	10	13	16	29
50-64	1317	8.1	25	2	3	7	10	13	16	25
65+	2068	9.1	34	3	4	8	11	15	18	29
GRAND TOTAL	**4798**	**8.4**	**29**	**2**	**3**	**8**	**10**	**14**	**17**	**27**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	8	4.8	5	1	2	5	6	8	9	9
50-64	9	6.6	18	2	2	6	10	13	13	13
65+	32	8.7	28	2	2	8	12	15	20	23
B. *Operated*										
0-19 YRS	7	2.9	3	<1	<1	2	4	6	6	6
20-34	366	3.0	3	1	1	3	4	5	5	10
35-49	496	3.2	5	1	1	3	4	5	6	12
50-64	410	3.7	10	1	1	3	4	6	7	16
65+	153	6.5	46	1	2	4	7	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	9	3.8	13	<1	<1	4	5	9	12	12
35-49	26	7.7	71	<1	<1	6	8	20	30	36
50-64	75	9.5	94	1	2	7	12	21	27	51
65+	259	10.2	56	2	3	8	12	19	25	41
B. *Operated*										
0-19 YRS	2	10.5	181	1	1	10	20	20	20	20
20-34	84	4.4	44	1	1	3	4	6	9	47
35-49	212	4.9	21	1	2	4	5	9	15	28
50-64	235	7.5	109	2	2	4	7	17	28	57
65+	276	14.5	195	2	3	10	21	32	40	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	7.5	24	2	2	6	10	13	18	23
B. *Operated*	1432	3.7	12	1	1	3	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*	370	9.7	65	1	2	8	12	20	26	42
B. *Operated*	809	8.9	126	1	2	4	10	23	31	58
1. SINGLE DX	1483	3.8	13	1	1	3	4	6	9	20
2. MULTIPLE DX	1179	9.2	107	1	2	5	11	22	29	53
A. NOT OPERATED	421	9.5	60	1	2	8	12	19	25	42
B. OPERATED	2241	5.6	59	1	1	3	5	11	21	40
TOTAL 0-19 YRS	10	6.2	59	<1	<1	3	6	20	21	21
20-34	461	3.3	11	1	1	3	4	5	6	12
35-49	742	3.9	13	1	1	3	4	6	9	23
50-64	729	5.6	56	1	2	3	5	11	18	43
65+	720	11.0	115	2	2	7	14	24	31	54
GRAND TOTAL	**2662**	**6.2**	**61**	**1**	**2**	**4**	**6**	**14**	**22**	**40**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	18	2.0	2	<1	<1	2	2	4	5	5
35-49	21	2.6	4	<1	<1	2	3	6	7	8
50-64	28	2.1	2	<1	<1	2	3	4	5	7
65+	19	3.0	3	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	6	3.5	4	<1	<1	3	4	7	7	7
20-34	188	3.8	2	1	2	4	5	6	6	8
35-49	272	3.9	3	1	2	4	5	6	8	9
50-64	195	4.1	3	1	2	4	5	6	7	10
65+	73	3.9	4	1	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	49	2.9	6	<1	1	2	3	6	7	15
35-49	58	3.1	6	<1	<1	2	4	7	8	11
50-64	86	3.5	9	<1	1	3	4	7	8	19
65+	150	4.0	11	1	1	3	5	8	12	16
B. *Operated*										
0-19 YRS	22	3.4	3	<1	1	4	4	6	6	6
20-34	682	4.3	4	2	2	4	5	6	8	11
35-49	1210	4.5	5	2	2	4	5	7	8	13
50-64	931	4.8	8	2	3	4	6	7	8	18
65+	519	5.6	10	2	3	5	7	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	2.4	3	<1	<1	2	3	5	6	8
B. *Operated*	734	3.9	3	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	346	3.6	9	1	1	3	4	7	9	16
B. *Operated*	3364	4.7	7	2	2	4	6	7	9	14
1. SINGLE DX	822	3.7	3	1	2	4	5	6	7	9
2. MULTIPLE DX	3710	4.6	7	2	2	4	5	7	9	14
A. NOT OPERATED	434	3.3	8	<1	1	3	4	7	8	15
B. OPERATED	4098	4.5	6	2	2	4	5	7	8	13
TOTAL 0-19 YRS	33	3.2	3	<1	1	3	4	6	6	7
20-34	937	4.1	4	1	2	4	5	6	7	10
35-49	1561	4.3	5	2	2	4	5	7	8	11
50-64	1240	4.5	7	2	2	4	5	7	8	15
65+	761	5.0	10	2	2	4	6	9	11	16
GRAND TOTAL	**4532**	**4.4**	**6**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.9	6	<1	1	2	3	7	9	9
20-34	56	5.8	15	1	2	5	8	10	14	20
35-49	67	6.4	15	1	1	6	9	12	13	17
50-64	82	5.1	13	1	1	4	7	11	12	14
65+	122	5.4	14	1	1	5	7	10	12	19
B. *Operated*										
0-19 YRS	73	2.2	8	<1	1	2	2	3	4	20
20-34	193	3.2	10	<1	<1	2	4	9	11	13
35-49	85	4.6	17	<1	1	3	7	10	13	19
50-64	81	5.3	15	<1	<1	5	8	11	12	15
65+	80	6.4	22	<1	1	6	9	11	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.2	20	<1	1	3	6	9	10	26
20-34	137	5.8	22	<1	1	5	8	12	16	22
35-49	228	6.0	29	1	1	5	7	10	15	28
50-64	529	6.0	20	1	2	5	8	11	14	20
65+	1310	6.5	28	1	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	51	6.4	78	<1	<1	3	8	12	34	38
20-34	217	5.3	31	<1	1	3	8	12	14	27
35-49	233	7.8	56	1	1	7	10	14	21	44
50-64	364	9.1	71	1	1	8	11	17	23	43
65+	596	10.6	83	1	3	9	13	20	25	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	5.5	14	1	1	5	8	11	12	17
B. *Operated*	512	4.1	15	<1	1	2	6	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	2245	6.3	26	1	2	5	8	12	15	26
B. *Operated*	1461	8.8	71	1	1	7	11	17	24	50
1. SINGLE DX	857	4.7	15	<1	1	3	7	10	12	17
2. MULTIPLE DX	3706	7.3	45	1	2	6	9	14	19	36
A. NOT OPERATED	2590	6.2	25	1	2	5	8	11	14	26
B. OPERATED	1973	7.6	61	1	1	6	10	15	21	42
TOTAL 0-19 YRS	183	3.9	33	<1	1	2	4	9	12	36
20-34	603	4.8	22	<1	1	3	7	11	13	22
35-49	613	6.5	37	1	1	5	9	12	16	31
50-64	1056	6.9	39	1	1	6	9	13	17	32
65+	2108	7.6	46	1	2	6	9	14	19	36
GRAND TOTAL	**4563**	**6.8**	**41**	**1**	**1**	**5**	**9**	**13**	**17**	**33**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2616	2.1	2	<1	1	2	2	4	5	7
20-34	187	2.7	2	1	1	2	3	5	6	7
35-49	81	3.2	4	1	2	3	4	5	8	11
50-64	55	2.8	3	1	1	2	3	5	6	8
65+	48	3.6	6	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	382	1.8	3	<1	<1	1	2	3	4	11
20-34	159	1.8	1	1	1	2	2	3	4	6
35-49	36	2.9	5	<1	1	2	4	7	8	8
50-64	19	2.3	4	<1	<1	1	3	6	7	8
65+	9	3.0	4	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2618	2.7	4	1	1	2	3	5	6	10
20-34	429	3.1	3	1	1	3	4	5	6	10
35-49	257	3.9	7	1	1	3	5	7	10	13
50-64	296	4.5	8	1	2	4	6	8	10	14
65+	650	5.9	18	1	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	282	2.8	9	<1	1	2	3	6	9	17
20-34	166	3.7	11	1	1	3	4	9	11	16
35-49	66	5.3	34	1	1	3	6	13	18	27
50-64	66	7.6	139	1	1	4	11	13	20	72
65+	74	8.9	66	2	2	6	11	17	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2987	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	605	1.9	3	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	4250	3.4	8	1	1	3	4	6	9	14
B. *Operated*	654	4.4	36	1	1	2	5	11	14	27
1. SINGLE DX	3592	2.1	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	4904	3.5	12	1	1	3	4	7	9	16
A. NOT OPERATED	7237	2.9	6	1	1	2	3	5	7	13
B. OPERATED	1259	3.2	22	<1	1	2	3	7	11	23
TOTAL 0-19 YRS	5898	2.4	3	1	1	2	3	4	5	9
20-34	941	2.9	4	1	1	2	4	5	7	12
35-49	440	3.9	10	1	1	3	5	8	10	15
50-64	436	4.6	29	1	1	3	6	9	11	17
65+	781	6.0	23	1	2	5	7	12	15	26
GRAND TOTAL	**8496**	**2.9**	**8**	**1**	**1**	**2**	**3**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1807	2.8	4	1	1	2	3	5	6	9
20-34	126	3.3	3	1	2	3	4	6	7	9
35-49	96	3.3	5	1	1	3	4	6	7	12
50-64	116	4.3	5	1	2	4	6	7	9	11
65+	181	4.9	9	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	53	2.5	2	<1	1	2	3	4	5	8
20-34	5	4.4	9	2	2	3	7	9	9	9
35-49	5	6.2	18	1	1	5	10	11	11	11
50-64	5	4.2	7	2	2	3	6	8	8	8
65+	14	7.4	40	<1	2	5	10	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1964	3.6	7	1	1	3	4	7	8	13
20-34	290	4.1	10	1	2	3	5	7	9	17
35-49	421	4.9	13	1	2	4	6	9	11	21
50-64	1378	6.2	21	2	2	5	8	11	13	28
65+	3884	7.0	22	2	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	61	4.9	19	1	1	4	5	12	17	90
20-34	31	5.8	17	1	2	4	7	12	16	17
35-49	48	7.9	73	1	1	5	9	17	29	40
50-64	153	8.7	69	1	2	7	11	16	19	31
65+	365	10.9	106	2	3	8	13	21	26	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2326	3.1	5	1	1	3	4	6	7	10
B. *Operated*	82	3.8	13	<1	1	2	4	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	7937	5.8	20	1	2	5	7	11	14	23
B. *Operated*	658	9.4	86	2	2	7	12	19	25	53
1. SINGLE DX	2408	3.1	5	1	1	3	4	6	7	10
2. MULTIPLE DX	8595	6.1	26	1	2	5	8	12	15	25
A. NOT OPERATED	10263	5.2	17	1	2	4	7	10	13	21
B. OPERATED	740	8.7	81	1	2	6	11	18	23	53
TOTAL 0-19 YRS	3885	3.2	6	1	1	3	4	6	8	12
20-34	452	4.0	9	1	2	3	5	7	9	16
35-49	570	4.9	18	1	2	4	6	9	11	24
50-64	1652	6.3	25	2	2	5	8	11	14	28
65+	4444	7.2	30	2	3	6	9	13	17	26
GRAND TOTAL	**11003**	**5.4**	**23**	**1**	**2**	**4**	**7**	**11**	**14**	**23**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	291	1.4		<1	1	1	2	2	3	3
20-34	662	1.5	1	<1	1	1	2	2	3	4
35-49	370	1.6	1	<1	1	1	2	3	3	5
50-64	180	1.6	1	1	1	1	2	3	3	5
65+	53	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	17	1.2	1	<1	<1	1	1	2	3	4
35-49	16	1.2		<1	<1	<1	1	2	3	3
50-64	7	1.6	1	<1	<1	1	2	3	3	3
65+	4	2.3	4	<1	<1	1	3	5	5	5
B. *Operated*										
0-19 YRS	523	1.7	1	<1	1	1	2	3	3	5
20-34	1604	1.8	1	<1	1	2	2	3	4	5
35-49	986	1.9	1	<1	1	2	2	3	4	5
50-64	485	2.0	1	1	1	2	3	3	4	6
65+	170	2.2	2	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.3		<1	<1	<1	2	2	2	2
B. *Operated*	1556	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	46	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	3768	1.9	1	<1	1	2	2	3	4	5
1. SINGLE DX	1562	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	3814	1.9	1	<1	1	2	2	3	4	5
A. NOT OPERATED	52	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	5324	1.8	1	<1	1	1	2	3	4	5
TOTAL 0-19 YRS	817	1.6	1	<1	1	1	2	3	3	4
20-34	2286	1.7	1	<1	1	1	2	3	3	5
35-49	1373	1.8	1	<1	1	1	2	3	4	5
50-64	673	1.9	1	1	1	2	2	3	4	6
65+	227	2.1	2	1	1	2	3	4	5	6
GRAND TOTAL	**5376**	**1.7**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	28	1.5	1	<1	1	1	2	2	4	6
20-34	44	1.3		<1	<1	1	1	2	2	3
35-49	62	1.4	1	<1	<1	1	1	3	4	4
50-64	56	1.4		<1	<1	1	2	2	3	4
65+	32	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	38	2.7	27	<1	<1	2	2	4	5	33
20-34	106	2.2	9	<1	1	2	3	4	4	17
35-49	155	2.1	2	1	1	2	3	3	5	6
50-64	177	2.1	1	1	1	2	3	4	4	6
65+	91	2.8	4	<1	1	2	4	4	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	222	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	11	1.5	1	<1	<1	1	1	3	5	5
B. *Operated*	567	2.3	5	<1	1	2	3	4	5	9
1. SINGLE DX	224	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	578	2.3	5	<1	1	2	3	4	5	9
A. NOT OPERATED	13	1.4	1	<1	<1	1	1	3	5	5
B. OPERATED	789	2.0	4	<1	1	2	3	4	4	7
TOTAL 0-19 YRS	67	2.2	16	<1	<1	1	2	4	4	28
20-34	152	1.9	6	<1	<1	1	2	3	4	6
35-49	221	1.9	2	<1	<1	1	2	3	4	6
50-64	236	1.9	1	<1	1	2	3	3	4	5
65+	126	2.6	3	<1	1	2	3	4	6	11
GRAND TOTAL	**802**	**2.0**	**4**	**<1**	**1**	**2**	**3**	**4**	**4**	**7**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.3		<1	<1	1	1	3	3	3
20-34	12	1.7	1	<1	<1	1	2	3	4	4
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	9590	1.3		<1	<1	1	2	2	2	3
20-34	2312	1.5	1	1	1	1	2	2	3	4
35-49	282	1.6	1	<1	1	1	2	3	3	5
50-64	24	1.8	1	1	1	2	2	3	4	4
65+	25	1.4		<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	1.5	1	<1	<1	1	1	3	4	5
20-34	17	2.2	2	<1	<1	2	3	4	5	5
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	5282	1.4	1	<1	<1	1	2	2	2	4
20-34	602	1.8	2	1	1	1	2	3	4	7
35-49	87	1.9	2	1	1	2	2	3	4	9
50-64	21	3.3	18	<1	1	2	4	5	13	21
65+	14	2.5	3	1	1	2	3	4	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.4	1	<1	<1	1	2	3	3	4
B. *Operated*	12233	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	166	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	6006	1.4	1	<1	<1	1	2	2	3	4
1. SINGLE DX	12272	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX	6172	1.4	1	<1	<1	1	2	2	3	4
A. NOT OPERATED	205	1.5	1	<1	<1	1	2	3	4	5
B. OPERATED	18239	1.4	1	<1	<1	1	2	2	2	3
TOTAL 0-19 YRS	15040	1.3		<1	<1	1	2	2	2	3
20-34	2943	1.5	1	1	1	1	2	2	3	4
35-49	375	1.7	1	<1	1	1	2	3	3	5
50-64	46	2.5	9	1	1	2	3	4	5	21
65+	40	1.8	2	<1	1	1	2	3	4	8
GRAND TOTAL	**18444**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	321	2.4	2	<1	1	2	3	4	5	8
20-34	168	2.6	2	1	1	2	3	4	5	9
35-49	93	3.0	5	<1	1	2	3	6	9	12
50-64	43	2.3	2	<1	<1	2	3	5	5	7
65+	24	2.2	3	<1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	403	1.9	3	<1	<1	1	2	3	4	8
20-34	579	2.0	5	<1	<1	1	2	4	4	8
35-49	496	1.8	2	<1	<1	1	2	3	4	7
50-64	379	1.8	2	<1	<1	1	2	3	5	9
65+	228	2.0	3	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	3.0	4	1	1	2	4	6	7	10
20-34	149	3.1	5	1	1	3	4	6	8	10
35-49	112	3.6	11	<1	1	3	4	6	7	21
50-64	131	3.7	7	<1	1	3	5	7	8	14
65+	115	5.1	22	<1	1	4	7	12	15	22
B. *Operated*										
0-19 YRS	476	2.5	10	<1	<1	2	3	5	6	21
20-34	685	2.4	9	<1	1	2	3	4	6	13
35-49	621	2.5	8	<1	1	2	3	4	6	13
50-64	633	3.1	17	<1	1	2	3	6	9	19
65+	436	4.3	50	1	1	2	4	9	14	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	649	2.5	3	<1	1	2	3	4	5	10
B. *Operated*	2085	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	718	3.6	9	<1	1	3	4	7	9	15
B. *Operated*	2851	2.9	17	<1	1	2	3	5	8	20
1. SINGLE DX	2734	2.0	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX	3569	3.0	16	<1	1	2	3	6	8	19
A. NOT OPERATED	1367	3.1	6	<1	1	2	4	6	8	14
B. OPERATED	4936	2.5	12	<1	1	2	3	4	6	15
TOTAL 0-19 YRS	1411	2.4	5	<1	<1	2	3	4	6	11
20-34	1581	2.4	6	<1	1	2	3	4	6	10
35-49	1322	2.3	6	<1	1	2	3	4	6	12
50-64	1186	2.7	11	<1	1	2	3	5	8	15
65+	803	3.7	32	<1	1	2	4	8	12	24
GRAND TOTAL	**6303**	**2.6**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3387	3.5	4	1	2	3	4	6	7	11
20-34	959	4.1	5	2	2	4	5	7	8	11
35-49	735	4.8	6	2	2	4	6	8	9	14
50-64	615	5.4	9	2	2	5	7	9	12	17
65+	1024	6.1	12	2	3	5	8	11	13	18
B. *Operated*										
0-19 YRS	87	4.8	17	1	1	4	5	11	14	18
20-34	41	5.8	16	1	2	4	7	12	15	18
35-49	46	5.7	14	2	2	5	7	10	12	20
50-64	71	6.8	30	1	2	6	9	13	16	31
65+	98	8.2	30	2	3	7	10	15	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4863	4.2	11	1	2	3	5	8	10	16
20-34	1186	5.2	14	2	2	4	6	9	12	20
35-49	1296	6.2	20	2	3	5	8	11	13	23
50-64	2843	7.1	24	2	3	6	9	12	16	25
65+	10043	9.2	42	3	4	8	11	17	21	33
B. *Operated*										
0-19 YRS	241	9.2	79	2	2	6	12	21	29	52
20-34	150	10.2	79	2	3	8	13	23	27	39
35-49	220	12.6	145	2	4	9	16	22	38	67
50-64	540	13.2	121	3	4	10	17	26	37	67
65+	1601	15.9	146	4	5	12	20	32	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6720	4.3	7	1	2	4	5	8	9	14
B. *Operated*	343	6.4	24	1	2	5	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	20231	7.3	34	2	2	6	9	14	18	29
B. *Operated*	2752	14.2	137	3	4	11	18	28	39	67
1. SINGLE DX	7063	4.4	8	1	2	4	6	8	10	15
2. MULTIPLE DX	22983	8.1	51	2	2	6	10	16	21	38
A. NOT OPERATED	26951	6.5	29	2	2	5	8	12	16	27
B. OPERATED	3095	13.3	130	2	3	10	17	27	37	66
TOTAL 0-19 YRS	8578	4.1	11	1	2	3	5	7	9	17
20-34	2336	5.1	16	2	2	4	6	9	12	23
35-49	2297	6.4	32	2	2	5	8	11	15	27
50-64	4069	7.6	40	2	3	6	9	14	18	35
65+	12766	9.8	59	3	3	8	12	18	24	41
GRAND TOTAL	**30046**	**7.2**	**43**	**2**	**2**	**5**	**9**	**14**	**19**	**34**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	2.3	2	1	1	2	3	4	5	6
20-34	86	2.6	3	1	1	2	3	4	5	9
35-49	82	3.3	4	1	1	3	4	6	8	10
50-64	64	3.5	4	1	2	3	4	7	7	9
65+	103	4.3	7	1	2	4	6	7	9	13
B. *Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	5	2.4	1	1	1	2	3	4	4	4
35-49										
50-64	3	1.7		1	1	2	2	2	2	2
65+	6	11.7	196	3	3	7	8	37	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	2.8	4	1	1	2	4	5	7	10
20-34	191	2.9	4	1	1	2	4	5	7	11
35-49	193	4.0	6	1	2	3	5	7	9	14
50-64	272	4.8	11	1	2	4	6	9	11	18
65+	796	6.1	21	2	2	5	8	12	14	24
B. *Operated*										
0-19 YRS	6	3.2	2	1	1	4	4	4	4	4
20-34	20	3.6	4	<1	1	3	5	7	8	8
35-49	14	6.9	23	2	2	5	12	15	15	15
50-64	11	12.5	159	1	2	7	19	30	43	44
65+	47	10.6	93	2	3	8	14	19	34	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	3.1	4	1	1	3	4	6	7	10
B. *Operated*	17	5.8	83	1	1	3	7	8	29	40
2. MULTIPLE DX										
A. *Not Operated*	1668	4.9	15	1	2	4	6	9	12	18
B. *Operated*	98	8.4	76	1	2	5	11	18	25	45
1. SINGLE DX	485	3.2	7	1	1	3	4	6	7	11
2. MULTIPLE DX	1766	5.1	19	1	2	4	6	10	13	21
A. NOT OPERATED	2136	4.5	13	1	1	3	6	8	11	18
B. OPERATED	115	8.0	77	1	2	5	10	18	26	44
TOTAL 0-19 YRS	258	2.7	3	1	1	2	3	5	6	9
20-34	302	2.8	4	1	1	2	3	5	7	9
35-49	289	3.9	7	1	2	3	5	7	10	14
50-64	350	4.7	16	1	2	4	6	9	11	20
65+	952	6.2	25	2	2	5	8	12	14	32
GRAND TOTAL	**2251**	**4.7**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	2.3	2	1	1	2	3	4	5	8
20-34	46	3.0	3	1	1	3	4	6	7	7
35-49	45	3.8	3	2	2	3	5	6	7	8
50-64	130	5.0	16	1	2	4	7	9	11	22
65+	223	5.4	13	1	2	5	7	10	13	16
B. *Operated*										
0-19 YRS	21	2.3	5	<1	1	2	2	6	8	9
20-34	7	2.3	3	1	1	2	3	5	6	6
35-49	12	2.7	7	<1	<1	2	3	6	9	10
50-64	21	3.3	10	<1	<1	2	4	9	10	10
65+	30	4.9	31	<1	<1	2	7	12	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	415	2.9	5	1	1	2	4	5	7	12
20-34	125	3.9	7	1	1	3	5	7	10	14
35-49	183	5.5	40	1	2	4	6	9	12	40
50-64	734	6.4	28	2	2	5	8	12	16	27
65+	1748	7.2	31	2	3	6	9	13	17	29
B. *Operated*										
0-19 YRS	21	3.2	4	<1	1	3	4	6	7	9
20-34	16	5.8	11	1	3	5	8	11	12	12
35-49	47	7.4	95	1	1	4	9	14	20	60
50-64	129	6.2	32	<1	1	4	9	13	16	30
65+	236	9.6	87	1	2	7	12	20	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	775	3.8	10	1	1	3	5	7	9	15
B. *Operated*	91	3.5	16	<1	<1	2	4	9	10	21
2. MULTIPLE DX										
A. *Not Operated*	3205	6.2	29	1	2	5	8	12	15	27
B. *Operated*	449	8.0	69	1	1	6	10	17	23	46
1. SINGLE DX	866	3.7	10	1	1	3	5	7	10	15
2. MULTIPLE DX	3654	6.4	34	1	2	5	8	12	16	29
A. NOT OPERATED	3980	5.7	26	1	2	4	7	11	14	26
B. OPERATED	540	7.2	63	<1	1	5	10	16	21	38
TOTAL 0-19 YRS	788	2.7	4	1	1	2	3	5	6	10
20-34	194	3.8	7	1	1	3	5	7	10	13
35-49	287	5.4	43	1	2	4	6	10	13	42
50-64	1014	6.1	27	1	2	5	8	11	16	27
65+	2237	7.2	36	2	2	6	9	14	18	30
GRAND TOTAL	**4520**	**5.9**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	5.7	6	4	4	5	6	10	11	11
50-64	40	5.2	7	1	2	5	7	9	10	12
65+	95	6.2	26	2	2	4	7	11	20	26
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	7	8.0	7	3	4	9	9	11	11	11
50-64	4	10.3	55	2	2	9	15	20	20	20
65+	9	5.3	10	1	1	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.8	44	2	2	10	15	17	17	17
20-34	2	1.0		1	1	1	1	1	1	1
35-49	30	5.6	17	2	2	4	7	11	14	21
50-64	306	7.5	55	1	2	6	9	14	17	46
65+	867	8.6	55	2	3	7	11	17	22	42
B. *Operated*										
0-19 YRS	5	12.8	88	5	5	10	18	28	28	28
20-34	15	10.9	37	4	5	10	13	20	25	27
35-49	27	11.0	82	2	3	10	13	16	33	46
50-64	59	16.5	192	3	5	14	18	35	56	62
65+	104	13.4	125	2	3	10	18	25	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	5.9	20	2	2	4	7	10	13	25
B. *Operated*	21	7.4	18	1	2	9	9	11	15	20
2. MULTIPLE DX										
A. *Not Operated*	1209	8.3	55	2	3	6	10	16	20	41
B. *Operated*	210	13.7	133	3	4	10	16	26	40	60
1. SINGLE DX	163	6.1	20	2	2	5	8	11	13	25
2. MULTIPLE DX	1419	9.1	70	2	3	7	11	18	23	47
A. NOT OPERATED	1351	8.0	51	2	3	6	10	15	20	40
B. OPERATED	231	13.2	125	2	4	10	16	24	39	58
TOTAL 0-19 YRS	9	11.4	63	2	3	10	15	24	28	28
20-34	18	9.8	41	1	2	9	12	18	24	27
25-49	71	7.9	45	2	3	6	10	14	16	43
50-64	409	8.6	80	2	2	6	10	16	22	56
65+	1075	8.8	62	2	3	7	11	18	23	42
GRAND TOTAL	**1582**	**8.8**	**65**	**2**	**3**	**7**	**11**	**17**	**23**	**45**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3901	2.6	3	1	1	2	3	4	5	8
20-34	1031	3.2	4	1	1	3	4	6	7	9
35-49	876	3.9	6	1	1	3	5	7	8	12
50-64	922	4.4	7	1	2	4	6	8	10	13
65+	706	4.7	9	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	47	2.9	3	1	1	3	3	6	6	7
20-34	42	3.7	9	1	1	3	5	7	8	18
35-49	27	4.3	11	1	1	3	5	10	12	13
50-64	24	5.0	9	1	2	4	7	9	11	14
65+	21	5.6	15	2	3	4	7	9	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2562	3.2	4	1	1	3	4	5	6	10
20-34	1005	4.1	8	1	1	3	5	8	10	15
35-49	1167	4.9	12	1	2	4	6	9	11	17
50-64	2230	5.8	16	2	2	5	7	10	12	21
65+	3007	6.7	25	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	52	5.4	33	1	2	3	7	11	12	37
20-34	70	5.8	21	1	2	5	7	12	14	25
35-49	70	9.1	71	1	2	7	11	17	22	52
50-64	173	8.8	47	1	2	7	12	17	21	30
65+	234	10.3	68	2	3	8	12	21	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7436	3.3	5	1	1	3	4	6	7	11
B. *Operated*	161	4.0	9	1	1	3	5	8	9	18
2. MULTIPLE DX										
A. *Not Operated*	9971	5.1	16	1	2	4	6	9	12	20
B. *Operated*	599	8.7	56	2	2	7	11	18	23	39
1. SINGLE DX	7597	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX	10570	5.3	19	1	2	4	7	10	13	22
A. NOT OPERATED	17407	4.3	12	1	1	3	5	8	10	18
B. OPERATED	760	7.7	50	1	2	6	10	16	21	36
TOTAL 0-19 YRS	6562	2.9	4	1	1	2	3	5	6	9
20-34	2148	3.7	7	1	1	3	5	7	8	13
35-49	2140	4.6	12	1	2	4	6	8	11	17
50-64	3349	5.6	16	1	2	5	7	10	12	21
65+	3968	6.5	26	2	2	5	8	12	15	26
GRAND TOTAL	**18167**	**4.5**	**14**	**1**	**1**	**3**	**6**	**8**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	1	1	1	2	2	4	4	4
20-34	10	4.5	18	1	1	3	6	11	15	15
35-49	31	4.2	11	1	2	3	5	8	9	19
50-64	317	5.1	11	1	2	4	7	10	12	16
65+	628	5.7	15	2	2	5	7	11	13	22
B. *Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	2	8.0	98	<1	<1	7	15	15	15	15
35-49	8	5.6	15	2	2	5	8	11	12	12
50-64	38	6.5	75	1	2	4	6	13	20	51
65+	53	8.1	79	1	2	6	10	16	17	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.0	13	1	2	3	4	9	12	18
20-34	39	5.7	19	1	2	5	7	9	14	24
35-49	197	6.6	29	2	2	5	8	12	20	29
50-64	1934	7.1	33	2	2	6	9	13	16	29
65+	5474	7.9	37	2	3	6	10	15	19	29
B. *Operated*										
0-19 YRS	7	10.4	156	1	1	1	22	28	29	29
20-34	14	9.1	61	2	3	7	11	17	29	33
35-49	57	9.6	87	1	2	7	13	20	29	50
50-64	330	11.4	144	2	3	8	14	23	37	88
65+	776	12.7	157	3	4	9	15	26	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	992	5.5	13	1	2	5	7	10	12	19
B. *Operated*	104	7.2	70	1	2	5	9	15	17	56
2. MULTIPLE DX										
A. *Not Operated*	7673	7.6	36	2	3	6	10	14	18	29
B. *Operated*	1184	12.1	149	2	3	8	15	25	37	75
1. SINGLE DX	1096	5.6	19	1	2	5	7	11	13	21
2. MULTIPLE DX	8857	8.2	53	2	3	6	10	16	21	38
A. NOT OPERATED	8665	7.4	34	2	2	6	9	14	18	28
B. OPERATED	1288	11.7	144	2	3	8	14	25	36	74
TOTAL 0-19 YRS	45	4.8	37	1	1	3	4	12	20	29
20-34	65	6.4	30	1	2	5	8	13	16	32
35-49	293	6.9	40	2	2	5	8	14	21	30
50-64	2619	7.4	48	2	2	6	9	14	18	38
65+	6931	8.2	51	2	3	6	10	16	20	37
GRAND TOTAL	**9953**	**7.9**	**50**	**2**	**2**	**6**	**10**	**15**	**20**	**37**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.0	12	<1	1	2	3	6	12	15
20-34	76	3.6	9	<1	1	3	5	9	11	13
35-49	15	3.6	10	<1	1	3	5	10	10	10
50-64	13	4.3	18	1	1	2	6	12	14	14
65+	5	2.6	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	81	5.7	12	2	2	5	7	10	13	19
20-34	284	5.2	12	2	2	4	6	9	12	18
35-49	108	6.3	20	2	2	5	7	12	17	24
50-64	40	5.7	18	2	2	4	7	10	12	25
65+	32	7.2	29	2	3	6	9	11	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.3	3	1	1	2	3	5	6	6
20-34	25	4.0	13	1	1	3	4	12	13	13
35-49	18	3.7	7	1	1	3	5	8	10	10
50-64	26	7.0	40	1	1	5	9	13	23	29
65+	48	7.4	32	1	2	5	10	16	19	27
B. *Operated*										
0-19 YRS	36	8.9	30	2	3	7	13	17	18	21
20-34	122	8.0	23	2	3	6	12	15	17	22
35-49	89	8.6	38	2	3	7	11	15	22	33
50-64	124	11.5	140	3	4	8	15	24	34	90
65+	234	11.7	109	3	4	8	14	26	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.6	10	<1	1	2	5	9	11	14
B. *Operated*	545	5.7	15	2	2	5	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	126	5.7	27	1	1	4	8	13	16	27
B. *Operated*	605	10.3	85	2	3	7	13	20	28	48
1. SINGLE DX	671	5.3	15	1	2	4	6	10	13	19
2. MULTIPLE DX	731	9.5	78	2	3	7	12	19	26	43
A. NOT OPERATED	252	4.6	20	1	1	3	6	11	13	21
B. OPERATED	1150	8.1	57	2	3	6	10	16	22	39
TOTAL 0-19 YRS	143	6.0	20	1	2	5	8	13	16	21
20-34	507	5.6	16	1	2	4	7	12	14	19
35-49	230	6.8	28	1	2	5	9	13	18	26
50-64	203	9.3	102	2	2	6	11	19	28	79
65+	319	10.5	92	2	3	7	12	22	31	48
GRAND TOTAL	**1402**	**7.5**	**52**	**1**	**2**	**5**	**9**	**15**	**20**	**38**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.7	6	<1	1	2	3	5	6	14
20-34	115	2.9	6	<1	1	2	3	5	8	14
35-49	120	3.1	5	1	1	3	4	6	7	14
50-64	82	3.7	9	1	1	3	4	7	12	14
65+	165	5.2	22	1	1	4	7	10	15	27
B. *Operated*										
0-19 YRS	44	2.5	5	<1	<1	1	4	6	7	8
20-34	75	5.4	57	<1	1	2	7	12	19	42
35-49	83	5.7	23	1	1	5	8	13	17	20
50-64	177	4.9	17	<1	1	4	7	10	14	19
65+	162	4.7	18	<1	1	4	7	10	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	409	4.4	19	1	1	3	6	9	12	25
20-34	227	5.5	31	1	1	4	7	12	18	34
35-49	338	4.9	18	1	1	4	6	10	13	21
50-64	894	5.9	27	1	2	4	7	11	15	29
65+	2559	7.7	43	2	2	6	10	15	19	33
B. *Operated*										
0-19 YRS	131	11.3	274	1	1	5	13	24	46	90
20-34	159	9.0	81	1	1	6	13	18	24	43
35-49	284	10.2	80	1	2	8	14	21	29	44
50-64	667	10.0	97	1	2	7	13	21	31	52
65+	1254	12.0	141	1	2	9	16	26	34	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	662	3.6	11	1	1	3	4	7	10	17
B. *Operated*	541	4.9	23	<1	1	3	7	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	4427	6.7	36	1	2	5	9	13	18	30
B. *Operated*	2495	11.0	127	1	2	8	14	23	32	61
1. SINGLE DX	1203	4.1	17	<1	1	3	5	9	13	20
2. MULTIPLE DX	6922	8.3	73	1	2	6	10	17	23	45
A. NOT OPERATED	5089	6.3	34	1	1	5	8	13	17	29
B. OPERATED	3036	9.9	114	1	1	7	13	21	30	57
TOTAL 0-19 YRS	764	5.1	67	1	1	3	5	10	17	38
20-34	576	5.9	48	1	1	4	7	14	19	41
35-49	825	6.5	45	1	1	4	8	15	20	31
50-64	1820	7.2	56	1	2	5	9	15	21	40
65+	4140	8.8	76	1	2	6	11	18	25	46
GRAND TOTAL	**8125**	**7.7**	**67**	**1**	**1**	**5**	**10**	**16**	**22**	**43**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.7	33	<1	1	2	6	13	20	21
20-34	27	4.6	42	<1	1	3	5	10	15	34
35-49	13	2.7	2	<1	<1	3	4	5	5	5
50-64	6	2.0	1	<1	<1	2	3	3	3	3
65+	6	3.8	18	1	1	2	5	11	12	12
B. *Operated*										
0-19 YRS	676	2.1	2	<1	<1	1	3	4	5	6
20-34	658	2.8	2	1	1	3	4	4	5	9
35-49	312	2.9	6	<1	1	3	4	5	6	7
50-64	151	2.8	3	1	1	3	3	4	5	10
65+	67	3.0	6	<1	1	2	4	5	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.7	5	<1	<1	2	3	6	8	10
20-34	72	3.0	3	<1	<1	3	4	5	6	7
35-49	38	4.1	33	<1	<1	2	3	8	17	30
50-64	42	3.2	5	<1	1	3	5	6	7	10
65+	39	4.6	25	1	1	3	5	8	11	31
B. *Operated*										
0-19 YRS	623	2.4	2	<1	<1	2	3	4	5	7
20-34	559	3.4	6	1	1	3	4	5	7	13
35-49	370	3.1	5	1	1	3	4	5	6	13
50-64	304	3.2	12	1	1	2	4	5	8	19
65+	274	3.6	19	1	1	2	4	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.9	26	<1	1	3	4	8	12	32
B. *Operated*	1864	2.6	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	261	3.4	12	<1	1	3	4	6	8	21
B. *Operated*	2130	3.0	7	<1	1	3	4	5	7	14
1. SINGLE DX	1928	2.6	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2391	3.1	8	<1	1	3	4	5	7	14
A. NOT OPERATED	325	3.5	14	<1	1	3	4	6	8	24
B. OPERATED	3994	2.8	6	<1	<1	2	4	5	6	11
TOTAL 0-19 YRS	1381	2.3	3	<1	<1	2	3	4	5	7
20-34	1316	3.1	5	1	1	3	4	5	6	11
35-49	733	3.1	7	1	1	3	4	5	6	11
50-64	503	3.1	9	1	1	2	4	5	7	14
65+	386	3.6	17	1	1	2	4	8	11	21
GRAND TOTAL	**4319**	**2.9**	**6**	**<1**	**<1**	**2**	**4**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.0	3	1	1	3	4	6	6	7
20-34	14	3.6	5	1	2	3	4	8	8	8
35-49	17	3.2	2	<1	1	3	4	6	6	6
50-64	26	3.7	3	1	1	3	5	7	7	8
65+	14	4.1	8	<1	1	3	7	8	9	9
B. *Operated*										
0-19 YRS	107	2.2	12	<1	<1	1	2	4	5	19
20-34	103	2.4	5	<1	<1	2	3	5	7	11
35-49	87	2.6	2	<1	<1	3	3	5	5	8
50-64	119	2.5	2	<1	1	2	3	4	5	8
65+	78	2.8	10	<1	<1	2	3	4	6	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	3.3	3	1	1	3	4	6	7	10
20-34	38	4.7	7	<1	1	4	6	8	10	13
35-49	27	5.1	17	1	1	4	7	12	15	17
50-64	45	4.6	5	1	2	4	6	8	9	12
65+	97	7.9	36	1	2	7	10	13	19	34
B. *Operated*										
0-19 YRS	53	3.2	5	1	1	3	4	5	7	14
20-34	90	3.7	9	1	1	3	5	8	10	16
35-49	96	3.8	12	1	1	3	4	7	11	21
50-64	98	2.7	3	1	1	2	3	5	7	11
65+	138	5.2	33	1	1	4	5	11	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.3	4	1	1	3	4	6	7	9
B. *Operated*	494	2.5	6	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	312	5.3	19	1	2	4	7	10	13	20
B. *Operated*	475	3.9	16	1	1	3	4	7	11	23
1. SINGLE DX	617	2.6	6	<1	<1	2	3	5	6	10
2. MULTIPLE DX	787	4.4	17	1	1	3	5	9	12	22
A. NOT OPERATED	435	4.7	15	1	1	4	6	9	12	19
B. OPERATED	969	3.2	11	<1	1	2	4	6	8	18
TOTAL 0-19 YRS	317	2.9	7	<1	1	2	4	5	6	10
20-34	245	3.3	7	<1	<1	3	4	7	9	13
35-49	227	3.4	9	<1	1	3	4	6	8	17
50-64	288	3.0	4	<1	1	3	4	5	7	10
65+	327	5.4	31	1	1	4	7	11	16	29
GRAND TOTAL	**1404**	**3.6**	**13**	**<1**	**1**	**3**	**4**	**7**	**10**	**19**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	2.4	4	1	1	2	3	4	6	11
20-34	72	2.5	3	<1	1	2	3	5	6	9
35-49	110	2.4	3	<1	1	2	3	5	6	9
50-64	115	2.6	4	1	1	2	3	5	7	10
65+	87	2.9	5	<1	<1	2	4	6	7	12
B. *Operated*										
0-19 YRS	48	4.2	7	<1	<1	4	7	8	8	10
20-34	62	4.3	14	<1	1	3	7	8	11	20
35-49	81	4.4	10	<1	<1	4	7	9	11	13
50-64	36	4.4	15	<1	<1	4	6	8	10	22
65+	142	4.1	11	<1	<1	3	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	231	3.3	6	1	1	3	4	7	8	12
20-34	263	3.3	7	<1	1	3	4	6	8	14
35-49	445	3.6	7	1	1	3	5	6	9	15
50-64	687	3.9	12	1	1	3	5	7	10	16
65+	1062	5.1	20	1	2	4	6	9	13	25
B. *Operated*										
0-19 YRS	146	7.1	49	<1	<1	5	10	16	20	34
20-34	142	6.1	70	<1	1	5	8	11	14	48
35-49	287	5.9	46	1	1	5	7	10	13	45
50-64	511	7.0	52	1	1	5	9	14	19	37
65+	872	8.1	60	1	2	6	10	16	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	419	4.3	12	<1	<1	3	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2688	4.2	14	1	1	3	5	8	11	19
B. *Operated*	1958	7.3	56	1	1	5	9	14	20	41
1. SINGLE DX	945	3.3	8	<1	<1	2	5	7	8	12
2. MULTIPLE DX	4646	5.5	34	1	1	4	7	11	15	31
A. NOT OPERATED	3214	4.0	13	1	1	3	5	8	10	18
B. OPERATED	2377	6.7	50	<1	1	5	8	14	18	38
TOTAL 0-19 YRS	567	4.1	20	<1	1	3	5	9	12	21
20-34	539	4.1	25	<1	1	3	5	8	11	17
35-49	923	4.3	20	1	1	3	5	8	10	17
50-64	1399	5.0	29	1	1	3	6	10	13	25
65+	2163	6.2	37	1	1	4	8	13	17	35
GRAND TOTAL	**5591**	**5.1**	**30**	**1**	**1**	**4**	**6**	**10**	**14**	**28**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	1	2	2	3	3	4	4	4
20-34	36	3.1	4	1	1	3	4	5	7	11
35-49	40	3.0	2	1	1	3	4	5	6	7
50-64	53	4.0	7	1	2	3	5	8	10	12
65+	52	3.9	7	<1	1	4	5	7	10	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	6.1	18	<1	2	5	8	11	14	19
35-49	56	5.7	12	<1	2	6	8	10	12	17
50-64	67	6.4	26	<1	<1	7	9	13	15	25
65+	47	6.6	33	<1	<1	5	10	15	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.3	2	1	2	3	4	6	6	6
20-34	59	3.8	6	1	1	3	5	7	9	11
35-49	112	4.5	8	1	2	4	6	8	11	15
50-64	193	4.9	10	1	2	4	6	10	11	15
65+	383	6.0	14	2	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	3	5.7	32	1	1	4	10	12	12	12
20-34	50	6.5	25	<1	1	5	10	12	14	28
35-49	113	7.6	42	<1	2	6	10	15	21	65
50-64	198	8.6	49	1	2	7	11	17	21	35
65+	356	8.8	47	2	2	7	11	17	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.5	5	1	1	3	4	6	8	12
B. *Operated*	195	6.2	22	<1	<1	6	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	761	5.3	12	1	2	5	7	10	12	17
B. *Operated*	720	8.4	45	1	2	7	11	16	20	37
1. SINGLE DX	384	4.9	16	<1	1	4	7	10	12	19
2. MULTIPLE DX	1481	6.8	30	1	2	5	9	13	17	28
A. NOT OPERATED	950	4.9	11	1	2	4	6	9	11	17
B. OPERATED	915	7.9	41	<1	2	7	10	15	19	34
TOTAL 0-19 YRS	26	3.3	5	1	2	3	4	6	7	12
20-34	169	4.8	15	1	1	4	6	10	11	18
35-49	321	5.6	22	1	2	5	7	11	14	26
50-64	511	6.4	30	<1	2	5	9	12	16	26
65+	838	7.1	31	1	2	6	9	13	18	28
GRAND TOTAL	**1865**	**6.4**	**28**	**1**	**2**	**5**	**8**	**12**	**16**	**26**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	1	3	3	4	5	6	6	6
20-34	39	3.4	2	1	2	3	4	6	6	7
35-49	53	3.8	3	1	2	3	5	7	8	8
50-64	79	4.0	5	1	2	4	5	6	8	14
65+	107	4.6	5	2	2	4	5	7	8	14
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	23	5.0	5	2	2	5	7	8	9	10
35-49	43	6.9	11	3	3	6	9	11	14	16
50-64	64	8.0	15	2	3	7	11	13	15	17
65+	84	7.0	20	2	3	6	9	15	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	5	2	2	3	6	7	8	8
20-34	43	4.0	5	2	2	4	5	6	8	13
35-49	131	4.5	6	1	2	4	5	7	9	14
50-64	281	5.3	16	2	2	4	6	9	14	21
65+	689	6.9	30	2	3	6	8	12	16	32
B. *Operated*										
0-19 YRS	2	17.0	242	6	6	17	28	28	28	28
20-34	42	7.1	46	1	2	5	9	13	20	37
35-49	106	7.4	19	2	3	7	10	13	17	58
50-64	299	9.4	89	2	3	7	12	18	24	59
65+	773	11.1	81	3	3	9	14	21	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	4.1	4	2	2	4	5	6	8	11
B. *Operated*	216	7.0	16	2	3	6	9	13	15	18
2. MULTIPLE DX										
A. *Not Operated*	1153	6.1	24	2	2	5	7	11	14	29
B. *Operated*	1222	10.3	78	3	3	8	13	20	27	51
1. SINGLE DX	500	5.4	11	2	2	4	7	10	12	17
2. MULTIPLE DX	2375	8.3	56	2	3	6	10	16	21	43
A. NOT OPERATED	1437	5.7	20	2	2	5	7	10	14	23
B. OPERATED	1438	9.8	70	2	3	8	12	18	26	49
TOTAL 0-19 YRS	19	5.7	34	2	2	4	6	9	20	28
20-34	147	4.9	18	1	2	4	6	9	11	25
35-49	333	5.7	13	2	2	4	7	10	13	18
50-64	723	7.1	49	2	2	5	9	14	18	35
65+	1653	8.7	57	2	3	6	10	17	22	44
GRAND TOTAL	**2875**	**7.8**	**49**	**2**	**3**	**6**	**9**	**15**	**20**	**40**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.4	1	<1	1	2	3	4	4	6
20-34	192	2.8	3	1	1	2	4	5	6	8
35-49	152	3.2	4	<1	1	3	4	6	7	9
50-64	111	3.6	5	1	2	3	5	7	8	11
65+	93	3.7	5	<1	1	4	5	6	9	12
B. *Operated*										
0-19 YRS	4	8.3	9	5	5	8	10	12	12	12
20-34	39	5.9	8	1	2	7	8	9	10	12
35-49	49	6.7	14	2	2	7	9	11	13	21
50-64	33	7.5	10	3	3	8	9	11	14	17
65+	22	8.3	21	<1	1	8	11	12	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.2	4	1	1	3	4	5	6	13
20-34	252	3.5	6	1	1	3	4	6	7	14
35-49	346	3.9	7	1	2	3	5	7	9	12
50-64	404	4.5	12	1	2	4	6	8	10	20
65+	678	5.9	20	2	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	6	6.8	19	<1	<1	6	12	12	12	12
20-34	70	9.3	60	2	3	7	10	18	24	43
35-49	118	7.9	29	1	2	7	10	15	20	27
50-64	154	8.7	35	2	3	8	11	15	20	35
65+	215	10.3	86	2	3	8	13	21	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	3.2	4	1	1	3	4	6	7	11
B. *Operated*	147	7.0	13	2	2	7	9	11	12	21
2. MULTIPLE DX										
A. *Not Operated*	1724	4.7	14	1	2	4	6	8	11	20
B. *Operated*	563	9.2	57	2	3	8	11	17	23	41
1. SINGLE DX	741	3.9	8	1	1	3	5	8	9	13
2. MULTIPLE DX	2287	5.8	28	1	2	4	7	11	15	27
A. NOT OPERATED	2318	4.3	12	1	1	4	5	8	10	19
B. OPERATED	710	8.7	48	2	3	7	11	16	22	37
TOTAL 0-19 YRS	100	3.3	6	<1	1	3	4	6	8	13
20-34	553	4.2	16	1	1	3	5	8	10	21
35-49	665	4.6	14	1	1	4	6	9	11	21
50-64	702	5.5	19	1	2	4	7	10	14	22
65+	1008	6.7	36	2	2	5	8	12	17	28
GRAND TOTAL	**3028**	**5.4**	**24**	**1**	**2**	**4**	**7**	**10**	**14**	**25**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	2	<1	1	3	4	4	5	6
20-34	156	3.6	4	1	2	3	5	6	8	10
35-49	191	3.8	4	1	2	3	5	7	8	11
50-64	197	3.7	3	1	2	4	5	6	7	10
65+	170	4.7	6	2	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	54	7.6	12	2	3	7	9	12	15	18
35-49	108	7.5	11	3	4	7	9	12	14	20
50-64	94	8.0	13	3	3	8	10	13	14	21
65+	85	9.4	27	3	3	8	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.0	7	2	2	4	4	5	10	15
20-34	148	3.9	4	1	2	4	5	6	7	10
35-49	266	4.6	11	2	2	4	5	7	8	17
50-64	445	5.1	10	2	2	4	6	9	11	16
65+	969	6.7	26	2	3	5	8	13	17	27
B. *Operated*										
0-19 YRS	5	6.0	9	2	2	7	8	9	9	9
20-34	46	7.8	20	3	3	7	9	14	17	26
35-49	155	10.5	53	3	4	9	12	20	25	44
50-64	256	11.4	67	3	4	9	14	20	29	42
65+	590	15.0	140	4	5	12	18	28	39	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	3.9	4	1	2	3	5	6	8	11
B. *Operated*	344	8.1	16	3	4	7	10	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	1853	5.8	19	2	2	5	7	10	14	22
B. *Operated*	1052	13.1	108	3	4	10	16	25	32	62
1. SINGLE DX	1082	5.2	12	1	2	4	7	10	12	18
2. MULTIPLE DX	2905	8.4	64	2	3	6	10	17	23	42
A. NOT OPERATED	2591	5.2	16	2	2	4	6	9	12	21
B. OPERATED	1396	11.9	90	3	4	9	14	22	29	56
TOTAL 0-19 YRS	57	3.7	5	1	2	3	4	6	8	15
20-34	404	4.7	10	1	2	4	6	8	10	17
35-49	720	6.1	25	2	2	5	7	11	14	28
50-64	992	6.7	32	2	2	5	8	12	16	31
65+	1814	9.3	77	2	3	7	11	19	26	49
GRAND TOTAL	**3987**	**7.6**	**52**	**2**	**2**	**5**	**9**	**15**	**20**	**38**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	5	4.2	2	3	3	4	5	6	6	6
35-49	15	4.1	5	1	2	4	5	8	9	9
50-64	14	4.8	7	1	2	4	6	7	11	12
65+	8	4.8	4	2	2	4	6	8	8	8
B. *Operated*										
0-19 YRS										
20-34	11	9.1	4	6	7	8	11	12	13	13
35-49	27	10.0	32	3	6	9	12	15	19	32
50-64	23	10.7	26	2	6	9	14	18	21	22
65+	35	10.7	18	4	5	10	14	17	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	10	5.3	24	1	1	4	5	14	17	17
35-49	31	5.1	9	2	2	4	7	9	10	13
50-64	40	6.2	12	2	2	6	8	11	14	15
65+	88	6.6	31	2	2	5	8	11	17	33
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	8.3	17	2	4	7	11	15	15	15
35-49	47	15.6	74	8	9	14	18	24	35	51
50-64	70	16.3	188	2	5	12	19	32	48	74
65+	156	18.6	185	5	7	14	23	40	46	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	4.5	4	2	2	4	5	7	8	12
B. *Operated*	96	10.3	22	4	6	9	13	17	18	27
2. MULTIPLE DX										
A. *Not Operated*	171	6.1	22	2	2	5	7	11	14	25
B. *Operated*	289	17.0	163	4	6	13	20	35	44	73
1. SINGLE DX	141	8.5	24	2	3	8	11	15	17	23
2. MULTIPLE DX	460	12.9	138	2	3	10	16	27	39	63
A. NOT OPERATED	216	5.8	18	2	2	5	7	10	14	24
B. OPERATED	385	15.3	136	4	6	12	17	30	41	66
TOTAL 0-19 YRS	6	4.3		4	4	4	5	5	5	5
20-34	41	7.3	16	2	3	7	10	13	15	17
35-49	120	10.2	61	2	2	9	13	19	24	41
50-64	147	11.6	120	2	3	9	14	22	32	64
65+	287	13.6	144	3	4	10	16	29	41	62
GRAND TOTAL	**601**	**11.9**	**115**	**2**	**3**	**9**	**15**	**24**	**35**	**54**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.1	2	<1	1	2	3	4	5	9
20-34	342	2.4	3	<1	1	2	3	5	6	8
35-49	240	2.9	4	<1	1	2	4	5	7	10
50-64	181	3.0	4	<1	1	3	4	6	7	10
65+	137	3.5	10	1	1	3	4	7	8	16
B. *Operated*										
0-19 YRS	15	5.1	24	<1	1	2	7	14	15	15
20-34	44	3.1	4	<1	<1	3	4	6	7	9
35-49	56	4.0	11	<1	<1	3	5	9	11	17
50-64	54	4.2	9	<1	<1	4	7	8	10	11
65+	38	4.0	10	<1	<1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	283	2.7	6	1	1	2	3	4	6	15
20-34	816	3.5	8	1	1	3	4	6	9	13
35-49	1087	4.0	10	1	1	3	5	7	9	14
50-64	1134	4.4	11	1	2	4	5	8	10	19
65+	1846	5.4	16	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	26	4.7	11	1	1	4	7	10	11	13
20-34	150	5.2	14	1	2	4	7	10	12	20
35-49	223	6.3	31	1	2	5	7	11	15	36
50-64	310	7.6	65	1	2	5	9	15	21	46
65+	537	8.5	54	1	2	7	10	17	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1052	2.7	4	<1	1	2	3	5	6	10
B. *Operated*	207	3.9	10	<1	<1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	5166	4.4	13	1	1	3	5	8	11	18
B. *Operated*	1246	7.4	48	1	2	6	9	14	19	35
1. SINGLE DX	1259	2.9	5	<1	1	2	4	6	7	11
2. MULTIPLE DX	6412	5.0	21	1	1	4	6	9	13	23
A. NOT OPERATED	6218	4.1	12	1	1	3	5	8	10	17
B. OPERATED	1453	6.9	44	<1	2	5	9	14	18	33
TOTAL 0-19 YRS	476	2.7	6	1	1	2	3	5	6	14
20-34	1352	3.4	8	1	1	3	4	6	9	14
35-49	1606	4.1	13	1	1	3	5	8	10	16
50-64	1679	4.8	22	1	1	4	6	9	12	21
65+	2558	5.9	26	1	2	5	7	11	15	25
GRAND TOTAL	**7671**	**4.7**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.8	5	1	1	2	3	5	8	12
20-34	81	2.7	6	<1	1	2	3	5	6	15
35-49	76	3.1	6	1	1	2	4	5	9	14
50-64	69	3.0	6	<1	1	2	3	6	8	12
65+	45	3.6	9	<1	1	3	5	6	8	19
B. *Operated*										
0-19 YRS	53	3.2	4	1	1	3	4	4	5	14
20-34	11	11.5	174	2	2	9	11	27	48	50
35-49	22	9.8	51	2	2	8	12	17	27	35
50-64	23	7.3	24	<1	1	6	11	14	16	17
65+	15	9.3	29	1	3	8	14	15	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	3.4	16	<1	1	3	4	6	7	23
20-34	192	4.6	25	1	1	3	6	8	13	33
35-49	214	4.3	16	1	1	3	6	8	10	18
50-64	272	4.8	17	1	1	4	6	9	12	20
65+	479	6.3	30	1	2	5	8	12	18	28
B. *Operated*										
0-19 YRS	28	4.2	11	1	2	3	5	8	10	17
20-34	59	10.5	76	2	3	8	15	25	33	94
35-49	83	12.3	104	2	4	9	17	27	34	87
50-64	120	14.0	171	2	3	12	18	25	36	74
65+	214	15.6	166	3	4	12	19	30	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	3.0	6	<1	1	2	4	5	8	13
B. *Operated*	124	6.6	42	1	2	4	9	13	16	39
2. MULTIPLE DX										
A. *Not Operated*	1259	5.1	24	1	1	4	6	10	14	27
B. *Operated*	504	13.4	145	2	3	10	17	27	37	75
1. SINGLE DX	452	4.0	19	1	1	3	5	8	12	19
2. MULTIPLE DX	1763	7.5	72	1	2	5	9	17	24	43
A. NOT OPERATED	1587	4.7	21	1	1	3	6	9	13	24
B. OPERATED	628	12.1	132	2	2	9	16	25	34	63
TOTAL 0-19 YRS	240	3.3	10	1	1	3	4	6	8	14
20-34	343	5.4	41	1	1	3	6	12	18	38
35-49	395	6.1	46	1	1	4	7	14	19	38
50-64	484	7.0	71	1	1	4	8	16	19	53
65+	753	8.8	86	1	2	6	11	19	27	43
GRAND TOTAL	**2215**	**6.8**	**63**	**1**	**1**	**4**	**8**	**15**	**21**	**40**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	1	<1	<1	1	2	3	4	4
20-34	19	2.2	2	<1	<1	2	3	4	5	6
35-49	6	3.0	3	1	1	3	3	6	6	6
50-64	3	6.7	2	5	5	7	8	8	8	8
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	3727	3.0	2	2	2	3	4	4	5	7
20-34	2861	3.2	2	2	2	3	4	5	5	8
35-49	816	3.7	3	2	2	3	4	6	7	9
50-64	288	4.2	3	2	2	4	5	6	7	12
65+	97	5.2	6	2	3	5	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	2	<1	<1	2	2	4	5	5
20-34	8	1.5	1	<1	<1	1	2	3	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	7	4.1	18	<1	<1	2	7	11	12	12
65+	5	3.6	6	<1	<1	4	6	6	6	6
B. *Operated*										
0-19 YRS	628	4.1	5	2	2	4	5	7	9	14
20-34	720	4.3	5	2	2	4	5	7	9	13
35-49	293	5.3	12	2	3	4	6	10	12	16
50-64	175	6.1	14	3	3	5	7	11	13	22
65+	125	7.3	23	2	3	6	9	14	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	7789	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	30	2.6	7	<1	<1	1	4	6	8	12
B. *Operated*	1941	4.8	9	2	2	4	6	8	11	16
1. SINGLE DX	7841	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	1971	4.7	9	2	2	4	6	8	11	16
A. NOT OPERATED	82	2.5	4	<1	<1	2	3	5	7	11
B. OPERATED	9730	3.5	4	2	2	3	4	5	7	11
TOTAL 0-19 YRS	4385	3.2	2	2	2	3	4	5	6	9
20-34	3608	3.4	3	2	2	3	4	5	6	9
35-49	1116	4.1	6	2	2	3	5	7	8	13
50-64	473	4.9	8	2	3	4	6	8	11	15
65+	230	6.3	17	2	3	5	8	11	14	19
GRAND TOTAL	**9812**	**3.5**	**4**	**2**	**2**	**3**	**4**	**5**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.1	4	2	2	6	7	7	7	7
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	3	6.7		6	6	7	7	7	7	7
65+	2	8.5	5	7	7	8	10	10	10	10
B. *Operated*										
0-19 YRS	891	6.1	7	2	3	6	7	9	11	15
20-34	466	6.2	8	3	3	6	8	10	11	15
35-49	243	6.5	10	3	3	6	8	10	11	17
50-64	193	7.0	6	3	4	7	9	10	11	13
65+	86	7.9	12	4	5	7	9	13	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.0	14	5	5	7	8	14	15	15
20-34	4	4.3	3	2	2	4	5	6	6	6
35-49	4	6.3	10	2	2	7	8	9	9	9
50-64	1	6.0		6	6	6	6	6	6	6
65+	5	10.6	37	5	5	8	16	19	19	19
B. *Operated*										
0-19 YRS	506	8.4	22	3	4	7	10	14	17	24
20-34	316	7.9	14	3	4	8	9	12	14	22
35-49	253	9.6	29	4	5	8	11	16	19	34
50-64	280	10.8	42	5	5	9	13	17	22	36
65+	233	12.6	67	5	6	11	15	21	25	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.4	6	1	2	6	7	7	9	10
B. *Operated*	1879	6.3	8	3	3	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	20	7.5	19	2	3	6	8	15	17	19
B. *Operated*	1588	9.5	34	4	5	8	11	16	19	32
1. SINGLE DX	1896	6.3	8	3	3	6	8	10	11	15
2. MULTIPLE DX	1608	9.5	34	4	5	8	11	16	19	32
A. NOT OPERATED	37	6.5	13	2	2	6	7	10	15	19
B. OPERATED	3467	7.8	23	3	4	7	9	13	16	25
TOTAL 0-19 YRS	1410	6.9	14	3	3	6	8	11	13	19
20-34	788	6.8	11	3	3	6	8	11	13	19
35-49	503	8.0	22	3	4	7	9	13	17	26
50-64	477	9.2	30	4	5	8	11	15	18	31
65+	326	11.3	56	5	5	9	13	20	23	49
GRAND TOTAL	**3504**	**7.8**	**22**	**3**	**4**	**7**	**9**	**13**	**16**	**25**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	1.5	1	<1	<1	1	2	2	2	8
20-34	31	1.9	2	<1	<1	2	2	3	6	6
35-49	7	2.9	4	1	1	3	3	6	7	7
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	3	3.7	4	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	279	3.4	5	2	2	3	4	5	6	9
20-34	183	3.3	2	2	2	3	4	5	6	7
35-49	65	4.3	5	2	2	4	5	8	9	11
50-64	18	4.9	5	2	3	4	7	8	9	10
65+	7	4.3	8	2	2	4	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.8	1	1	1	2	2	3	4	4
20-34	25	2.1	2	<1	1	2	3	4	5	6
35-49	5	2.6	4	1	1	2	4	6	6	6
50-64	5	2.6	2	2	2	2	3	5	5	5
65+	7	3.3	3	1	1	4	4	6	6	6
B. *Operated*										
0-19 YRS	132	4.5	8	2	2	4	5	7	10	17
20-34	147	5.0	8	2	2	4	6	8	11	17
35-49	52	5.9	6	3	3	6	7	9	11	12
50-64	18	6.1	7	2	3	6	8	10	11	11
65+	21	8.3	17	4	4	7	9	14	18	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	1.9	2	<1	1	1	2	3	6	8
B. *Operated*	552	3.6	4	2	2	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	61	2.2	2	1	1	2	3	4	5	6
B. *Operated*	370	5.2	9	2	2	4	6	9	11	17
1. SINGLE DX	632	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX	431	4.8	9	1	2	4	6	8	11	16
A. NOT OPERATED	141	2.0	2	<1	1	2	2	4	6	7
B. OPERATED	922	4.2	7	2	2	4	5	7	8	14
TOTAL 0-19 YRS	466	3.5	6	1	1	3	4	6	7	13
20-34	386	3.8	5	1	2	3	5	6	7	14
35-49	129	4.8	6	2	2	4	5	8	10	12
50-64	44	5.0	6	2	2	4	7	8	10	11
65+	38	6.3	17	1	2	6	8	11	15	21
GRAND TOTAL	**1063**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3		<1	<1	1	2	2	2	2
20-34	10	1.5	3	<1	<1	1	1	4	6	6
35-49	13	1.7	1	<1	<1	2	2	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65+	9	2.2	4	<1	<1	1	3	6	7	7
B. *Operated*										
0-19 YRS	1850	1.4	1	<1	<1	1	2	2	3	4
20-34	2273	2.4	1	1	1	2	3	4	4	6
35-49	2042	2.6	2	1	1	3	3	4	5	6
50-64	2948	2.7	2	1	1	3	3	4	5	7
65+	2449	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	1.5	3	<1	<1	1	1	2	5	11
20-34	21	1.9	5	<1	<1	1	2	4	7	10
35-49	25	1.6	2	<1	<1	1	2	5	5	5
50-64	44	2.8	7	<1	<1	2	3	6	8	13
65+	77	2.7	6	<1	<1	2	4	7	8	12
B. *Operated*										
0-19 YRS	1031	1.6	2	<1	<1	1	2	3	4	7
20-34	704	2.9	3	1	1	3	4	4	5	9
35-49	1014	3.1	3	1	1	3	4	5	6	8
50-64	2062	3.6	6	1	1	3	4	6	7	12
65+	3220	4.3	9	1	2	4	5	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	1.7	2	<1	<1	1	2	3	4	7
B. *Operated*	11562	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	217	2.2	5	<1	<1	1	3	5	7	12
B. *Operated*	8031	3.5	7	1	1	3	4	6	8	13
1. SINGLE DX	11607	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	8248	3.5	7	<1	1	3	4	6	8	13
A. NOT OPERATED	262	2.1	5	<1	<1	1	2	5	7	12
B. OPERATED	19593	2.9	4	<1	1	3	4	5	6	10
TOTAL 0-19 YRS	2941	1.5	1	<1	<1	1	2	2	3	5
20-34	3008	2.5	2	1	1	2	3	4	5	6
35-49	3094	2.8	2	1	1	3	3	4	5	7
50-64	5057	3.1	4	1	1	3	4	5	6	10
65+	5755	3.8	6	1	2	3	5	6	8	14
GRAND TOTAL	**19855**	**2.9**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**11**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.2		<1	<1	1	1	2	2	2
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49										
50-64	2	3.0	8	1	1	2	5	5	5	5
65+	5	1.4	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS	218	1.5	1	<1	<1	1	2	2	3	6
20-34	80	2.5	1	1	1	2	3	4	4	5
35-49	73	3.2	3	1	1	3	4	5	6	9
50-64	83	3.5	3	1	2	3	4	5	6	10
65+	171	4.3	6	1	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+	23	5.0	23	<1	1	3	6	13	15	16
B. *Operated*										
0-19 YRS	153	1.8	2	<1	1	1	2	3	4	9
20-34	35	4.2	11	2	2	3	5	6	11	19
35-49	32	3.8	7	1	1	3	4	7	8	14
50-64	105	5.1	22	1	2	4	6	8	10	31
65+	384	7.3	32	2	3	6	8	13	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.4	1	<1	<1	1	2	3	4	5
B. *Operated*	625	2.9	4	<1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	35	3.8	17	<1	1	3	4	12	14	16
B. *Operated*	709	5.5	27	1	1	4	7	11	14	26
1. SINGLE DX	650	2.8	4	<1	1	2	4	5	7	11
2. MULTIPLE DX	744	5.4	26	1	1	4	7	11	14	25
A. NOT OPERATED	60	2.8	12	<1	<1	1	3	6	12	16
B. OPERATED	1334	4.2	18	1	1	3	5	8	12	23
TOTAL 0-19 YRS	389	1.6	1	<1	<1	1	2	3	4	7
20-34	121	2.9	4	1	1	3	3	4	5	14
35-49	106	3.3	4	1	1	3	4	5	8	11
50-64	195	4.3	14	1	2	4	5	7	9	19
65+	583	6.3	26	2	2	5	8	12	16	26
GRAND TOTAL	**1394**	**4.2**	**18**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	208	1.2		<1	<1	1	1	2	2	3
20-34	125	1.9	1	<1	1	2	2	4	4	5
35-49	192	2.3	2	1	1	2	3	4	5	8
50-64	134	2.5	2	1	1	2	3	4	5	7
65+	62	3.1	6	<1	1	3	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	2.5	2	<1	<1	2	3	4	4	4
35-49	4	3.8	14	<1	<1	2	6	9	9	9
50-64	7	2.4	7	<1	<1	1	3	7	8	8
65+	9	2.6	3	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS	54	3.3	127	<1	<1	1	2	4	5	81
20-34	70	3.1	3	1	1	3	4	6	7	8
35-49	155	3.6	10	1	1	3	5	6	8	12
50-64	162	4.6	17	1	2	4	5	9	11	19
65+	123	5.1	20	1	2	4	6	9	11	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*	721	2.0	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	26	2.6	5	<1	<1	2	4	6	8	9
B. *Operated*	564	4.1	25	1	1	3	5	7	10	21
1. SINGLE DX	729	2.0	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	590	4.1	24	<1	1	3	5	7	9	20
A. NOT OPERATED	34	2.4	4	<1	<1	1	3	5	8	9
B. OPERATED	1285	3.0	13	<1	<1	2	4	5	7	13
TOTAL 0-19 YRS	266	1.6	26	<1	<1	1	1	2	3	5
20-34	200	2.3	2	<1	1	2	3	4	5	7
35-49	352	2.9	6	1	1	2	4	5	6	10
50-64	306	3.6	11	1	1	3	4	6	9	17
65+	195	4.3	16	1	1	3	5	8	11	22
GRAND TOTAL	**1319**	**2.9**	**13**	**<1**	**<1**	**2**	**4**	**5**	**7**	**12**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	6	3.0	3	<1	<1	3	5	5	5	5
B. Operated										
0-19 YRS	61	2.1	2	<1	<1	2	2	4	5	9
20-34	228	3.0	3	<1	1	3	4	6	6	8
35-49	356	3.9	8	1	1	3	5	7	8	11
50-64	394	4.3	5	1	2	4	5	7	9	12
65+	289	4.8	6	2	2	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	5.0	39	<1	<1	2	7	16	16	16
35-49	17	1.8	3	<1	<1	1	2	3	6	8
50-64	23	2.4	3	<1	<1	2	3	5	6	6
65+	47	3.7	6	<1	1	3	6	7	8	9
B. Operated										
0-19 YRS	25	5.0	50	<1	<1	2	5	9	24	31
20-34	131	4.2	6	1	2	4	6	7	8	13
35-49	343	5.6	12	1	2	5	7	10	11	21
50-64	510	5.9	11	2	3	5	7	9	11	17
65+	640	7.3	26	2	3	6	9	12	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.5	2	<1	<1	2	3	5	5	5
B. Operated	1328	4.0	6	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	94	3.1	7	<1	<1	2	5	6	8	13
B. Operated	1649	6.2	18	2	2	5	8	10	13	21
1. SINGLE DX	1343	4.0	6	1	1	4	5	7	8	11
2. MULTIPLE DX	1743	6.0	18	1	2	5	8	10	13	21
A. NOT OPERATED	109	3.0	6	<1	<1	2	5	6	8	12
B. OPERATED	2977	5.2	14	1	2	5	7	9	11	18
TOTAL 0-19 YRS	90	2.9	17	<1	<1	2	3	5	9	27
20-34	365	3.5	5	1	1	3	5	6	7	12
35-49	718	4.6	11	1	1	4	6	8	10	17
50-64	931	5.1	9	1	2	5	6	9	10	15
65+	982	6.3	21	2	2	5	8	11	13	22
GRAND TOTAL	**3086**	**5.1**	**14**	**1**	**2**	**5**	**7**	**9**	**11**	**18**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	26	2.9	4	<1	<1	2	4	6	8	9
50-64	40	2.9	2	<1	1	3	4	5	5	6
65+	33	3.2	9	1	1	2	4	5	7	17
B. Operated										
0-19 YRS	4	3.0	5	<1	<1	2	5	5	5	5
20-34	11	5.5	12	2	2	4	7	11	13	13
35-49	16	6.4	5	2	3	6	8	9	10	10
50-64	20	6.3	6	3	3	6	8	10	11	11
65+	16	6.9	5	3	4	7	8	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.4	3	1	1	2	3	5	5	5
20-34	60	3.1	4	<1	1	3	4	5	8	10
35-49	180	3.3	4	1	1	3	4	6	6	12
50-64	354	3.7	6	1	1	3	5	7	8	12
65+	715	4.8	14	1	2	4	6	9	11	19
B. Operated										
0-19 YRS	15	8.5	21	2	5	8	10	17	18	19
20-34	56	7.8	29	2	3	7	9	13	23	27
35-49	149	7.9	38	2	3	7	9	12	21	38
50-64	267	7.7	17	2	3	7	9	12	15	23
65+	297	9.2	43	2	3	8	12	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	2.9	4	<1	1	2	4	5	6	13
B. Operated	67	6.1	7	2	3	6	8	10	11	13
2. MULTIPLE DX										
A. Not Operated	1314	4.2	10	1	1	3	5	8	10	17
B. Operated	784	8.3	32	2	3	7	10	14	18	33
1. SINGLE DX	169	4.2	8	1	1	3	6	8	10	13
2. MULTIPLE DX	2098	5.7	23	1	2	4	7	11	14	26
A. NOT OPERATED	1416	4.1	10	1	1	3	5	7	9	17
B. OPERATED	851	8.2	31	2	3	7	10	14	18	31
TOTAL 0-19 YRS	25	6.2	22	<1	1	6	8	12	17	19
20-34	129	5.3	21	1	1	4	7	9	13	26
35-49	371	5.2	23	1	1	4	7	9	11	27
50-64	681	5.3	14	1	2	4	7	10	12	18
65+	1061	6.0	26	1	2	5	8	12	15	28
GRAND TOTAL	**2267**	**5.6**	**22**	**1**	**2**	**4**	**7**	**10**	**13**	**26**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	10	2.1	3	<1	<1	1	2	5	6	6
20-34	59	3.1	6	1	1	3	4	5	6	17
35-49	63	2.8	2	1	1	3	4	4	5	6
50-64	70	3.1	3	1	1	3	4	5	7	10
65+	79	3.6	4	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	5	3.8	27	<1	<1	1	5	13	13	13
50-64	6	3.7	5	1	1	3	6	7	7	7
65+	13	3.9	9	<1	<1	4	6	8	8	8
B. *Operated*										
0-19 YRS	4	3.0	6	1	1	3	5	6	6	6
20-34	28	3.9	8	1	1	3	5	7	10	14
35-49	42	4.0	9	1	2	3	5	7	11	16
50-64	57	4.0	8	1	2	3	5	7	9	15
65+	104	6.0	17	2	3	5	8	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.3	2	1	1	2	4	4	4	4
B. *Operated*	281	3.1	4	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	29	3.4	10	<1	1	2	5	8	9	13
B. *Operated*	235	4.9	13	1	2	4	6	9	13	19
1. SINGLE DX	287	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX	264	4.7	13	1	1	4	6	9	12	19
A. NOT OPERATED	35	3.2	8	<1	1	2	5	8	8	13
B. OPERATED	516	3.9	9	1	1	3	4	7	9	16
TOTAL 0-19 YRS	15	2.3	3	<1	<1	1	3	6	6	6
20-34	93	3.2	6	1	1	3	4	5	7	16
35-49	112	3.3	6	1	1	3	4	5	7	14
50-64	134	3.5	5	1	1	3	4	6	8	15
65+	197	4.9	12	1	2	4	6	9	11	21
GRAND TOTAL	**551**	**3.9**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	9	3.7	9	<1	<1	3	5	8	10	10
B. *Operated*										
0-19 YRS	36	2.2	3	<1	<1	2	3	4	6	9
20-34	83	2.8	5	1	1	2	3	4	7	15
35-49	131	3.2	4	1	1	3	4	6	7	10
50-64	170	4.0	8	1	1	3	5	8	10	15
65+	189	5.2	11	1	2	4	6	9	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	4.0	5	<1	<1	4	5	6	6	6
50-64	14	3.9	13	1	1	3	5	7	13	15
65+	50	5.2	30	1	1	4	6	9	16	35
B. *Operated*										
0-19 YRS	19	4.2	16	<1	1	2	7	11	13	14
20-34	42	5.8	19	1	1	4	7	13	14	19
35-49	145	6.5	34	2	2	5	8	12	17	32
50-64	225	7.1	30	2	2	6	9	13	18	32
65+	460	10.2	78	2	3	8	12	20	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.9	5	<1	1	2	3	6	9	10
B. *Operated*	609	3.9	8	1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	69	4.8	25	1	1	4	6	8	15	32
B. *Operated*	891	8.5	58	2	2	7	10	17	22	39
1. SINGLE DX	626	3.9	8	1	1	3	5	7	9	16
2. MULTIPLE DX	960	8.2	56	2	2	6	10	16	22	39
A. NOT OPERATED	86	4.4	22	1	1	3	5	8	11	29
B. OPERATED	1500	6.7	43	1	2	5	8	13	18	35
TOTAL 0-19 YRS	55	2.9	8	<1	<1	2	3	7	10	14
20-34	127	3.8	12	1	1	3	4	8	12	18
35-49	283	4.9	22	1	1	4	6	9	12	24
50-64	413	5.7	22	1	2	4	8	11	15	28
65+	708	8.5	62	2	2	6	10	17	22	39
GRAND TOTAL	**1586**	**6.5**	**42**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	2.4	3	1	1	2	3	5	6	8
20-34	149	3.2	4	1	1	3	4	6	7	11
35-49	286	3.6	6	1	1	3	5	7	9	14
50-64	328	3.7	5	1	1	3	5	6	7	10
65+	408	4.2	8	1	1	4	5	7	8	17
B. *Operated*										
0-19 YRS	115	6.0	7	2	3	6	8	9	11	14
20-34	132	7.4	10	3	4	7	9	11	14	18
35-49	185	8.7	18	3	4	8	10	13	17	24
50-64	191	9.2	23	3	5	8	11	15	18	27
65+	182	10.0	17	4	6	9	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	3.6	14	1	1	2	4	6	9	24
20-34	217	4.4	14	1	1	3	5	8	10	21
35-49	344	4.8	12	1	2	4	6	9	11	18
50-64	725	5.3	19	1	2	4	7	10	13	21
65+	1683	6.3	31	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	142	8.5	71	3	4	6	9	14	18	59
20-34	214	11.2	100	3	4	8	12	21	31	58
35-49	318	12.0	75	4	5	10	14	21	26	70
50-64	549	14.5	121	5	6	11	17	26	38	57
65+	1274	15.7	101	5	7	13	19	28	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1292	3.7	6	1	1	3	5	7	8	13
B. *Operated*	805	8.5	18	3	4	8	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	3056	5.7	25	1	2	4	7	11	14	25
B. *Operated*	2497	14.2	104	4	6	11	17	26	36	62
1. SINGLE DX	2097	5.5	16	1	1	5	7	11	13	19
2. MULTIPLE DX	5553	9.5	78	2	2	7	12	19	26	48
A. NOT OPERATED	4348	5.1	20	1	2	4	6	9	12	23
B. OPERATED	3302	12.8	89	4	5	10	15	24	32	56
TOTAL 0-19 YRS	465	5.4	33	1	1	4	7	9	13	28
20-34	712	6.8	47	1	2	5	8	12	18	39
35-49	1133	7.2	41	1	2	6	9	14	18	32
50-64	1793	8.3	67	1	2	6	10	16	23	43
65+	3547	9.6	75	2	2	7	12	20	27	46
GRAND TOTAL	**7650**	**8.4**	**64**	**1**	**2**	**6**	**10**	**17**	**24**	**44**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1920	2.3	3	1	1	2	3	4	5	8
20-34	1099	2.2	3	1	1	2	3	4	5	8
35-49	516	2.5	2	<1	1	2	3	4	5	8
50-64	349	2.7	3	1	1	2	3	5	6	9
65+	375	3.2	5	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	109	3.5	18	<1	1	3	4	5	7	29
20-34	142	3.5	4	1	1	3	5	6	8	10
35-49	67	3.9	6	1	1	3	5	7	9	11
50-64	41	4.2	9	<1	1	3	6	8	10	14
65+	49	3.9	10	1	1	3	5	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3717	3.0	6	1	1	2	4	5	6	11
20-34	1473	2.9	10	1	1	2	4	5	7	13
35-49	1005	3.6	9	1	1	3	4	7	9	15
50-64	1308	4.1	11	1	1	3	5	8	10	17
65+	3016	5.2	22	1	2	4	6	10	13	24
B. *Operated*										
0-19 YRS	160	5.9	86	1	2	3	5	11	24	43
20-34	207	5.2	40	1	1	4	6	9	12	31
35-49	130	6.7	30	<1	1	6	9	13	16	25
50-64	228	7.9	87	1	2	5	9	15	20	54
65+	469	9.5	80	2	2	7	12	19	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4259	2.4	3	1	1	2	3	4	5	9
B. *Operated*	408	3.7	9	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	10519	3.8	13	1	1	3	5	7	9	17
B. *Operated*	1194	7.7	72	1	2	5	9	15	21	43
1. SINGLE DX	4667	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	11713	4.2	20	1	1	3	5	8	11	22
A. NOT OPERATED	14778	3.4	10	1	1	3	4	6	8	16
B. OPERATED	1602	6.7	59	1	2	5	8	13	19	39
TOTAL 0-19 YRS	5906	2.8	7	1	1	2	3	5	6	11
20-34	2921	2.9	9	1	1	2	3	5	7	12
35-49	1718	3.5	10	1	1	3	4	7	9	15
50-64	1926	4.3	20	1	1	3	5	8	11	20
65+	3909	5.5	30	1	2	4	7	11	14	28
GRAND TOTAL	**16380**	**3.7**	**16**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	10	<1	<1	2	5	8	8	8
20-34	32	4.6	10	1	2	4	5	10	12	13
35-49	208	4.6	6	1	2	4	6	8	9	12
50-64	405	4.4	6	1	2	4	5	8	9	12
65+	499	4.4	8	1	1	4	6	8	10	14
B. *Operated*										
0-19 YRS	4	6.5	4	4	4	6	8	9	9	9
20-34	21	6.5	5	3	5	6	7	10	12	12
35-49	80	8.5	9	3	5	8	10	12	14	17
50-64	171	8.4	13	2	3	8	10	12	15	19
65+	126	10.2	31	2	3	9	12	18	22	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	10	2	2	4	7	9	9	9
20-34	24	4.5	9	1	2	4	6	10	11	12
35-49	183	5.0	8	2	2	4	6	8	11	15
50-64	781	4.8	9	1	2	4	6	8	10	16
65+	2547	5.9	17	2	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	34	9.8	40	4	5	8	11	16	23	36
35-49	209	11.0	62	2	4	9	13	19	24	52
50-64	555	12.1	60	3	5	10	14	20	27	46
65+	1109	13.5	97	3	4	11	16	24	32	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1148	4.4	7	1	2	4	6	8	10	13
B. *Operated*	402	8.8	18	2	4	9	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	3539	5.6	15	2	2	5	7	10	13	20
B. *Operated*	1908	12.7	82	3	5	11	15	22	30	52
1. SINGLE DX	1550	5.6	14	1	2	5	8	10	12	18
2. MULTIPLE DX	5447	8.1	50	2	2	6	10	16	20	37
A. NOT OPERATED	4687	5.3	13	1	2	4	7	10	12	19
B. OPERATED	2310	12.1	73	3	4	10	14	21	27	47
TOTAL 0-19 YRS	13	5.2	9	<1	1	6	8	9	9	9
20-34	111	6.5	23	2	2	6	8	11	13	28
35-49	680	7.1	32	2	2	6	9	13	16	26
50-64	1912	7.2	35	2	2	6	9	13	17	30
65+	4281	7.8	49	2	2	6	10	15	20	37
GRAND TOTAL	**6997**	**7.6**	**43**	**2**	**2**	**6**	**10**	**14**	**19**	**34**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	4	1	1	2	4	6	6	6
20-34	16	2.4	2	<1	<1	2	3	5	5	5
35-49	16	2.1	1	<1	<1	2	3	4	4	4
50-64	7	3.3	4	<1	<1	2	5	6	6	6
65+	9	4.3	4	1	2	5	5	7	8	8
B. *Operated*										
0-19 YRS	94	1.9	1	<1	<1	2	3	3	5	6
20-34	552	2.5	2	<1	1	2	3	4	5	7
35-49	604	2.7	3	1	1	2	3	4	5	9
50-64	365	2.8	3	1	1	3	4	5	6	9
65+	133	3.2	6	1	1	3	4	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.2	4	1	2	4	6	7	8	8
20-34	28	2.9	8	<1	<1	2	4	6	10	12
35-49	26	3.3	7	<1	<1	3	4	6	10	12
50-64	37	5.2	64	<1	1	3	6	9	13	49
65+	33	6.6	29	1	1	4	10	15	18	19
B. *Operated*										
0-19 YRS	57	3.1	5	<1	<1	3	4	6	8	11
20-34	521	3.7	11	1	1	3	4	7	9	25
35-49	610	3.7	12	1	1	3	4	6	8	17
50-64	503	4.5	22	1	2	3	5	8	12	25
65+	295	6.3	65	1	2	4	7	14	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.7	3	<1	<1	2	4	5	6	8
B. *Operated*	1748	2.7	3	1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	142	4.6	28	<1	1	3	6	10	13	22
B. *Operated*	1986	4.3	23	1	1	3	5	8	11	22
1. SINGLE DX	1803	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	2128	4.3	23	1	1	3	5	8	11	22
A. NOT OPERATED	197	4.1	22	<1	1	3	5	8	12	19
B. OPERATED	3734	3.5	14	1	1	3	4	6	8	18
TOTAL 0-19 YRS	176	2.6	3	<1	<1	2	3	5	7	8
20-34	1117	3.1	7	1	1	3	4	5	8	13
35-49	1256	3.2	8	1	1	3	4	5	7	12
50-64	912	3.9	17	1	1	3	4	7	9	21
65+	470	5.4	46	1	1	4	6	11	16	24
GRAND TOTAL	**3931**	**3.5**	**15**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	3.2	20	<1	1	2	3	6	9	20
20-34	461	4.3	14	1	1	3	5	8	11	21
35-49	321	3.7	10	1	1	3	4	7	9	16
50-64	228	3.6	9	<1	1	3	5	7	10	16
65+	333	3.6	12	<1	1	2	5	8	10	15
B. *Operated*										
0-19 YRS	160	5.0	23	<1	<1	4	7	11	14	24
20-34	374	6.4	44	<1	1	5	8	12	17	32
35-49	239	6.1	28	<1	1	5	8	12	14	29
50-64	210	6.2	30	<1	1	5	9	13	17	28
65+	213	7.0	39	1	2	5	9	14	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	3.7	13	1	1	3	4	7	10	19
20-34	718	5.1	20	1	1	4	6	10	13	25
35-49	714	4.9	23	1	1	4	6	9	12	22
50-64	974	5.0	16	1	1	4	6	10	13	19
65+	2537	5.7	30	1	1	4	7	11	15	26
B. *Operated*										
0-19 YRS	190	8.1	71	1	2	6	10	15	25	56
20-34	703	9.7	111	1	2	6	12	22	30	61
35-49	662	10.3	128	1	2	7	12	21	29	66
50-64	863	11.5	140	1	2	8	14	24	33	62
65+	1548	12.9	141	2	3	10	16	26	38	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1583	3.8	13	<1	1	3	5	8	10	18
B. *Operated*	1196	6.2	35	<1	1	5	8	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	5240	5.3	24	1	1	4	7	10	13	23
B. *Operated*	3966	11.4	132	1	2	8	14	24	34	64
1. SINGLE DX	2779	4.8	24	<1	1	3	6	10	13	23
2. MULTIPLE DX	9206	7.9	80	1	2	5	9	17	24	48
A. NOT OPERATED	6823	4.9	22	1	1	4	6	10	13	22
B. OPERATED	5162	10.2	114	1	2	7	12	21	30	60
TOTAL 0-19 YRS	887	4.7	32	<1	1	3	6	10	14	30
20-34	2256	6.6	56	1	1	5	8	13	20	40
35-49	1936	6.7	64	1	1	4	8	13	19	40
50-64	2275	7.4	74	1	1	5	9	16	22	44
65+	4631	8.0	79	1	2	5	10	17	23	48
GRAND TOTAL	**11985**	**7.2**	**69**	**1**	**1**	**5**	**9**	**15**	**21**	**44**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	5.1	14	2	2	4	6	10	14	15
35-49	28	6.0	41	1	1	4	7	16	22	28
50-64	46	6.0	14	1	2	5	8	10	14	19
65+	13	6.1	8	2	3	6	8	11	11	11
B. *Operated*										
0-19 YRS										
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	13	2.1	6	<1	<1	1	2	7	9	9
50-64	15	3.3	9	1	1	2	6	8	9	9
65+	10	5.9	28	1	1	3	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	25.9	52	11	15	28	30	33	34	34
20-34	165	12.4	117	2	2	6	26	28	31	34
35-49	362	11.3	102	2	2	8	16	28	30	41
50-64	564	10.8	84	2	3	7	14	25	29	39
65+	302	9.4	60	2	3	7	12	19	27	37
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	33	11.7	146	2	3	9	14	23	27	67
35-49	109	11.5	139	1	2	8	14	27	33	59
50-64	208	12.3	143	1	2	9	15	25	33	87
65+	99	13.2	115	1	3	10	17	28	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	5.9	21	1	2	5	8	11	15	25
B. *Operated*	41	3.6	14	<1	1	1	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	1402	10.9	89	2	3	7	15	28	29	38
B. *Operated*	450	12.3	135	1	2	9	15	26	33	67
1. SINGLE DX	140	5.2	20	1	1	4	7	10	14	22
2. MULTIPLE DX	1852	11.3	101	2	3	8	15	27	30	42
A. NOT OPERATED	1501	10.6	86	2	2	7	14	27	29	37
B. OPERATED	491	11.6	131	1	1	9	15	25	33	65
TOTAL 0-19 YRS	10	25.6	47	11	15	28	30	33	34	34
20-34	213	11.7	117	2	2	7	20	28	29	35
35-49	512	10.8	108	1	2	7	14	28	30	41
50-64	833	10.8	96	2	2	8	14	24	29	43
65+	424	10.1	74	2	3	7	14	21	28	44
GRAND TOTAL	**1992**	**10.8**	**97**	**2**	**2**	**7**	**14**	**27**	**29**	**42**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	17	3.8	8	1	1	3	4	7	11	12
35-49	9	6.8	24	2	2	5	11	14	15	15
50-64	29	4.7	12	1	1	3	6	9	10	15
65+	18	5.2	13	1	1	5	7	9	12	14
B. *Operated*										
0-19 YRS	14	2.9	13	<1	<1	1	2	9	12	13
20-34	71	1.6	1	<1	<1	1	2	2	4	6
35-49	71	1.5	2	<1	<1	1	2	3	3	11
50-64	67	2.2	11	<1	<1	1	2	5	6	23
65+	56	3.0	21	<1	1	2	2	7	10	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	9	1	1	5	7	9	10	10
20-34	38	4.9	12	1	1	4	7	9	12	16
35-49	87	8.9	73	1	2	7	10	16	21	50
50-64	197	7.7	37	2	2	6	10	17	21	29
65+	257	9.3	59	2	3	7	11	19	23	41
B. *Operated*										
0-19 YRS	15	4.7	37	1	1	2	6	10	20	24
20-34	69	4.7	57	<1	<1	2	6	11	17	48
35-49	128	5.2	63	<1	1	2	6	13	18	51
50-64	228	8.2	117	1	1	5	10	21	31	49
65+	192	8.4	68	1	1	5	12	20	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.8	13	1	1	4	7	9	13	15
B. *Operated*	279	2.1	9	<1	<1	1	2	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	586	8.4	51	1	2	6	10	17	21	39
B. *Operated*	632	7.2	85	1	1	3	9	18	24	42
1. SINGLE DX	353	2.6	11	<1	<1	1	3	6	9	15
2. MULTIPLE DX	1218	7.8	69	1	1	5	10	17	23	40
A. NOT OPERATED	660	8.0	48	1	2	6	10	16	21	39
B. OPERATED	911	5.6	67	<1	1	2	7	14	22	37
TOTAL 0-19 YRS	37	4.0	22	<1	1	2	5	10	12	24
20-34	195	3.5	25	<1	1	2	4	8	11	21
35-49	295	5.5	57	<1	1	3	7	13	17	46
50-64	521	7.0	71	1	1	5	9	17	22	36
65+	523	8.2	60	1	1	6	11	18	24	38
GRAND TOTAL	**1571**	**6.6**	**60**	**1**	**1**	**4**	**9**	**15**	**21**	**38**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.6	3	1	2	3	5	6	7	7
20-34	81	4.8	9	1	1	5	6	10	11	13
35-49	31	4.2	8	2	2	3	6	7	8	16
50-64	34	4.8	17	1	1	4	6	10	16	18
65+	37	7.2	50	1	1	5	10	16	22	35
B. *Operated*										
0-19 YRS	4	6.0	9	2	2	6	8	9	9	9
20-34	21	4.3	17	1	1	4	5	9	14	18
35-49	34	5.8	99	1	1	2	5	11	20	56
50-64	34	3.3	18	<1	1	2	3	9	13	20
65+	21	4.1	19	1	1	2	5	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.9	12	1	1	4	6	8	11	19
20-34	109	5.0	20	1	2	4	6	10	12	25
35-49	128	6.4	20	1	2	5	9	12	15	23
50-64	301	7.5	41	2	2	6	9	14	19	39
65+	347	9.3	61	2	3	7	11	19	26	41
B. *Operated*										
0-19 YRS	19	10.8	151	1	1	5	16	31	39	44
20-34	46	7.7	68	<1	1	5	10	18	25	39
35-49	66	10.2	92	<1	1	7	14	24	30	43
50-64	144	11.5	103	1	2	9	16	25	32	46
65+	144	13.7	143	1	2	11	18	30	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	5.0	18	1	2	4	6	11	12	21
B. *Operated*	114	4.5	42	1	1	2	5	10	14	34
2. MULTIPLE DX										
A. *Not Operated*	921	7.6	44	2	2	6	9	15	21	36
B. *Operated*	419	11.6	116	1	1	9	16	26	33	48
1. SINGLE DX	320	4.8	26	1	1	4	6	10	13	21
2. MULTIPLE DX	1340	8.9	70	1	2	6	11	19	26	42
A. NOT OPERATED	1127	7.2	40	1	2	5	9	14	19	35
B. OPERATED	533	10.1	108	1	1	7	14	23	32	47
TOTAL 0-19 YRS	82	6.0	47	1	2	4	6	10	20	41
20-34	257	5.4	26	1	1	4	6	11	14	26
35-49	259	7.0	51	1	1	5	9	14	20	41
50-64	513	8.2	61	1	2	6	10	19	23	40
65+	549	10.1	86	1	2	7	13	22	29	45
GRAND TOTAL	**1660**	**8.1**	**64**	**1**	**2**	**6**	**10**	**17**	**24**	**41**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	3	<1	<1	2	4	5	6	6
20-34	182	2.3	2	<1	1	2	3	4	5	8
35-49	170	2.4	3	<1	1	2	3	5	6	8
50-64	182	2.4	3	<1	1	2	3	5	6	7
65+	160	3.7	8	1	1	3	5	7	10	14
B. *Operated*										
0-19 YRS	174	5.3	3	3	4	5	6	7	8	11
20-34	2036	5.7	5	3	4	5	6	8	9	12
35-49	1792	5.9	4	4	4	6	7	8	9	13
50-64	1596	6.3	5	4	4	6	7	9	10	14
65+	977	7.5	10	4	5	7	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	8	<1	1	2	4	6	7	14
20-34	174	3.1	5	<1	1	3	4	6	8	11
35-49	199	3.2	8	1	1	3	4	6	8	15
50-64	403	3.6	7	1	1	3	5	7	8	13
65+	887	5.4	18	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	121	7.2	10	4	4	6	9	12	14	17
20-34	1640	6.7	10	4	4	6	8	10	12	18
35-49	2028	7.3	16	4	4	6	6	11	13	21
50-64	2899	8.3	25	4	5	7	9	12	16	29
65+	3561	11.1	58	5	6	9	13	18	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	2.7	4	<1	1	2	3	5	6	10
B. *Operated*	6575	6.1	6	4	4	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	1692	4.5	14	1	1	4	6	9	11	18
B. *Operated*	10249	8.8	35	4	5	7	10	14	18	32
1. SINGLE DX	7289	5.8	7	2	3	6	7	8	10	14
2. MULTIPLE DX	11941	8.2	34	3	4	7	9	14	17	31
A. NOT OPERATED	2406	3.9	11	1	1	3	5	8	10	17
B. OPERATED	16824	7.8	25	4	4	6	9	12	15	27
TOTAL 0-19 YRS	344	5.6	8	1	3	5	7	9	11	16
20-34	4032	5.8	8	2	3	5	7	9	10	15
35-49	4189	6.3	11	2	4	6	7	9	11	17
50-64	5080	7.1	19	2	4	6	8	11	13	22
65+	5585	9.4	47	3	4	8	11	16	21	36
GRAND TOTAL	**19230**	**7.3**	**25**	**2**	**4**	**6**	**8**	**12**	**15**	**26**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.3	1	1	1	2	3	4	5	5
20-34	109	2.8	4	1	1	2	3	5	7	10
35-49	94	3.1	3	1	1	3	4	6	6	7
50-64	101	2.9	5	<1	1	3	4	6	7	11
65+	57	3.7	4	1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS	24	6.5	5	4	4	6	8	10	11	13
20-34	198	5.8	5	3	3	5	7	9	10	13
35-49	194	6.2	5	4	4	6	7	9	11	14
50-64	130	6.6	6	3	4	6	7	10	12	14
65+	92	8.3	13	4	5	7	9	14	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.1	18	1	2	3	4	8	15	18
20-34	91	3.5	13	1	1	3	4	6	8	24
35-49	92	3.6	5	1	1	3	4	7	9	11
50-64	160	5.2	26	1	1	4	6	9	12	15
65+	319	6.1	23	1	2	5	8	12	14	25
B. *Operated*										
0-19 YRS	12	8.3	26	4	4	7	9	16	21	22
20-34	261	7.1	13	3	4	6	8	11	14	19
35-49	330	7.9	15	4	5	7	9	13	15	23
50-64	360	9.4	47	4	5	8	11	15	19	37
65+	437	12.3	48	5	6	10	15	21	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	3.0	4	1	1	3	4	6	7	9
B. *Operated*	638	6.5	7	3	4	6	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	677	5.1	21	1	1	4	7	10	13	23
B. *Operated*	1400	9.5	37	4	5	8	11	16	20	33
1. SINGLE DX	1018	5.2	9	1	1	5	7	9	10	15
2. MULTIPLE DX	2077	8.1	36	2	3	7	10	14	19	32
A. NOT OPERATED	1057	4.4	16	1	1	3	5	8	11	18
B. OPERATED	2038	8.6	30	4	4	7	10	14	18	30
TOTAL 0-19 YRS	70	5.2	15	1	2	4	6	9	13	21
20-34	659	5.5	12	1	2	5	7	9	11	16
35-49	710	6.2	13	1	2	6	7	11	13	18
50-64	751	7.2	36	1	2	6	9	13	15	29
65+	905	9.2	43	2	3	8	11	17	22	34
GRAND TOTAL	**3095**	**7.1**	**29**	**1**	**2**	**6**	**9**	**13**	**16**	**29**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	19	2.7	5	<1	1	2	3	7	8	3
35-49	18	3.4	15	<1	<1	2	4	6	13	18
50-64	19	2.6	2	<1	1	2	4	5	5	5
65+	28	4.1	16	1	1	3	5	7	9	22
B. *Operated*										
0-19 YRS	8	5.6	7	3	3	5	8	10	10	10
20-34	95	6.9	8	3	4	6	9	10	12	15
35-49	62	6.2	11	1	2	6	8	10	12	18
50-64	100	7.0	18	1	2	6	9	11	15	25
65+	116	9.0	24	1	3	9	12	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	3.9	9	1	1	3	5	9	10	10
35-49	23	3.5	4	<1	1	4	5	6	7	7
50-64	33	4.8	8	1	2	4	7	9	10	12
65+	125	5.4	16	1	1	5	7	11	12	18
B. *Operated*										
0-19 YRS	9	8.4	11	6	6	8	9	14	16	16
20-34	93	9.3	23	4	5	8	12	17	19	23
35-49	104	8.6	23	3	4	8	10	14	19	26
50-64	203	10.5	41	4	5	9	13	17	20	46
65+	485	14.1	94	3	5	12	17	24	29	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.3	10	<1	1	3	4	6	7	21
B. *Operated*	381	7.4	17	1	3	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	203	4.9	13	1	1	4	7	10	11	15
B. *Operated*	894	12.1	70	3	5	10	15	21	26	44
1. SINGLE DX	466	6.7	18	1	2	6	9	12	14	22
2. MULTIPLE DX	1097	10.8	67	2	3	9	14	20	25	42
A. NOT OPERATED	288	4.4	13	1	1	4	6	9	11	17
B. OPERATED	1275	10.7	59	2	4	9	13	19	24	40
TOTAL 0-19 YRS	19	6.5	13	1	2	6	8	11	14	16
20-34	228	7.3	18	1	2	7	9	13	16	21
35-49	207	6.9	21	1	2	6	9	12	15	25
50-64	355	8.6	35	1	3	8	11	16	18	32
65+	754	11.5	81	1	3	10	15	21	26	44
GRAND TOTAL	**1563**	**9.6**	**56**	**1**	**2**	**8**	**12**	**18**	**22**	**39**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	11	<1	<1	1	5	8	8	8
20-34	12	3.2	5	1	1	2	4	7	8	8
35-49	22	3.3	5	1	1	3	5	6	7	8
50-64	22	3.6	9	1	1	3	4	8	11	12
65+	37	6.3	21	2	2	5	9	14	16	16
B. *Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	22	7.2	48	1	1	6	9	12	21	34
35-49	15	5.9	25	<1	<1	5	9	12	16	18
50-64	32	10.5	69	1	1	10	13	22	29	37
65+	17	6.6	55	1	1	3	8	16	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	7.9	19	3	4	6	10	14	19	19
20-34	25	4.6	9	1	2	3	6	10	11	11
35-49	46	4.8	21	1	2	3	6	8	11	29
50-64	61	6.6	27	1	2	5	8	15	17	24
65+	179	7.0	35	1	2	5	9	13	21	30
B. *Operated*										
0-19 YRS	13	19.2	220	1	3	21	29	39	47	49
20-34	28	11.5	154	1	1	7	17	27	38	54
35-49	63	11.7	122	1	2	9	16	25	34	95
50-64	105	12.7	124	1	1	10	19	27	30	55
65+	213	14.1	92	2	4	12	18	27	35	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.5	14	1	1	3	6	11	13	16
B. *Operated*	88	8.1	54	1	1	7	10	16	24	36
2. MULTIPLE DX										
A. *Not Operated*	339	6.5	29	1	2	5	8	12	17	29
B. *Operated*	422	13.4	113	1	2	11	18	27	35	52
1. SINGLE DX	185	6.2	36	1	1	4	8	13	16	33
2. MULTIPLE DX	761	10.3	87	1	2	7	14	22	29	47
A. NOT OPERATED	436	6.1	26	1	2	5	8	12	15	27
B. OPERATED	510	12.5	107	1	2	10	17	26	34	50
TOTAL 0-19 YRS	47	10.6	100	1	2	7	12	23	34	49
20-34	87	7.3	74	1	1	4	9	13	25	47
35-49	146	7.7	75	1	1	5	10	20	25	68
50-64	220	9.8	88	1	1	7	13	22	27	48
65+	446	10.3	74	2	2	8	14	21	28	43
GRAND TOTAL	**946**	**9.5**	**80**	**1**	**2**	**7**	**12**	**21**	**28**	**45**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	4.7	13	1	2	4	6	9	11	21
20-34	268	4.6	12	1	1	4	6	8	11	15
35-49	297	5.0	12	1	2	4	6	9	11	17
50-64	187	5.2	11	1	2	5	7	9	11	17
65+	111	5.0	8	1	2	5	6	9	12	14
B. *Operated*										
0-19 YRS	6	7.7	30	1	1	8	12	15	15	15
20-34	43	6.4	19	1	1	6	9	13	14	20
35-49	41	8.8	84	<1	1	6	10	17	28	49
50-64	52	9.0	155	1	1	6	11	16	28	81
65+	22	8.3	110	1	1	7	9	35	64	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.7	12	1	2	5	7	10	12	17
20-34	575	6.0	27	2	2	5	7	11	14	24
35-49	784	6.4	29	2	2	5	8	12	15	26
50-64	715	6.6	23	2	2	5	8	12	15	26
65+	703	7.2	27	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	17	15.4	129	3	4	13	23	33	40	42
20-34	131	15.1	269	2	4	10	17	30	48	83
35-49	214	14.7	257	2	3	10	16	34	54	97
50-64	271	16.2	208	2	3	13	20	36	54	83
65+	265	15.2	158	3	4	12	20	28	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	910	4.9	11	1	2	4	6	9	11	16
B. *Operated*	164	8.2	90	1	1	6	10	14	27	77
2. MULTIPLE DX										
A. *Not Operated*	2835	6.5	26	2	2	5	8	12	15	26
B. *Operated*	898	15.4	212	2	4	11	19	33	49	84
1. SINGLE DX	1074	5.4	25	1	2	4	7	10	13	26
2. MULTIPLE DX	3733	8.7	85	2	2	6	10	17	24	55
A. NOT OPERATED	3745	6.2	23	2	2	5	8	11	14	24
B. OPERATED	1062	14.3	200	2	3	10	17	29	46	83
TOTAL 0-19 YRS	128	6.7	39	1	2	5	8	13	18	37
20-34	1017	6.8	64	1	2	5	8	12	17	44
35-49	1336	7.5	74	2	2	5	8	14	19	51
50-64	1225	8.6	84	2	2	6	10	17	24	55
65+	1101	8.9	71	2	3	7	11	18	24	46
GRAND TOTAL	**4807**	**7.9**	**73**	**2**	**2**	**6**	**9**	**15**	**21**	**51**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	2	<1	1	2	3	4	5	7
20-34	96	2.8	5	1	1	2	3	5	7	13
35-49	93	2.8	3	<1	1	3	4	5	6	8
50-64	147	3.9	10	1	1	3	5	6	7	22
65+	234	4.2	8	1	1	4	6	8	9	14
B. *Operated*										
0-19 YRS	7	4.0	4	1	1	4	5	7	7	7
20-34	15	4.3	5	1	2	4	5	8	9	9
35-49	16	5.6	13	1	1	5	7	10	13	15
50-64	23	4.7	10	<1	<1	4	6	10	11	12
65+	31	9.0	214	2	3	6	8	13	15	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	2.9	3	1	1	3	4	5	7	9
20-34	290	3.4	8	1	1	3	4	6	8	15
35-49	464	4.2	14	1	1	3	5	7	9	18
50-64	817	5.0	17	1	2	4	6	9	12	21
65+	2454	6.2	26	2	2	5	7	11	15	26
B. *Operated*										
0-19 YRS	18	7.9	147	1	2	4	8	11	37	55
20-34	58	5.7	20	1	2	5	8	12	16	93
35-49	102	8.3	116	1	2	6	9	14	29	63
50-64	263	9.3	102	2	3	7	11	18	26	46
65+	734	10.6	84	2	3	8	14	23	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	621	3.6	7	1	1	3	5	7	8	13
B. *Operated*	92	6.2	81	1	1	5	7	10	13	56
2. MULTIPLE DX										
A. *Not Operated*	4135	5.4	22	1	2	4	7	10	13	24
B. *Operated*	1175	9.8	90	2	3	7	12	21	27	49
1. SINGLE DX	713	3.9	17	1	1	3	5	7	9	14
2. MULTIPLE DX	5310	6.4	40	1	2	5	8	12	17	33
A. NOT OPERATED	4756	5.2	21	1	2	4	6	9	12	23
B. OPERATED	1267	9.5	90	2	3	7	11	20	27	49
TOTAL 0-19 YRS	186	3.3	18	1	1	3	4	5	7	11
20-34	459	3.6	9	1	1	3	4	7	9	17
35-49	675	4.7	30	1	1	3	5	8	10	32
50-64	1250	5.8	37	1	2	4	7	11	15	28
65+	3453	7.0	43	2	2	5	8	13	19	35
GRAND TOTAL	**6023**	**6.1**	**38**	**1**	**2**	**5**	**7**	**11**	**16**	**31**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.9	13	<1	1	3	4	9	12	15
20-34	5	5.2	12	1	1	5	8	10	10	10
35-49	7	4.1	3	2	2	4	6	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	6	9.5	27	4	4	10	13	16	16	16
B. *Operated*										
0-19 YRS	9	4.0	43	<1	<1	1	3	15	21	21
20-34	5	7.6	8	5	5	6	10	12	12	12
35-49	4	6.8	11	3	3	7	9	10	10	10
50-64	4	2.8	4	<1	<1	2	4	5	5	5
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	5.7	27	1	2	4	7	14	17	24
20-34	7	4.3	4	<1	1	5	6	7	7	7
35-49	18	6.1	14	1	2	5	7	11	14	16
50-64	41	8.0	46	1	1	5	11	17	23	30
65+	65	8.1	26	2	3	8	11	16	18	21
B. *Operated*										
0-19 YRS	10	7.0	55	1	1	6	12	55	96	99+
20-34	9	8.9	22	4	4	8	12	16	18	18
35-49	27	17.7	267	4	5	11	24	45	58	61
50-64	20	22.6	354	3	4	19	30	54	63	71
65+	25	13.8	110	2	3	13	18	23	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.9	16	<1	1	3	7	11	14	16
B. *Operated*	25	4.8	21	<1	1	4	6	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	186	7.0	30	1	2	5	9	15	18	25
B. *Operated*	91	15.6	215	2	3	11	22	32	56	88
1. SINGLE DX	65	4.8	18	<1	1	3	6	10	14	20
2. MULTIPLE DX	277	9.9	106	2	2	6	12	22	29	60
A. NOT OPERATED	226	6.7	28	1	2	5	9	14	17	24
B. OPERATED	116	13.3	192	1	2	9	18	30	51	81
TOTAL 0-19 YRS	95	5.3	28	1	1	3	6	14	20	65
20-34	26	6.7	15	1	3	6	8	12	15	18
35-49	56	11.5	168	2	3	6	12	28	44	61
50-64	66	12.0	184	1	1	7	14	29	35	69
65+	99	9.5	53	2	3	8	13	18	21	41
GRAND TOTAL	**342**	**8.9**	**93**	**1**	**2**	**6**	**11**	**19**	**26**	**58**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.4	13	1	1	4	6	7	9	25
20-34	13	3.8	2	2	2	4	4	6	7	7
35-49	3	3.0	3	1	1	4	4	4	4	4
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	4	3.0	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	50	3.6	9	1	1	3	4	8	11	15
20-34	31	1.9	2	<1	<1	2	2	3	3	9
35-49	23	3.7	24	1	1	2	4	7	16	24
50-64	13	3.1	7	1	1	2	3	7	10	11
65+	14	3.1	8	1	1	2	4	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.2	11	1	2	4	7	10	12	15
20-34	32	4.5	29	<1	1	3	5	8	11	31
35-49	34	5.1	16	<1	1	4	8	11	14	16
50-64	28	7.0	28	1	2	6	9	13	21	23
65+	65	8.5	34	1	2	8	11	16	19	31
B. *Operated*										
0-19 YRS	28	5.9	45	1	1	2	8	16	21	25
20-34	70	6.1	28	1	1	4	9	13	19	22
35-49	102	5.6	43	1	1	3	7	13	21	33
50-64	103	7.3	58	1	1	4	10	17	22	38
65+	78	10.1	121	1	2	7	15	20	29	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.1	10	1	1	4	5	7	8	21
B. *Operated*	131	3.1	10	1	1	2	3	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	228	6.2	25	1	2	5	8	12	15	25
B. *Operated*	381	7.1	62	1	1	4	10	17	21	34
1. SINGLE DX	212	3.5	10	1	1	3	4	7	9	18
2. MULTIPLE DX	609	6.8	48	1	1	4	9	15	20	33
A. NOT OPERATED	309	5.7	22	1	2	4	7	11	15	24
B. OPERATED	512	6.1	52	1	1	3	8	15	20	33
TOTAL 0-19 YRS	206	4.7	16	1	1	3	6	10	13	23
20-34	146	4.7	23	1	1	3	5	11	15	22
35-49	162	5.2	34	1	1	3	6	11	17	31
50-64	146	6.9	48	1	1	4	9	16	21	33
65+	161	8.7	77	1	2	6	12	18	21	37
GRAND TOTAL	**821**	**6.0**	**41**	**1**	**1**	**4**	**8**	**13**	**18**	**31**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	18	<1	1	3	6	9	14	19
20-34	5	2.8	2	1	1	3	4	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.7	5	1	1	3	6	7	7	7
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	12.7	374	<1	<1	2	27	35	35	35
50-64	4	1.3		1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.3	11	1	3	5	6	10	14	15
20-34	5	4.2	6	1	1	4	6	7	7	7
35-49	10	4.6	6	2	2	4	7	8	9	9
50-64	8	9.0	52	4	4	7	9	21	26	26
65+	10	13.4	10	8	8	14	16	17	17	17
B. *Operated*										
0-19 YRS	10	5.5	31	1	1	4	7	14	19	19
20-34	9	9.4	132	1	1	5	13	28	37	37
35-49	5	10.0	85	2	2	4	19	21	21	21
50-64	8	10.1	97	3	3	6	12	27	32	32
65+	20	12.7	255	1	2	9	12	24	52	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.2	14	1	1	3	5	9	11	19
B. *Operated*	17	4.2	66	<1	1	2	3	7	25	35
2. MULTIPLE DX										
A. *Not Operated*	70	6.7	23	1	2	5	8	14	16	24
B. *Operated*	52	10.1	148	1	2	6	12	20	32	74
1. SINGLE DX	44	4.2	33	<1	1	2	5	7	13	35
2. MULTIPLE DX	122	8.1	78	1	2	6	10	16	20	48
A. NOT OPERATED	97	6.0	22	1	2	5	8	14	16	23
B. OPERATED	69	8.6	133	1	1	5	10	19	32	68
TOTAL 0-19 YRS	73	5.0	15	1	1	4	6	10	14	19
20-34	22	5.7	62	1	1	3	6	14	24	37
35-49	20	7.0	72	1	2	4	7	20	28	35
50-64	20	7.9	67	1	1	6	8	21	29	32
65+	31	12.5	169	1	3	10	15	18	28	75
GRAND TOTAL	**166**	**7.1**	**69**	**1**	**1**	**5**	**8**	**15**	**19**	**37**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	2.7	8	<1	<1	1	5	6	6	6
50-64										
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	12	10.7	103	<1	1	6	16	28	29	29
20-34	36	8.1	74	<1	1	4	12	20	27	35
35-49	46	7.5	118	<1	<1	3	11	20	27	59
50-64	59	3.9	34	1	1	2	4	8	18	34
65+	44	4.4	23	1	1	3	5	7	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.3	20	2	2	8	12	14	15	15
20-34	25	3.2	10	<1	<1	2	3	6	11	15
35-49	41	6.2	163	<1	<1	3	5	11	24	76
50-64	69	5.5	35	1	1	4	7	12	22	26
65+	204	8.6	48	1	2	7	12	19	24	30
B. *Operated*										
0-19 YRS	36	11.6	144	<1	1	8	15	29	30	59
20-34	220	14.5	213	1	2	9	22	38	47	63
35-49	248	14.4	230	1	2	9	22	36	47	68
50-64	313	10.0	138	1	1	6	13	23	33	60
65+	363	12.1	141	1	2	8	16	20	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.9	7	<1	<1	3	6	8	8	8
B. *Operated*	197	6.0	66	<1	1	3	6	17	24	56
2. MULTIPLE DX										
A. *Not Operated*	349	7.3	58	1	1	5	9	18	22	31
B. *Operated*	1180	12.5	175	1	2	8	17	30	41	62
1. SINGLE DX	204	6.0	64	<1	1	3	6	16	24	35
2. MULTIPLE DX	1529	11.3	153	1	2	7	15	26	37	59
A. NOT OPERATED	356	7.3	57	1	1	5	9	17	22	31
B. OPERATED	1377	11.5	165	1	1	7	16	28	39	59
TOTAL 0-19 YRS	59	10.7	112	<1	1	8	15	28	30	56
20-34	282	12.6	190	1	1	7	18	33	44	62
35-49	338	12.4	216	<1	1	6	17	33	44	69
50-64	441	8.5	114	1	1	5	10	20	27	53
65+	613	10.3	106	1	2	7	14	23	30	52
GRAND TOTAL	**1733**	**10.7**	**145**	**1**	**1**	**6**	**14**	**26**	**36**	**58**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	5	5.8	24	1	1	4	10	12	12	12
50-64	1	7.0		7	7	7	7	7	7	7
65+	11	11.4	176	1	2	7	16	30	46	47
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	9	6.1	29	2	2	2	12	14	15	15
50-64	11	6.2	21	1	1	6	8	14	16	16
65+	5	4.6	9	1	1	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	48	<1	<1	3	10	17	18	18
20-34	26	4.9	20	<1	1	3	8	10	13	21
35-49	22	7.5	73	<1	1	6	8	16	27	40
50-64	71	7.3	33	2	2	5	10	14	16	35
65+	325	9.0	47	2	3	7	12	18	20	36
B. *Operated*										
0-19 YRS	6	15.2	136	2	2	14	19	33	35	35
20-34	24	16.9	344	1	1	14	21	36	51	87
35-49	47	13.0	153	1	2	8	18	26	46	55
50-64	115	16.0	152	2	2	12	23	33	41	71
65+	172	17.9	222	3	4	14	21	39	50	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.7	99	1	2	4	8	19	29	47
B. *Operated*	30	5.2	19	1	1	4	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	450	8.4	45	1	2	7	11	17	20	37
B. *Operated*	364	16.5	198	2	3	13	22	36	47	63
1. SINGLE DX	53	6.3	54	1	1	4	8	13	18	46
2. MULTIPLE DX	814	12.0	130	2	2	9	15	26	36	55
A. NOT OPERATED	473	8.3	48	1	2	7	11	17	20	38
B. OPERATED	394	15.7	193	2	2	12	20	35	46	62
TOTAL 0-19 YRS	15	8.9	96	<1	1	4	16	19	31	35
20-34	58	9.6	187	1	1	4	13	24	34	83
35-49	83	10.3	118	1	2	7	14	23	32	53
50-64	198	12.3	120	2	2	9	17	28	37	56
65+	513	12.0	125	2	3	9	14	24	36	53
GRAND TOTAL	**867**	**11.7**	**127**	**1**	**2**	**8**	**15**	**25**	**36**	**55**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	3.4	2	1	2	3	4	5	6	8
20-34	253	3.5	3	1	2	3	4	6	7	8
35-49	76	3.7	4	1	2	3	5	6	7	11
50-64	39	4.8	6	2	3	4	6	7	10	14
65+	44	4.5	4	1	2	5	6	7	8	10
B. *Operated*										
0-19 YRS	16	4.3	2	2	2	4	5	6	7	7
20-34	21	4.8	2	2	3	5	6	7	7	7
35-49	6	5.3	2	4	4	5	7	7	7	7
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	267	4.0	5	2	2	4	5	7	8	13
20-34	469	4.3	7	2	2	4	5	7	9	13
35-49	235	5.2	9	2	2	4	7	9	11	17
50-64	272	6.2	17	2	3	5	7	11	13	23
65+	486	7.3	26	3	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	24	5.1	7	1	2	5	7	9	10	11
20-34	62	7.9	40	2	3	7	9	12	16	42
35-49	34	10.7	158	1	3	7	10	19	49	56
50-64	43	13.1	101	4	5	10	15	27	33	56
65+	82	13.6	99	5	6	10	16	26	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	3.6	3	1	2	3	5	6	7	9
B. *Operated*	47	4.6	3	2	2	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	1729	5.5	15	2	2	5	7	10	13	20
B. *Operated*	245	10.8	91	3	4	8	12	21	28	56
1. SINGLE DX	634	3.7	3	1	2	3	5	6	7	9
2. MULTIPLE DX	1974	6.2	28	2	2	5	7	11	14	27
A. NOT OPERATED	2316	5.0	13	2	2	4	6	9	11	19
B. OPERATED	292	9.8	82	2	3	7	11	19	27	55
TOTAL 0-19 YRS	482	3.9	4	1	2	4	5	6	7	10
20-34	805	4.3	9	1	2	4	5	7	9	15
35-49	351	5.4	25	2	2	4	6	9	11	22
50-64	356	6.9	31	2	3	5	8	12	16	29
65+	614	7.9	39	2	3	6	9	14	20	32
GRAND TOTAL	**2608**	**5.6**	**23**	**2**	**2**	**4**	**7**	**10**	**13**	**24**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.6	9	1	2	3	4	6	7	14
20-34	241	3.4	4	1	2	3	4	5	6	11
35-49	70	4.1	5	1	1	4	5	7	8	10
50-64	30	4.3	5	1	2	4	5	8	9	9
65+	41	5.0	11	1	2	4	7	9	11	17
B. *Operated*										
0-19 YRS	21	3.3	4	<1	<1	4	4	6	7	8
20-34	30	4.9	13	1	2	4	5	10	14	15
35-49	13	5.9	14	2	3	6	6	9	16	17
50-64	5	8.0	13	3	3	8	9	13	13	13
65+	11	7.6	29	2	2	7	11	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	4.1	5	2	2	4	5	7	8	12
20-34	394	4.2	6	2	2	4	5	7	9	14
35-49	164	5.2	14	2	2	4	6	10	12	22
50-64	186	5.8	15	2	2	5	7	10	12	26
65+	369	7.3	23	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	60	7.4	41	<1	1	6	9	14	18	40
20-34	83	8.1	83	2	3	5	9	17	24	56
35-49	62	10.1	59	2	3	8	12	21	26	41
50-64	84	11.4	93	2	3	9	14	22	27	57
65+	111	13.7	137	3	5	10	17	23	35	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	3.7	6	1	2	3	4	6	8	12
B. *Operated*	80	5.2	14	<1	1	4	7	10	14	17
2. MULTIPLE DX										
A. *Not Operated*	1311	5.4	15	2	2	4	7	10	12	20
B. *Operated*	400	10.6	95	2	3	8	13	20	27	61
1. SINGLE DX	608	3.9	7	1	2	3	5	7	8	15
2. MULTIPLE DX	1711	6.6	38	2	2	5	8	12	17	30
A. NOT OPERATED	1839	4.9	13	2	2	4	6	9	11	18
B. OPERATED	480	9.7	85	2	2	7	11	19	24	57
TOTAL 0-19 YRS	425	4.4	13	1	2	4	5	7	10	18
20-34	748	4.4	16	1	2	3	5	8	10	17
35-49	309	6.0	25	1	2	4	7	11	17	26
50-64	305	7.2	42	2	2	6	8	13	20	31
65+	532	8.4	53	2	3	7	10	16	20	37
GRAND TOTAL	**2319**	**5.9**	**31**	**2**	**2**	**4**	**7**	**11**	**15**	**28**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.4		<1	1	1	2	3	3	3
20-34	220	1.8	2	<1	<1	1	2	3	4	8
35-49	282	1.8	2	<1	<1	1	2	3	5	7
50-64	156	1.7	1	<1	1	1	2	3	4	5
65+	89	2.0	1	<1	1	2	2	4	4	6
B. *Operated*										
0-19 YRS	13	5.8	8	2	3	5	7	10	12	12
20-34	132	5.9	15	1	1	6	8	9	11	25
35-49	192	6.6	11	1	2	7	8	10	12	18
50-64	161	7.0	14	1	2	7	9	11	13	18
65+	54	6.6	10	2	2	7	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.3	2	1	1	2	3	5	5	5
20-34	169	2.4	10	1	1	2	2	4	8	11
35-49	207	2.4	3	1	1	2	3	4	5	10
50-64	218	2.8	5	1	1	2	4	5	7	11
65+	193	3.7	11	1	1	3	4	7	10	20
B. *Operated*										
0-19 YRS	20	9.8	60	<1	2	8	13	20	27	32
20-34	140	8.1	33	1	2	7	10	14	17	27
35-49	185	8.1	26	2	2	7	10	15	18	27
50-64	257	8.4	30	2	2	8	11	14	16	28
65+	237	9.9	53	2	3	9	12	17	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	1.8	2	<1	1	1	2	3	4	7
B. *Operated*	552	6.5	13	1	2	7	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	803	2.8	7	1	1	2	4	5	7	12
B. *Operated*	839	8.7	37	2	2	8	11	15	19	31
1. SINGLE DX	1326	3.8	12	<1	1	2	6	8	10	14
2. MULTIPLE DX	1642	5.8	31	1	1	4	8	12	15	26
A. NOT OPERATED	1577	2.3	5	<1	1	2	3	4	6	11
B. OPERATED	1391	7.9	29	2	2	7	10	13	16	28
TOTAL 0-19 YRS	76	4.6	29	1	1	3	6	10	15	30
20-34	661	4.1	19	<1	1	2	6	9	12	20
35-49	866	4.3	17	1	1	3	7	9	11	19
50-64	792	5.3	22	1	1	4	8	11	13	21
65+	573	6.3	37	1	1	5	9	13	16	29
GRAND TOTAL	**2968**	**4.9**	**24**	**1**	**1**	**3**	**7**	**10**	**13**	**23**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	1.5	1	<1	1	1	2	3	3	5
20-34	975	1.6	1	<1	1	1	2	3	3	5
35-49	1167	1.7	2	<1	1	1	2	3	4	6
50-64	790	1.8	1	<1	1	1	2	3	4	5
65+	246	2.1	2	<1	1	2	3	3	5	9
B. *Operated*										
0-19 YRS	51	4.6	8	1	1	4	7	9	10	11
20-34	606	4.3	7	1	1	4	6	8	9	12
35-49	695	4.5	10	1	1	4	6	9	10	14
50-64	537	5.2	12	1	2	4	7	10	12	15
65+	240	5.3	10	1	2	5	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.8	1	<1	1	2	3	3	4	4
20-34	316	2.1	2	<1	1	2	3	3	4	9
35-49	460	2.0	2	<1	1	2	3	4	5	7
50-64	481	2.3	3	1	1	2	3	4	6	9
65+	322	2.8	4	1	1	2	4	5	7	11
B. *Operated*										
0-19 YRS	19	6.0	5	2	3	6	7	9	10	11
20-34	271	6.0	16	1	2	5	8	10	12	21
35-49	430	6.5	22	1	2	6	8	12	15	24
50-64	525	7.2	29	1	2	6	9	13	18	23
65+	469	8.5	40	2	2	7	11	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3271	1.7	1	<1	1	1	2	3	4	6
B. *Operated*	2129	4.7	10	1	1	4	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	1603	2.3	3	1	1	2	3	4	5	9
B. *Operated*	1714	7.2	29	1	2	6	9	13	17	24
1. SINGLE DX	5400	2.9	7	<1	1	2	4	7	8	12
2. MULTIPLE DX	3317	4.8	22	1	1	3	7	10	13	22
A. NOT OPERATED	4874	1.9	2	<1	1	1	2	3	4	7
B. OPERATED	3843	5.8	20	1	2	5	8	11	13	22
TOTAL 0-19 YRS	187	2.9	6	1	1	2	4	7	8	11
20-34	2168	3.0	7	<1	1	2	4	7	8	12
35-49	2752	3.2	10	<1	1	2	4	7	10	15
50-64	2333	3.9	15	1	1	2	5	9	11	18
65+	1277	5.2	25	1	1	4	7	11	14	23
GRAND TOTAL	**8717**	**3.6**	**14**	**1**	**1**	**2**	**5**	**8**	**10**	**17**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.7	3	<1	<1	2	4	6	6	7
20-34	25	2.3	3	<1	<1	2	3	4	6	7
35-49	33	2.2	3	<1	<1	2	3	4	7	8
50-64	17	2.9	5	1	1	2	4	5	8	10
65+	15	2.5	3	1	1	2	3	6	7	7
B. *Operated*										
0-19 YRS	269	5.4	10	<1	1	5	7	9	10	13
20-34	108	5.8	9	1	1	6	8	9	11	13
35-49	79	5.2	16	<1	1	4	8	10	11	20
50-64	91	5.0	20	<1	1	4	7	11	13	22
65+	70	4.5	18	<1	1	3	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.5	13	<1	<1	2	4	6	11	20
20-34	79	2.7	4	<1	1	2	3	6	7	11
35-49	59	4.4	16	<1	1	3	5	9	13	21
50-64	82	5.0	13	1	1	4	8	10	12	15
65+	234	7.2	41	1	2	5	9	14	22	31
B. *Operated*										
0-19 YRS	334	6.1	25	<1	<1	6	8	12	14	21
20-34	173	7.4	27	1	2	7	10	13	15	26
35-49	201	8.4	44	1	2	7	12	17	21	32
50-64	332	8.0	54	1	2	7	10	16	21	36
65+	429	9.8	99	1	2	8	13	20	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	2.5	3	<1	<1	2	3	5	7	9
B. *Operated*	617	5.3	13	<1	1	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	514	5.4	28	1	1	4	7	11	15	28
B. *Operated*	1469	8.1	57	1	1	7	10	16	21	38
1. SINGLE DX	727	4.8	13	<1	1	5	7	9	11	14
2. MULTIPLE DX	1983	7.4	51	1	1	6	10	15	20	34
A. NOT OPERATED	624	4.9	25	1	1	3	6	10	14	27
B. OPERATED	2086	7.3	46	<1	1	6	9	14	19	33
TOTAL 0-19 YRS	683	5.5	18	<1	<1	5	7	10	13	18
20-34	385	5.7	19	1	1	5	8	10	13	23
35-49	372	6.5	34	1	1	5	9	14	18	24
50-64	522	6.9	42	1	1	5	9	14	19	32
65+	748	8.3	75	1	1	6	11	18	24	44
GRAND TOTAL	**2710**	**6.7**	**42**	**<1**	**1**	**5**	**9**	**13**	**18**	**31**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.1	1	<1	<1	2	3	4	4	4
20-34	70	1.8	1	<1	1	1	2	3	4	6
35-49	61	1.9	2	<1	<1	1	2	3	5	8
50-64	41	1.9	2	<1	<1	1	2	4	4	7
65+	10	1.2		1	1	1	1	2	3	3
B. Operated										
0-19 YRS	5	3.0	5	1	1	3	4	6	6	6
20-34	28	4.5	8	1	1	5	7	9	10	10
35-49	35	3.3	6	<1	1	2	5	7	9	11
50-64	34	3.9	7	1	1	3	6	8	8	11
65+	36	5.0	18	1	1	3	8	12	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.3	2	3	3	4	5	7	7	7
20-34	40	2.9	4	1	1	2	4	6	8	8
35-49	45	2.8	17	1	1	2	3	3	5	29
50-64	36	2.8	3	1	1	2	4	5	7	8
65+	26	3.0	7	1	1	2	3	7	9	11
B. Operated										
0-19 YRS	9	4.2	9	1	1	4	8	8	8	8
20-34	47	5.0	15	1	1	4	7	9	14	17
35-49	54	5.2	18	<1	1	4	7	12	15	17
50-64	94	5.1	12	1	1	4	7	10	12	16
65+	200	6.6	38	1	2	5	9	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	194	1.8	1	<1	<1	1	2	3	4	7
B. Operated	138	4.1	10	1	1	3	6	9	11	14
2. MULTIPLE DX										
A. Not Operated	153	2.9	8	1	1	2	3	5	7	11
B. Operated	404	5.8	26	1	1	4	8	12	15	26
1. SINGLE DX	332	2.8	6	<1	1	2	3	7	8	12
2. MULTIPLE DX	557	5.0	23	1	1	4	7	10	14	24
A. NOT OPERATED	347	2.3	5	<1	1	2	3	4	6	8
B. OPERATED	542	5.4	23	1	1	4	7	11	14	22
TOTAL 0-19 YRS	32	3.3	5	1	1	3	4	7	8	8
20-34	185	3.2	8	1	1	2	5	7	8	15
35-49	195	3.3	12	<1	1	2	4	7	9	17
50-64	205	3.9	9	<1	1	3	6	8	10	13
65+	272	5.8	33	1	1	4	8	12	15	29
GRAND TOTAL	**889**	**4.2**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.0	1	<1	1	2	3	4	4	6
20-34	28	2.3	1	1	1	2	3	4	5	5
35-49	17	2.4	2	<1	<1	2	3	4	6	7
50-64	12	3.7	6	1	1	3	5	7	9	9
65+	22	4.0	8	<1	1	3	6	8	11	11
B. Operated										
0-19 YRS	31	2.0	3	<1	<1	1	2	5	7	8
20-34	49	2.3	5	<1	<1	1	3	5	6	14
35-49	64	2.0	3	<1	<1	1	2	4	5	10
50-64	94	2.5	8	<1	<1	2	3	4	7	19
65+	112	2.6	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	3.1	4	1	1	3	4	6	7	8
20-34	59	3.0	3	<1	1	3	4	6	7	8
35-49	46	4.6	38	1	2	3	5	8	9	42
50-64	60	4.6	10	1	2	4	5	8	10	18
65+	289	6.6	31	2	2	5	8	13	17	30
B. Operated										
0-19 YRS	58	2.7	6	<1	<1	2	3	7	9	12
20-34	115	4.2	22	<1	1	3	5	9	12	27
35-49	148	4.1	21	<1	1	3	5	9	12	19
50-64	218	4.7	36	<1	1	3	5	11	15	33
65+	493	5.5	33	1	1	4	7	12	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	2.7	4	1	1	2	3	6	6	11
B. Operated	350	2.4	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	506	5.4	25	1	2	4	6	9	14	25
B. Operated	1032	4.9	30	<1	1	3	6	11	15	28
1. SINGLE DX	457	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	1538	5.0	28	1	1	4	6	10	15	27
A. NOT OPERATED	613	4.9	22	1	1	4	6	8	13	24
B. OPERATED	1382	4.2	25	<1	1	3	5	9	13	27
TOTAL 0-19 YRS	169	2.6	4	<1	<1	2	3	6	8	9
20-34	251	3.3	13	<1	<1	2	4	6	9	22
35-49	275	3.6	19	<1	1	2	4	7	10	19
50-64	384	4.1	25	<1	1	3	5	8	13	27
65+	916	5.5	30	1	1	4	7	11	16	27
GRAND TOTAL	**1995**	**4.4**	**24**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	<1	<1	3	4	5	5	5
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	6	5.5	11	2	2	5	7	11	11	11
B. *Operated*										
0-19 YRS	212	1.4	1	<1	<1	<1	1	2	3	7
20-34	154	1.9	3	<1	<1	1	2	4	5	8
35-49	116	2.0	2	<1	<1	1	2	4	5	9
50-64	129	2.4	5	<1	<1	2	3	5	5	13
65+	150	2.8	9	<1	1	2	3	5	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	<1	<1	1	3	3	3	3
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	5	2.4	2	<1	<1	2	3	5	5	5
50-64	5	4.0	12	1	1	3	5	10	10	10
65+	34	6.4	31	<1	1	5	9	15	20	21
B. *Operated*										
0-19 YRS	221	1.7	4	<1	<1	1	2	3	5	9
20-34	154	2.7	6	<1	1	2	3	6	8	11
35-49	164	3.0	15	<1	<1	2	3	6	7	19
50-64	257	3.9	26	1	1	2	4	7	11	30
65+	496	4.7	27	1	1	3	5	9	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.3	8	<1	<1	3	4	7	10	11
B. *Operated*	761	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	50	5.2	26	<1	<1	3	7	12	18	21
B. *Operated*	1292	3.6	20	<1	<1	2	4	7	10	20
1. SINGLE DX	778	2.1	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	1342	3.6	20	<1	<1	2	4	7	11	20
A. NOT OPERATED	67	4.7	22	<1	<1	3	7	11	15	21
B. OPERATED	2053	3.0	15	<1	<1	2	3	6	8	17
TOTAL 0-19 YRS	442	1.5	2	<1	<1	<1	1	3	4	7
20-34	313	2.3	4	<1	<1	2	3	4	6	11
35-49	286	2.6	10	<1	<1	2	3	5	6	11
50-64	393	3.4	19	<1	<1	2	4	6	10	19
65+	686	4.4	24	1	1	3	5	9	12	26
GRAND TOTAL	**2120**	**3.1**	**15**	**<1**	**<1**	**2**	**3**	**6**	**9**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	2.6	3	1	1	2	3	4	5	7
20-34	116	2.4	4	1	1	2	3	5	6	12
35-49	48	3.0	4	1	1	3	4	6	7	10
50-64	76	3.0	5	1	1	3	4	5	7	14
65+	140	4.0	12	1	1	3	5	7	11	19
B. *Operated*										
0-19 YRS	205	1.7	2	<1	<1	1	2	4	5	9
20-34	166	2.4	5	<1	<1	2	3	4	7	14
35-49	171	3.0	11	<1	<1	2	4	6	10	18
50-64	205	2.7	6	<1	<1	2	3	5	8	13
65+	282	3.6	10	<1	1	3	4	6	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	536	3.4	6	1	1	3	4	6	7	12
20-34	526	4.0	9	1	1	3	5	7	9	16
35-49	368	5.0	18	1	2	4	6	10	13	27
50-64	656	5.7	21	1	2	4	7	10	15	23
65+	3087	7.2	36	2	2	6	9	13	18	29
B. *Operated*										
0-19 YRS	342	3.5	29	<1	<1	2	4	8	10	18
20-34	309	4.9	53	<1	1	3	6	10	12	60
35-49	380	5.1	35	<1	1	3	6	11	16	34
50-64	691	6.1	49	1	1	4	7	12	16	36
65+	1774	7.6	60	1	2	5	9	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	545	3.0	6	1	1	2	4	5	7	14
B. *Operated*	1029	2.7	7	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	5173	6.1	29	1	2	5	8	12	16	27
B. *Operated*	3496	6.4	53	<1	1	4	8	14	19	36
1. SINGLE DX	1574	2.8	7	<1	<1	2	3	5	8	14
2. MULTIPLE DX	8669	6.2	39	1	2	5	8	12	17	30
A. NOT OPERATED	5718	5.8	28	1	2	4	7	11	15	27
B. OPERATED	4525	5.5	45	<1	1	4	7	12	17	33
TOTAL 0-19 YRS	1248	3.0	12	<1	<1	2	4	6	8	14
20-34	1117	3.8	21	<1	1	3	5	8	10	18
35-49	967	4.6	24	<1	1	3	6	10	14	27
50-64	1628	5.3	32	1	1	4	6	11	14	27
65+	5283	7.1	43	1	2	5	9	14	19	31
GRAND TOTAL	**10243**	**5.7**	**35**	**1**	**1**	**4**	**7**	**12**	**16**	**28**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	10	2.3	5	<1	<1	1	4	6	7	7
65+	7	4.9	6	2	2	4	6	9	9	9
B. *Operated*										
0-19 YRS	5	3.4	14	<1	<1	2	5	10	10	10
20-34	8	3.1	4	1	1	3	5	6	6	6
35-49	65	2.6	5	<1	<1	2	4	6	7	11
50-64	1279	4.3	4	1	1	4	5	7	8	10
65+	2285	4.9	6	1	2	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.7	14	2	2	3	7	9	9	9
50-64	67	3.3	7	1	1	2	5	6	9	13
65+	265	4.3	15	<1	1	3	6	9	11	20
B. *Operated*										
0-19 YRS	8	6.9	47	2	2	4	7	19	23	23
20-34	9	2.4	4	<1	<1	2	3	6	7	7
35-49	111	4.8	15	<1	1	4	6	8	12	22
50-64	2189	5.6	14	2	3	5	6	9	12	20
65+	6490	6.8	25	2	3	5	8	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.3	6	<1	<1	3	5	7	8	9
B. *Operated*	3642	4.6	5	1	2	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	335	4.1	13	<1	1	3	5	9	11	18
B. *Operated*	8807	6.5	22	2	3	5	7	11	14	25
1. SINGLE DX	3660	4.6	5	1	2	5	6	7	8	12
2. MULTIPLE DX	9142	6.4	22	2	3	5	7	11	14	25
A. NOT OPERATED	353	4.1	13	<1	1	3	5	9	11	18
B. OPERATED	12449	5.9	18	2	3	5	7	10	13	22
TOTAL 0-19 YRS	13	5.5	35	<1	<1	3	7	13	21	23
20-34	17	2.8	4	<1	<1	2	4	6	7	7
35-49	180	4.0	12	<1	1	3	5	7	9	19
50-64	3545	5.1	11	1	2	5	6	8	10	17
65+	9047	6.2	20	2	3	5	7	10	14	23
GRAND TOTAL	**12802**	**5.9**	**18**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	20	3.6	2	1	2	3	5	6	6	7
35-49	22	4.5	3	2	2	4	5	7	8	8
50-64	32	4.3	5	1	2	4	6	7	8	11
65+	28	3.9	6	1	1	3	5	6	9	10
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	14	1.2		<1	<1	1	1	2	2	2
35-49	20	2.4	7	<1	<1	1	3	5	9	12
50-64	29	2.3	7	<1	<1	2	3	3	5	15
65+	41	3.2	10	1	1	2	4	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	40	3.2	3	1	1	3	4	6	7	8
35-49	51	4.5	9	1	2	4	5	8	10	17
50-64	107	4.3	5	1	1	4	5	8	9	11
65+	122	4.8	9	1	2	4	6	9	12	14
B. *Operated*										
0-19 YRS	5	3.2	5	<1	<1	2	5	6	6	6
20-34	25	3.4	9	<1	<1	2	4	8	10	13
35-49	64	4.1	22	<1	<1	2	5	8	14	25
50-64	128	4.0	11	<1	1	3	5	8	11	16
65+	192	5.7	20	1	1	5	7	12	16	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	4.0	4	1	2	4	5	7	8	10
B. *Operated*	105	2.5	7	<1	<1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	322	4.4	7	1	1	4	5	8	10	14
B. *Operated*	414	4.8	18	<1	1	4	6	10	14	20
1. SINGLE DX	210	3.3	6	<1	1	3	4	6	8	13
2. MULTIPLE DX	736	4.6	13	1	1	4	6	9	12	17
A. NOT OPERATED	427	4.3	7	1	2	4	5	8	9	13
B. OPERATED	519	4.3	16	<1	1	3	6	9	13	19
TOTAL 0-19 YRS	11	2.5	3	<1	<1	2	3	5	6	6
20-34	99	3.0	5	<1	1	3	4	6	7	11
35-49	157	4.0	14	<1	1	3	5	8	10	23
50-64	296	4.0	8	<1	1	3	5	7	10	15
65+	383	5.0	15	1	1	4	7	10	14	19
GRAND TOTAL	**946**	**4.3**	**12**	**<1**	**1**	**3**	**5**	**8**	**11**	**17**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	193	1.3	1	<1	<1	1	1	2	2	4
20-34	69	1.9	1	<1	1	2	2	3	4	5
35-49	82	1.9	1	<1	1	2	2	3	4	7
50-64	138	2.0	1	<1	1	2	2	3	4	5
65+	116	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	4	5.3	3	3	3	5	6	7	7	7
B. Operated										
0-19 YRS	163	1.5	1	<1	<1	1	2	2	3	5
20-34	46	3.3	18	1	1	2	4	5	5	30
35-49	42	2.6	2	<1	1	2	3	5	5	6
50-64	111	3.1	6	1	1	3	4	5	7	14
65+	133	3.5	8	1	1	3	4	6	10	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	2	<1	<1	2	3	4	4	4
B. Operated	598	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	16	2.3	4	<1	<1	1	3	6	7	7
B. Operated	495	2.6	6	<1	<1	2	3	5	6	13
1. SINGLE DX	602	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	511	2.6	6	<1	<1	2	3	5	6	12
A. NOT OPERATED	20	2.3	3	<1	<1	1	3	5	6	7
B. OPERATED	1093	2.2	4	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	363	1.4	1	<1	<1	1	2	2	3	4
20-34	117	2.4	8	<1	1	2	3	4	5	14
35-49	127	2.1	2	<1	1	2	3	4	4	7
50-64	253	2.5	3	1	1	2	3	4	5	8
65+	253	3.1	5	1	1	3	4	5	7	13
GRAND TOTAL	**1113**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	3.6	6	1	1	4	5	6	8	12
20-34	82	3.6	4	1	1	3	5	6	7	9
35-49	46	4.0	7	1	1	4	5	7	8	15
50-64	22	4.7	4	1	2	5	6	7	8	8
65+	27	5.0	8	1	2	5	7	9	10	12
B. Operated										
0-19 YRS	25	2.2	3	<1	1	2	2	4	6	8
20-34	53	3.1	8	1	1	2	4	8	10	11
35-49	39	2.4	5	1	1	2	3	5	7	13
50-64	31	3.1	4	1	1	3	4	6	8	9
65+	20	5.2	12	2	2	4	8	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	4.4	11	<1	1	4	6	9	12	14
20-34	46	5.3	12	1	2	5	7	10	12	15
35-49	48	4.9	5	1	2	5	6	8	9	11
50-64	53	5.2	7	2	2	5	7	9	9	15
65+	106	6.6	17	2	3	6	8	12	14	24
B. Operated										
0-19 YRS	16	4.8	12	1	1	4	6	10	12	13
20-34	34	2.9	5	1	1	2	4	6	8	10
35-49	52	4.7	15	1	1	4	6	10	12	20
50-64	51	6.8	49	1	1	4	9	14	21	41
65+	90	9.3	59	2	2	7	13	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	214	4.0	5	1	1	4	5	7	8	12
B. Operated	168	3.0	7	1	1	2	4	8	9	13
2. MULTIPLE DX										
A. Not Operated	273	5.7	12	2	2	5	7	10	12	16
B. Operated	243	6.6	42	1	1	4	8	14	19	38
1. SINGLE DX	382	3.6	6	1	1	3	5	7	8	13
2. MULTIPLE DX	516	6.1	26	1	2	5	7	12	15	28
A. NOT OPERATED	487	4.9	10	1	2	4	6	9	10	15
B. OPERATED	411	5.1	31	1	1	3	7	12	15	29
TOTAL 0-19 YRS	98	3.6	8	1	1	3	5	7	9	14
20-34	215	3.7	7	1	1	3	5	8	10	12
35-49	185	4.1	9	1	1	4	5	8	9	15
50-64	157	5.2	21	1	1	4	7	9	14	22
65+	243	7.3	34	2	2	6	9	14	18	32
GRAND TOTAL	**898**	**5.0**	**19**	**1**	**1**	**4**	**6**	**10**	**13**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	1.2		<1	<1	<1	1	2	2	3
20-34	7	1.4		<1	<1	1	2	2	2	2
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	269	1.1		<1	<1	<1	1	2	2	2
20-34	45	1.3		<1	<1	1	2	2	3	3
35-49	35	1.3		<1	<1	1	1	2	2	3
50-64	28	1.3		<1	<1	1	2	2	2	2
65+	15	1.7		<1	1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.2		<1	<1	<1	1	2	3	3
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	5	1.0		<1	<1	<1	1	1	1	1
50-64	6	1.3	1	<1	<1	1	1	3	3	3
65+	9	4.2	50	1	1	2	3	15	23	23
B. *Operated*										
0-19 YRS	55	1.2		<1	<1	1	1	2	3	4
20-34	13	1.9	2	<1	<1	1	2	4	6	6
35-49	36	1.8	1	<1	<1	1	2	3	4	5
50-64	38	1.7	1	<1	<1	1	2	3	4	5
65+	47	3.6	12	<1	1	2	4	8	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	1.2		<1	<1	<1	1	2	2	4
B. *Operated*	392	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	46	1.8	11	<1	<1	1	1	3	3	23
B. *Operated*	189	2.1	5	<1	<1	1	2	4	6	12
1. SINGLE DX	472	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	235	2.0	6	<1	<1	1	2	4	5	13
A. NOT OPERATED	126	1.4	4	<1	<1	<1	1	2	3	9
B. OPERATED	581	1.5	2	<1	<1	1	2	2	3	8
TOTAL 0-19 YRS	412	1.2		<1	<1	<1	1	2	2	3
20-34	69	1.4	1	<1	<1	1	2	2	3	6
35-49	79	1.5	1	<1	<1	1	2	2	3	5
50-64	75	1.5	1	<1	<1	1	2	2	3	5
65+	72	3.3	15	<1	1	2	3	8	11	22
GRAND TOTAL	**707**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.9	2	<1	<1	1	2	4	5	5
20-34	21	1.7	1	<1	1	1	2	3	4	4
35-49	9	3.8	27	<1	<1	1	4	12	17	17
50-64	16	1.8	3	<1	<1	<1	2	4	6	7
65+	3	1.3		<1	<1	<1	2	2	2	2
B. *Operated*										
0-19 YRS	406	1.4	1	<1	<1	1	2	2	3	4
20-34	242	1.8	2	<1	<1	1	2	3	4	10
35-49	151	2.2	6	<1	<1	1	2	4	7	15
50-64	185	2.9	6	<1	1	2	4	5	7	15
65+	102	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.4	6	<1	<1	2	3	5	8	12
20-34	15	2.8	5	<1	1	2	5	5	7	8
35-49	18	3.9	12	1	1	3	5	7	12	15
50-64	28	3.1	9	<1	<1	2	4	7	9	13
65+	28	8.4	68	1	1	7	10	14	22	44
B. *Operated*										
0-19 YRS	175	2.0	2	<1	1	2	2	4	5	8
20-34	173	2.5	4	<1	1	2	3	5	6	9
35-49	211	3.1	7	1	1	2	4	6	8	14
50-64	298	3.8	10	1	1	3	5	7	9	18
65+	235	4.5	22	1	2	3	5	8	11	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.0	5	<1	<1	1	2	4	5	15
B. *Operated*	1086	2.0	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	118	4.3	27	<1	<1	3	6	10	12	28
B. *Operated*	1092	3.3	10	1	1	2	4	6	9	18
1. SINGLE DX	1154	2.0	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	1210	3.4	12	1	1	2	4	7	9	18
A. NOT OPERATED	186	3.5	20	<1	<1	2	4	8	11	19
B. OPERATED	2178	2.7	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	629	1.7	2	<1	<1	1	2	3	4	7
20-34	451	2.1	3	<1	1	1	3	4	6	9
35-49	389	2.8	8	<1	1	2	3	6	8	15
50-64	527	3.4	8	<1	1	2	4	7	9	17
65+	368	4.3	22	1	1	3	5	8	11	25
GRAND TOTAL	**2364**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	5	1.2		1	1	1	2	2	2	2
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	29	1.4	1	<1	<1	1	2	2	3	4
20-34	312	1.8	2	<1	<1	1	2	4	5	6
35-49	967	1.9	2	<1	<1	1	2	4	5	7
50-64	621	1.8	1	<1	<1	2	2	3	4	6
65+	300	1.9	1	<1	<1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	7	1.7	1	<1	<1	1	2	4	4	4
50-64	6	1.7	1	<1	<1	1	2	3	3	3
65+	4	2.3	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	8	1.8	1	<1	<1	1	2	3	3	3
20-34	184	2.8	5	<1	<1	2	4	6	7	9
35-49	633	2.8	4	<1	<1	2	4	5	6	9
50-64	475	2.8	6	<1	<1	2	3	6	7	11
65+	293	3.1	6	<1	1	2	4	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	2229	1.8	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*	21	1.8	1	<1	<1	2	2	3	4	4
B. *Operated*	1593	2.8	5	<1	<1	2	4	6	7	11
1. SINGLE DX	2239	1.8	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX	1614	2.8	5	<1	<1	2	4	5	7	11
A. NOT OPERATED	31	1.7	1	<1	<1	1	2	3	4	4
B. OPERATED	3822	2.2	3	<1	<1	2	3	5	6	9
TOTAL 0-19 YRS	38	1.5	1	<1	<1	1	2	3	3	4
20-34	499	2.2	3	<1	<1	1	3	5	6	9
35-49	1610	2.2	3	<1	<1	2	3	5	6	8
50-64	1107	2.2	3	<1	<1	2	2	4	6	10
65+	599	2.5	4	<1	1	2	3	4	6	10
GRAND TOTAL	**3853**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.8	4	2	2	3	4	5	9	10
20-34	27	2.8	1	1	2	3	3	4	5	7
35-49	16	3.3	6	<1	<1	3	5	8	8	8
50-64	6	1.7	1	<1	<1	1	2	3	3	3
65+										
B. *Operated*										
0-19 YRS	225	2.2	2	<1	<1	2	3	4	5	6
20-34	376	2.6	2	<1	<1	2	3	4	5	8
35-49	272	2.6	3	<1	<1	2	4	5	5	8
50-64	232	2.5	2	<1	<1	2	3	4	5	7
65+	131	2.5	2	<1	<1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	4	1	1	4	5	7	8	8
20-34	20	2.2	1	1	1	2	3	4	4	5
35-49	21	2.6	3	<1	<1	2	4	5	6	6
50-64	17	4.4	28	<1	<1	2	6	13	17	19
65+	27	4.2	18	<1	<1	2	5	13	14	15
B. *Operated*										
0-19 YRS	68	3.0	4	<1	1	3	4	5	8	11
20-34	200	3.1	5	1	1	3	4	6	7	11
35-49	264	3.7	6	<1	1	3	5	6	8	14
50-64	214	3.6	11	<1	1	3	4	6	9	20
65+	166	3.6	14	1	1	3	4	6	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.0	3	<1	1	3	3	5	7	10
B. *Operated*	1236	2.5	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	94	3.4	12	<1	<1	2	4	7	13	17
B. *Operated*	912	3.5	8	1	1	3	4	6	8	17
1. SINGLE DX	1300	2.5	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1006	3.5	9	<1	1	3	4	6	8	17
A. NOT OPERATED	158	3.3	8	<1	<1	3	4	6	9	15
B. OPERATED	2148	2.9	5	<1	<1	2	4	5	6	12
TOTAL 0-19 YRS	317	2.5	2	<1	1	2	3	4	5	9
20-34	623	2.7	3	<1	<1	2	4	5	6	9
35-49	573	3.1	5	<1	<1	3	4	5	7	11
50-64	469	3.1	8	<1	1	2	4	6	7	17
65+	324	3.2	10	<1	1	2	4	6	9	17
GRAND TOTAL	**2306**	**2.9**	**5**	**<1**	**<1**	**2**	**4**	**5**	**6**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	1.8	1	<1	1	2	2	3	4	7
20-34	348	1.9	2	1	1	2	2	4	4	6
35-49	76	1.8	1	<1	1	1	2	4	4	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	331	3.3	3	1	1	3	4	5	7	9
20-34	1076	3.6	4	1	1	4	5	6	7	9
35-49	260	4.6	4	1	2	5	6	7	7	11
50-64	42	5.0	3	1	3	5	6	7	8	8
65+	23	7.7	15	4	5	6	8	14	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	2.3	2	<1	<1	2	3	4	5	8
20-34	238	2.5	3	1	1	2	3	5	6	8
35-49	92	2.6	3	<1	1	2	4	5	7	9
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	288	3.9	4	1	1	4	5	6	8	10
20-34	2035	4.6	6	1	1	5	6	7	9	12
35-49	851	5.6	6	2	3	5	6	8	10	15
50-64	116	6.4	6	2	4	6	7	9	11	15
65+	76	8.3	31	4	5	7	10	12	15	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	581	1.9	2	<1	1	2	2	3	4	6
B. *Operated*	1732	3.8	4	1	1	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	418	2.5	3	<1	1	2	3	5	6	8
B. *Operated*	3366	4.9	7	1	2	5	6	8	9	13
1. SINGLE DX	2313	3.3	4	1	1	3	5	6	7	9
2. MULTIPLE DX	3784	4.7	7	1	1	5	6	7	9	13
A. NOT OPERATED	999	2.1	2	<1	1	2	3	4	5	7
B. OPERATED	5098	4.6	6	1	1	5	6	7	8	13
TOTAL 0-19 YRS	855	3.1	4	1	1	3	4	5	7	9
20-34	3697	3.9	6	1	1	4	5	6	8	11
35-49	1279	5.0	6	1	1	5	6	7	9	14
50-64	163	5.9	6	2	3	6	7	8	10	14
65+	103	8.0	27	4	5	6	9	12	15	34
GRAND TOTAL	**6097**	**4.2**	**6**	**1**	**1**	**4**	**5**	**7**	**8**	**12**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	393	3.7	3	1	2	3	5	6	7	9
20-34	1051	3.8	4	1	2	3	5	6	8	10
35-49	156	4.1	6	1	2	4	5	6	7	10
50-64	3	5.0	3	4	4	4	6	7	7	7
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	122	4.4	15	<1	<1	4	6	8	10	20
20-34	793	4.1	8	<1	<1	4	5	7	9	13
35-49	204	4.8	9	<1	1	5	6	9	10	14
50-64	23	6.1	14	2	3	5	8	9	14	20
65+	8	5.3	14	2	2	4	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	255	4.2	5	1	2	4	5	7	8	13
20-34	809	4.3	5	1	2	4	5	7	9	12
35-49	151	4.5	7	1	2	4	6	8	9	12
50-64	11	5.9	15	3	3	4	8	12	15	15
65+	6	7.2	23	2	2	7	12	12	12	12
B. *Operated*										
0-19 YRS	242	5.4	11	1	2	5	7	9	11	16
20-34	2706	5.1	9	<1	1	5	6	8	10	16
35-49	911	6.3	15	1	2	6	7	10	13	22
50-64	123	7.0	10	2	4	6	8	11	14	18
65+	39	11.9	57	4	4	10	18	22	27	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1605	3.8	4	1	2	4	5	6	7	10
B. *Operated*	1150	4.3	9	<1	<1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	1232	4.3	6	1	2	4	5	7	9	13
B. *Operated*	4021	5.5	12	1	1	5	6	9	12	19
1. SINGLE DX	2755	4.0	6	1	1	4	5	7	8	12
2. MULTIPLE DX	5253	5.2	11	1	2	5	6	8	11	18
A. NOT OPERATED	2837	4.0	5	1	2	4	5	7	8	11
B. OPERATED	5171	5.2	12	<1	1	5	6	8	11	18
TOTAL 0-19 YRS	1012	4.3	7	1	2	4	5	7	8	14
20-34	5359	4.6	8	1	1	4	6	7	9	14
35-49	1422	5.7	13	1	2	5	7	9	12	20
50-64	160	6.8	11	2	3	6	8	11	14	19
65+	55	10.1	53	2	3	8	14	21	24	34
GRAND TOTAL	**8008**	**4.8**	**10**	**1**	**1**	**5**	**6**	**8**	**10**	**16**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	35	2.6	7	<1	<1	2	3	4	5	16
35-49	6	3.3	4	2	2	3	4	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	28	2.4	3	<1	<1	2	4	5	5	5
20-34	593	3.7	5	<1	<1	4	5	6	7	9
35-49	308	4.8	4	1	1	5	6	7	8	9
50-64	23	4.7	3	<1	1	5	6	6	7	7
65+	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	42	3.1	8	<1	<1	2	4	6	7	16
35-49	25	2.2	4	<1	<1	1	3	6	6	7
50-64	3	1.0		<1	<1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	47	3.9	5	<1	1	4	5	7	8	10
20-34	2426	4.9	5	<1	1	5	6	7	8	12
35-49	2634	5.8	4	3	4	6	7	8	9	13
50-64	318	6.3	4	4	5	6	7	8	9	12
65+	56	6.8	6	2	4	7	8	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.7	6	<1	1	2	3	4	6	16
B. *Operated*	955	4.0	5	<1	<1	5	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	74	2.6	6	<1	<1	1	4	6	7	14
B. *Operated*	5481	5.4	5	1	3	5	6	8	9	12
1. SINGLE DX	998	4.0	5	<1	<1	4	5	6	7	9
2. MULTIPLE DX	5555	5.4	5	1	3	5	6	8	9	12
A. NOT OPERATED	117	2.7	6	<1	<1	2	3	5	7	16
B. OPERATED	6436	5.2	5	1	2	5	6	7	8	12
TOTAL 0-19 YRS	81	3.2	5	<1	<1	3	5	6	7	10
20-34	3096	4.6	5	<1	1	5	6	7	8	12
35-49	2973	5.6	5	2	4	6	6	8	9	12
50-64	344	6.2	5	3	5	6	7	8	9	11
65+	59	6.6	7	1	4	7	8	9	12	14
GRAND TOTAL	**6553**	**5.2**	**5**	**1**	**2**	**5**	**6**	**7**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	31	2.7	4	<1	<1	1	5	6	6	6
35-49	23	2.7	6	<1	<1	1	5	6	8	9
50-64	11	1.9	2	<1	<1	2	2	4	5	5
65+	7	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	10	2.0		<1	1	2	2	3	3	3
35-49	3	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.2	3	<1	<1	1	4	5	5	5
20-34	214	4.6	8	1	1	5	6	8	9	15
35-49	263	5.1	6	<1	1	5	6	7	9	14
50-64	77	4.0	7	<1	<1	4	6	7	8	10
65+	23	3.7	7	<1	<1	3	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	73	2.4	4	<1	<1	1	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	14	2.4	3	<1	1	2	2	3	7	8
B. *Operated*	583	4.7	7	<1	1	5	6	7	9	14
1. SINGLE DX	74	2.4	4	<1	<1	1	4	6	6	9
2. MULTIPLE DX	597	4.6	7	<1	1	5	6	7	8	14
A. NOT OPERATED	15	2.5	3	<1	2	2	2	4	7	8
B. OPERATED	656	4.4	7	<1	1	5	6	7	8	14
TOTAL 0-19 YRS	8	2.8	7	<1	<1	1	4	7	8	8
20-34	256	4.3	7	<1	1	5	6	7	8	15
35-49	289	4.9	7	<1	1	5	6	7	9	14
50-64	88	3.7	7	<1	<1	3	6	7	8	10
65+	30	3.1	7	<1	<1	2	5	7	8	9
GRAND TOTAL	**671**	**4.4**	**7**	**<1**	**1**	**5**	**6**	**7**	**8**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.0	3	<1	<1	1	2	4	6	7
20-34	83	3.0	2	1	1	3	4	5	6	7
35-49	13	3.8	6	<1	<1	4	5	7	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	27	1.8	1	<1	<1	1	3	3	4	5
20-34	198	1.7	2	<1	<1	1	2	3	4	9
35-49	117	1.6	1	<1	<1	1	2	3	4	7
50-64	34	1.5	1	<1	<1	1	2	3	3	4
65+	13	2.7	10	<1	<1	2	3	6	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.6	4	1	1	3	5	6	7	11
20-34	113	3.8	4	1	2	4	5	6	8	9
35-49	15	3.8	6	1	1	4	4	5	10	11
50-64	12	4.9	2	3	3	5	6	7	7	7
65+	21	6.1	17	2	3	5	8	11	15	18
B. *Operated*										
0-19 YRS	31	2.9	7	<1	<1	2	5	6	6	13
20-34	229	4.0	13	<1	<1	3	5	7	10	19
35-49	130	3.4	7	<1	<1	2	5	7	8	10
50-64	40	3.5	12	<1	1	2	5	7	10	18
65+	30	5.7	22	1	1	5	9	12	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	389	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	204	4.1	6	1	2	4	5	7	8	12
B. *Operated*	460	3.8	12	<1	<1	3	5	8	9	18
1. SINGLE DX	502	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX	664	3.9	10	<1	1	3	5	7	9	17
A. NOT OPERATED	317	3.7	5	1	1	3	5	6	8	11
B. OPERATED	849	2.8	8	<1	<1	2	4	6	8	13
TOTAL 0-19 YRS	116	2.8	5	<1	<1	2	4	5	7	12
20-34	623	3.1	7	<1	<1	2	4	6	7	13
35-49	275	2.7	5	<1	<1	2	4	6	8	10
50-64	87	2.9	7	<1	<1	2	4	6	7	16
65+	65	5.2	19	1	1	3	8	11	13	20
GRAND TOTAL	**1166**	**3.1**	**7**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	6	4.0	19	1	1	2	6	11	12	12
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	177	4.9	3	1	2	5	6	7	8	9
35-49	328	5.3	4	2	3	5	6	7	8	10
50-64	455	5.7	5	3	3	6	7	8	9	12
65+	450	6.2	6	3	4	6	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	11	1.5	3	<1	<1	1	1	4	7	7
35-49	16	1.5	1	<1	<1	1	2	3	4	5
50-64	24	2.5	6	<1	<1	1	4	7	8	8
65+	36	3.6	8	<1	1	3	5	8	10	12
B. *Operated*										
0-19 YRS	9	5.9	4	2	3	6	7	8	8	8
20-34	874	5.7	3	3	4	6	6	8	9	11
35-49	1913	6.1	4	4	4	6	7	8	9	13
50-64	1546	6.5	6	4	4	6	7	9	10	15
65+	1585	7.2	11	4	4	7	8	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.4	12	<1	<1	2	5	9	12	12
B. *Operated*	1412	5.7	5	2	3	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	88	2.7	6	<1	<1	1	4	7	8	12
B. *Operated*	5927	6.4	6	4	4	6	7	9	10	15
1. SINGLE DX	1423	5.7	5	2	3	6	7	8	9	12
2. MULTIPLE DX	6015	6.4	7	3	4	6	7	9	10	15
A. NOT OPERATED	99	2.8	7	<1	<1	1	4	7	8	12
B. OPERATED	7339	6.3	6	3	4	6	7	9	10	15
TOTAL 0-19 YRS	12	5.8	5	2	2	6	7	8	8	8
20-34	1063	5.5	3	3	4	5	6	7	8	11
35-49	2259	5.9	4	3	4	6	7	8	9	12
50-64	2027	6.3	6	3	4	6	7	9	10	14
65+	2077	6.9	10	3	4	6	8	10	12	19
GRAND TOTAL	**7438**	**6.2**	**6**	**3**	**4**	**6**	**7**	**9**	**10**	**15**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	43	1.5	2	<1	<1	<1	1	3	6	6
35-49	58	1.5	2	<1	<1	<1	1	2	5	8
50-64	7	1.0		<1	<1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	2.2	5	1	1	1	3	6	6	6
35-49	5	2.8	5	<1	<1	2	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	69	3.3	6	<1	<1	3	5	6	7	11
35-49	108	3.4	7	<1	<1	2	5	7	9	10
50-64	22	2.1	3	<1	<1	1	3	5	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.3		1	1	1	2	2	2	2
B. *Operated*	110	1.5	2	<1	<1	<1	1	2	5	7
2. MULTIPLE DX										
A. *Not Operated*	12	2.5	4	<1	<1	2	3	6	6	6
B. *Operated*	200	3.2	6	<1	<1	2	5	7	8	10
1. SINGLE DX	117	1.5	2	<1	<1	1	1	2	5	7
2. MULTIPLE DX	212	3.2	6	<1	<1	2	5	7	8	10
A. NOT OPERATED	19	2.1	3	<1	1	1	2	5	6	6
B. OPERATED	310	2.6	5	<1	<1	1	4	6	7	10
TOTAL 0-19 YRS	7	1.4	1	<1	<1	1	2	3	3	3
20-34	121	2.6	5	<1	<1	1	4	6	6	10
35-49	172	2.7	6	<1	<1	1	4	7	8	10
50-64	29	1.8	3	<1	<1	1	2	5	6	6
65+										
GRAND TOTAL	**329**	**2.6**	**5**	**<1**	**<1**	**1**	**4**	**6**	**7**	**10**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.1	3	<1	<1	2	3	3	7	8
20-34	67	1.4	1	<1	<1	1	2	2	3	4
35-49	27	1.4		<1	<1	1	2	2	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	85	1.3	1	<1	<1	1	1	2	2	6
20-34	869	1.8	2	<1	<1	1	2	5	5	7
35-49	1152	1.8	4	<1	<1	1	2	5	6	7
50-64	143	1.5	2	<1	<1	<1	1	2	5	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	1.8	1	1	1	2	2	3	4	7
20-34	105	2.0	3	<1	<1	1	3	4	5	9
35-49	92	2.1	3	<1	<1	1	3	5	6	9
50-64	12	1.8	3	<1	<1	1	2	5	6	6
65+										
B. *Operated*										
0-19 YRS	71	2.3	4	<1	<1	2	3	5	6	11
20-34	1797	4.0	7	<1	<1	4	6	7	8	11
35-49	3053	4.3	9	<1	<1	5	6	7	8	12
50-64	343	3.8	7	<1	<1	4	6	7	8	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.5	1	<1	<1	1	2	3	3	6
B. *Operated*	2249	1.8	3	<1	<1	1	2	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	249	2.0	3	<1	<1	1	2	4	6	8
B. *Operated*	5264	4.2	8	<1	<1	5	6	7	8	11
1. SINGLE DX	2361	1.8	3	<1	<1	1	2	5	5	7
2. MULTIPLE DX	5513	4.1	8	<1	<1	4	6	7	8	11
A. NOT OPERATED	361	1.9	2	<1	<1	1	2	3	5	8
B. OPERATED	7513	3.4	8	<1	<1	3	5	7	7	10
TOTAL 0-19 YRS	212	1.8	2	<1	<1	1	2	3	5	8
20-34	2838	3.2	6	<1	<1	2	5	6	7	9
35-49	4324	3.6	9	<1	<1	4	6	7	8	11
50-64	500	3.0	6	<1	<1	2	5	6	7	10
65+										
GRAND TOTAL	**7874**	**3.4**	**7**	**<1**	**<1**	**2**	**5**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	5	2.8	4	<1	<1	3	4	6	6	6
65+	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	1.7	1	<1	<1	2	2	3	3	3
35-49	119	1.4	1	<1	<1	<1	1	3	4	7
50-64	476	1.2		<1	<1	<1	1	2	2	5
65+	187	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	2.1	2	<1	<1	2	3	4	5	5
50-64	22	2.7	4	<1	<1	2	5	6	7	7
65+	21	4.0	9	<1	1	3	6	8	10	12
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	4.1	8	<1	<1	5	6	7	9	10
35-49	128	3.5	7	<1	<1	2	6	7	8	11
50-64	567	2.5	6	<1	<1	1	3	6	7	10
65+	375	2.9	9	<1	<1	2	3	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.0	2	<1	<1	2	3	4	5	6
B. *Operated*	792	1.3	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	56	3.1	6	<1	<1	3	4	7	8	12
B. *Operated*	1084	2.8	7	<1	<1	2	4	6	8	11
1. SINGLE DX	806	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	1140	2.8	7	<1	<1	2	4	6	8	11
A. NOT OPERATED	70	2.9	5	<1	<1	2	3	6	8	11
B. OPERATED	1876	2.2	5	<1	<1	1	2	6	7	10
TOTAL 0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	22	3.1	6	<1	<1	2	5	6	8	10
35-49	264	2.5	5	<1	<1	1	4	6	7	11
50-64	1070	2.0	4	<1	<1	1	2	5	6	9
65+	588	2.5	7	<1	<1	2	2	6	8	13
GRAND TOTAL	**1946**	**2.2**	**5**	**<1**	**<1**	**1**	**2**	**6**	**7**	**10**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.4	2	<1	<1	2	4	4	5	5
20-34	57	2.3	3	<1	<1	2	3	5	7	9
35-49	15	1.5		<1	<1	1	2	2	3	3
50-64	3	4.0	12	2	2	2	7	8	8	8
65+	6	5.2	27	1	1	4	6	14	15	15
B. *Operated*										
0-19 YRS	67	2.7	4	<1	<1	2	4	5	6	9
20-34	889	2.2	4	<1	<1	1	3	5	6	9
35-49	606	2.6	7	<1	<1	1	4	6	7	9
50-64	345	2.5	6	<1	<1	1	3	6	7	11
65+	121	2.4	4	<1	<1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	2	<1	<1	1	3	4	6	6
20-34	72	2.7	6	<1	<1	2	3	6	8	14
35-49	34	4.1	11	1	1	3	6	8	10	14
50-64	13	2.8	6	<1	<1	2	4	7	8	8
65+	38	7.6	93	1	1	5	9	13	34	45
B. *Operated*										
0-19 YRS	82	3.6	5	<1	1	4	5	6	7	12
20-34	1381	4.0	10	<1	<1	4	6	7	8	12
35-49	1740	4.3	8	<1	<1	5	6	7	8	12
50-64	964	4.6	23	<1	<1	5	6	8	10	19
65+	439	5.5	40	<1	<1	4	7	11	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	2.4	5	<1	<1	2	3	5	7	12
B. *Operated*	2028	2.4	5	<1	<1	1	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	170	4.0	30	<1	1	2	5	8	11	38
B. *Operated*	4606	4.4	15	<1	<1	4	6	7	9	16
1. SINGLE DX	2122	2.4	5	<1	<1	1	3	6	7	9
2. MULTIPLE DX	4776	4.4	16	<1	<1	4	6	8	9	17
A. NOT OPERATED	264	3.5	21	<1	<1	2	4	8	10	21
B. OPERATED	6634	3.8	13	<1	<1	3	6	7	8	15
TOTAL 0-19 YRS	175	3.1	4	<1	<1	3	4	5	6	11
20-34	2399	3.3	9	<1	<1	2	5	6	8	12
35-49	2395	3.9	8	<1	<1	4	6	7	8	11
50-64	1325	4.0	19	<1	<1	3	6	8	9	17
65+	604	5.0	37	<1	<1	3	7	10	15	37
GRAND TOTAL	**6898**	**3.8**	**13**	**<1**	**<1**	**3**	**6**	**7**	**8**	**15**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	1.9	2	<1	1	2	2	3	5	7
20-34	162	2.1	4	<1	<1	2	3	4	5	10
35-49	30	3.0	3	<1	1	3	4	5	6	9
50-64	3	6.0	3	4	4	7	7	7	7	7
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	71	2.0	2	<1	<1	1	2	4	5	8
20-34	708	2.8	4	<1	<1	2	4	6	7	9
35-49	435	4.9	7	<1	1	5	7	8	9	1[illegible]
50-64	304	6.2	5	3	4	6	8	9	10	14
65+	179	6.9	8	3	4	7	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	2.1	5	<1	<1	2	2	4	4	15
20-34	215	2.2	3	<1	<1	2	3	5	6	9
35-49	74	2.2	6	<1	<1	1	3	4	6	16
50-64	19	3.1	4	1	1	3	5	6	7	7
65+	29	5.3	31	<1	<1	3	8	13	17	25
B. *Operated*										
0-19 YRS	71	3.3	12	<1	<1	2	5	7	9	21
20-34	2177	4.2	5	<1	<1	5	6	7	8	10
35-49	1514	5.7	6	1	3	6	7	8	10	13
50-64	528	6.9	8	3	4	7	8	10	12	17
65+	334	8.1	17	4	4	8	9	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	1697	4.4	8	<1	<1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	414	2.5	7	<1	<1	2	3	5	7	15
B. *Operated*	4624	5.3	8	<1	1	5	7	8	10	14
1. SINGLE DX	2004	4.0	8	<1	<1	4	6	8	9	11
2. MULTIPLE DX	5038	5.1	9	<1	1	5	6	8	10	14
A. NOT OPERATED	721	2.3	5	<1	<1	2	3	4	6	12
B. OPERATED	6321	5.0	8	<1	1	5	7	8	10	14
TOTAL 0-19 YRS	329	2.2	5	<1	<1	2	3	5	6	9
20-34	3262	3.7	6	<1	<1	4	5	6	7	10
35-49	2053	5.4	7	<1	1	5	7	8	10	13
50-64	854	6.6	7	3	4	6	8	10	11	15
65+	544	7.6	15	3	4	7	9	12	14	22
GRAND TOTAL	**7042**	**4.8**	**9**	**<1**	**1**	**5**	**6**	**8**	**9**	**14**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	17	1.6	1	<1	<1	1	2	3	4	4
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	74	4.0	1	2	3	4	5	5	6	7
20-34	1423	4.0	2	2	3	4	5	5	6	8
35-49	138	4.0	2	2	3	4	5	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	4	<1	<1	3	5	6	6	6
20-34	14	3.0	6	<1	1	2	5	7	8	8
35-49	4	2.8	3	<1	<1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	86	4.5	4	2	3	4	5	7	8	15
20-34	1556	4.3	2	2	3	4	5	6	7	9
35-49	206	4.8	13	2	3	4	5	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.5	1	<1	<1	1	2	3	4	4
B. *Operated*	1635	4.0	2	2	3	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	22	3.0	5	<1	<1	2	5	6	7	8
B. *Operated*	1848	4.4	3	2	3	4	5	6	7	10
1. SINGLE DX	1657	3.9	2	2	3	4	5	5	6	8
2. MULTIPLE DX	1870	4.3	4	2	3	4	5	6	7	10
A. NOT OPERATED	44	2.3	3	<1	<1	2	3	5	6	8
B. OPERATED	3483	4.2	3	2	3	4	5	6	6	9
TOTAL 0-19 YRS	165	4.3	3	2	3	4	5	6	7	9
20-34	3010	4.1	2	2	3	4	5	5	6	9
35-49	352	4.4	9	2	3	4	5	6	7	12
50-64										
65+										
GRAND TOTAL	**3527**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.1		<1	<1	1	1	2	2	2
20-34	23	1.3		<1	<1	1	1	3	3	3
35-49	13	1.3		1	1	1	2	2	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	323	1.1		<1	<1	<1	1	1	2	3
20-34	686	1.2	1	<1	<1	<1	1	1	2	5
35-49	70	1.2		<1	<1	<1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	21	1.5	1	<1	<1	1	2	2	4	5
35-49	6	1.7	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	94	1.9	4	<1	<1	1	2	4	5	12
20-34	536	1.9	4	<1	<1	1	2	4	6	9
35-49	175	1.7	5	<1	<1	1	2	3	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	1.2		<1	<1	1	1	2	3	3
B. *Operated*	1079	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	30	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	805	1.9	4	<1	<1	1	2	4	5	9
1. SINGLE DX	1135	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	835	1.9	4	<1	<1	1	2	4	5	9
A. NOT OPERATED	86	1.4	1	<1	<1	1	2	2	3	5
B. OPERATED	1884	1.5	2	<1	<1	1	1	2	4	8
TOTAL 0-19 YRS	440	1.3	1	<1	<1	1	1	2	3	5
20-34	1266	1.5	2	<1	<1	1	1	3	4	8
35-49	264	1.6	3	<1	<1	1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**1970**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**4**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	2.0	2	1	1	2	3	3	3	3
1. SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX	2	2.0	2	1	1	2	3	3	3	3
A. NOT OPERATED										
B. OPERATED	3	1.7	1	<1	<1	1	2	3	3	3
TOTAL 0-19 YRS										
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49										
50-64										
65+										
GRAND TOTAL	**3**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**3**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	1.4	1	<1	<1	1	1	2	3	8
20-34	459	1.3	1	<1	<1	1	1	2	2	5
35-49	41	1.5	2	<1	<1	1	1	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	642	1.2	1	<1	<1	1	1	2	2	5
20-34	4124	1.2	1	<1	<1	1	1	2	2	4
35-49	626	1.1		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.8	2	<1	<1	1	2	4	5	6
20-34	95	2.2	5	<1	<1	1	2	5	7	12
35-49	22	1.5	1	<1	<1	1	2	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	141	1.9	2	<1	<1	1	2	4	5	7
20-34	900	1.8	3	<1	<1	1	2	4	5	10
35-49	174	2.0	9	<1	<1	1	2	3	5	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	598	1.3	1	<1	<1	1	1	2	2	6
B. *Operated*	5392	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	150	2.0	4	<1	<1	1	2	4	6	9
B. *Operated*	1215	1.9	4	<1	<1	1	2	4	5	10
1. SINGLE DX	5990	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	1365	1.9	4	<1	<1	1	2	4	5	10
A. NOT OPERATED	748	1.4	2	<1	<1	1	1	2	3	7
B. OPERATED	6607	1.3	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	914	1.4	1	<1	<1	1	1	2	3	6
20-34	5578	1.3	2	<1	<1	1	1	2	3	6
35-49	863	1.3	2	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**7355**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.6	2	<1	1	3	4	4	5	5
20-34	190	1.8	2	<1	<1	1	2	4	5	7
35-49	19	1.7	2	<1	<1	1	2	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	97	1.7	1	<1	<1	1	2	3	4	7
20-34	910	1.3	1	<1	<1	1	1	2	3	4
35-49	174	1.3	1	<1	<1	1	1	2	3	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.5	3	<1	1	2	3	6	6	6
20-34	57	2.8	6	<1	1	2	4	6	8	13
35-49	9	2.8	6	<1	<1	1	4	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	49	3.6	35	<1	1	2	3	5	12	40
20-34	377	2.3	4	<1	<1	1	3	5	6	11
35-49	74	2.4	3	<1	1	2	3	6	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	2.0	2	<1	<1	1	3	4	5	7
B. *Operated*	1181	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	82	2.8	6	<1	1	2	4	6	8	12
B. *Operated*	500	2.4	7	<1	<1	1	3	5	6	12
1. SINGLE DX	1437	1.4	1	<1	<1	1	1	3	4	5
2. MULTIPLE DX	582	2.5	7	<1	1	2	3	5	7	12
A. NOT OPERATED	338	2.2	3	<1	<1	1	3	4	5	8
B. OPERATED	1681	1.7	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	209	2.4	10	<1	<1	2	3	4	5	12
20-34	1534	1.7	2	<1	<1	1	2	3	4	8
35-49	276	1.7	2	<1	<1	1	2	3	5	8
50-64										
65+										
GRAND TOTAL	**2019**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.4		<1	<1	1	2	2	3	4
20-34	378	1.7	1	<1	<1	1	2	3	4	6
35-49	29	1.7	1	<1	<1	1	2	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	28	1.8	1	<1	<1	1	3	4	4	5
35-49	5	2.6	4	1	1	2	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.1	2	<1	1	2	3	3	6	7
20-34	107	2.4	3	1	1	2	3	4	6	9
35-49	11	2.4	2	<1	<1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
20-34	21	1.9	2	<1	1	1	2	4	5	6
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	39	1.8	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	134	2.4	3	<1	1	2	3	4	6	9
B. *Operated*	24	2.0	2	<1	1	1	3	4	5	6
1. SINGLE DX	514	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	158	2.3	3	<1	1	2	3	4	6	9
A. NOT OPERATED	609	1.8	1	<1	<1	1	2	3	4	7
B. OPERATED	63	1.9	2	<1	<1	1	3	4	5	6
TOTAL 0-19 YRS	93	1.5	1	<1	<1	1	2	3	3	6
20-34	534	1.9	2	<1	1	1	2	3	4	6
35-49	45	1.9	2	<1	<1	2	2	4	5	6
50-64										
65+										
GRAND TOTAL	**672**	**1.8**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	28	2.1	6	<1	<1	1	2	3	8	13
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	6.5	61	1	1	6	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	17	1.5	1	<1	<1	1	2	2	3	4
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.9	5	<1	<1	1	2	3	6	13
B. *Operated*	5	3.4	23	<1	<1	1	4	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	20	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
1. SINGLE DX	40	2.1	7	<1	<1	1	2	3	9	13
2. MULTIPLE DX	22	1.5	1	<1	<1	1	2	3	3	4
A. NOT OPERATED	55	1.8	3	<1	<1	1	2	3	4	13
B. OPERATED	7	2.9	16	<1	<1	1	2	10	12	12
TOTAL 0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	49	1.8	4	<1	<1	1	2	3	4	13
35-49	5	3.8	22	<1	<1	2	5	12	12	12
50-64										
65+										
GRAND TOTAL	**62**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**13**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.6	4	1	1	2	3	5	6	11
20-34	623	2.6	5	<1	1	2	3	5	6	11
35-49	48	2.8	6	<1	<1	2	3	5	7	16
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.1	3	1	1	3	4	6	6	6
20-34	93	2.7	5	<1	<1	2	4	5	7	12
35-49	10	2.4	4	<1	<1	2	3	6	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.3	10	1	1	2	4	6	8	19
20-34	229	3.4	14	<1	1	3	4	6	9	25
35-49	31	3.4	9	<1	1	3	4	6	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	15	4.4	17	<1	<1	3	6	9	14	16
20-34	94	3.2	16	<1	<1	2	3	6	12	22
35-49	12	3.3	9	<1	<1	2	6	8	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	779	2.6	5	<1	1	2	3	5	6	12
B. *Operated*	119	2.7	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	296	3.4	13	<1	1	2	4	6	9	22
B. *Operated*	121	3.3	15	<1	<1	2	4	7	12	21
1. SINGLE DX	898	2.6	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	417	3.4	13	<1	<1	2	4	7	9	21
A. NOT OPERATED	1075	2.8	7	<1	1	2	3	5	7	15
B. OPERATED	240	3.0	10	<1	<1	2	4	7	8	16
TOTAL 0-19 YRS	175	3.0	6	1	1	2	4	6	7	16
20-34	1039	2.8	8	<1	1	2	3	5	7	14
35-49	101	3.0	7	<1	<1	2	4	6	8	16
50-64										
65+										
GRAND TOTAL	**1315**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	2.8	4	1	1	2	3	5	7	10
20-34	1039	3.3	5	1	1	3	4	6	7	11
35-49	32	3.7	5	2	2	3	4	6	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.5	3	1	1	3	4	6	7	7
20-34	36	5.4	31	1	2	4	6	9	20	27
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.2	8	<1	1	3	4	5	6	21
20-34	400	3.6	8	1	1	3	4	7	8	16
35-49	17	3.8	3	1	1	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.3	5	2	2	4	5	8	9	9
20-34	35	5.5	68	1	1	3	6	10	12	49
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1244	3.3	5	1	1	3	4	6	7	11
B. *Operated*	45	5.0	26	1	2	3	5	8	17	27
2. MULTIPLE DX										
A. *Not Operated*	487	3.5	8	1	1	3	4	6	8	16
B. *Operated*	44	5.3	55	1	1	3	5	9	12	49
1. SINGLE DX	1289	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	531	3.7	12	1	1	3	4	7	9	17
A. NOT OPERATED	1731	3.3	6	1	1	3	4	6	7	13
B. OPERATED	89	5.1	40	1	1	3	5	9	13	40
TOTAL 0-19 YRS	259	3.0	5	1	1	2	4	5	7	10
20-34	1510	3.5	8	1	1	3	4	6	8	14
35-49	51	3.7	4	1	2	4	4	6	7	12
50-64										
65+										
GRAND TOTAL	**1820**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	663	1.1		<1	<1	<1	1	1	1	3
20-34	3262	1.1	1	<1	<1	<1	1	1	2	4
35-49	209	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	108	1.1		<1	<1	<1	1	1	1	5
20-34	505	1.2	1	<1	<1	<1	1	1	2	5
35-49	26	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	1.2		<1	<1	1	1	2	3	4
20-34	331	1.7	8	<1	<1	1	2	3	4	14
35-49	26	1.4	2	<1	<1	1	1	2	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	29	1.6	1	<1	<1	1	2	3	5	5
20-34	97	1.7	3	<1	<1	1	2	3	4	10
35-49	5	2.4	10	<1	<1	1	3	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4134	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	639	1.1	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	413	1.6	6	<1	<1	1	1	3	4	11
B. *Operated*	131	1.7	2	<1	<1	1	2	3	5	10
1. SINGLE DX	4773	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	544	1.7	5	<1	<1	1	2	3	4	10
A. NOT OPERATED	4547	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	770	1.2	1	<1	<1	<1	1	2	2	6
TOTAL 0-19 YRS	856	1.1		<1	<1	<1	1	1	2	4
20-34	4195	1.2	1	<1	<1	<1	1	1	2	5
35-49	266	1.2	1	<1	<1	<1	1	1	2	7
50-64										
65+										
GRAND TOTAL	5317	1.2	1	<1	<1	<1	1	1	2	5

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.4	2	1	1	2	3	4	5	7
20-34	319	2.8	13	<1	<1	2	3	6	8	19
35-49	35	4.3	89	<1	<1	2	4	6	10	57
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	44	3.3	12	<1	1	2	4	6	9	21
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.0	14	<1	<1	3	5	10	12	12
20-34	91	4.4	43	1	1	3	4	8	14	42
35-49	12	3.9	24	<1	1	3	4	9	18	19
50-64										
65+										
B. *Operated*										
0-19 YRS	2	16.0	200	6	6	16	26	26	26	26
20-34	26	5.4	39	<1	1	3	6	11	23	27
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	2.9	19	<1	<1	2	3	6	8	19
B. *Operated*	50	3.0	11	1	1	2	3	6	8	21
2. MULTIPLE DX										
A. *Not Operated*	111	4.3	39	1	1	3	4	8	14	38
B. *Operated*	28	6.2	51	1	1	4	6	19	26	27
1. SINGLE DX	432	3.0	18	<1	1	2	3	6	8	20
2. MULTIPLE DX	139	4.7	41	1	1	3	4	9	19	33
A. NOT OPERATED	493	3.3	24	<1	1	2	3	6	9	26
B. OPERATED	78	4.2	27	1	1	2	5	8	17	27
TOTAL 0-19 YRS	42	3.2	18	<1	1	2	4	6	9	26
20-34	480	3.3	20	<1	1	2	3	7	10	26
35-49	49	4.1	69	<1	<1	2	4	6	11	57
50-64										
65+										
GRAND TOTAL	571	3.4	26	<1	1	2	4	6	10	27

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	1.5	1	<1	<1	1	2	3	4	7
20-34	399	1.8	3	<1	<1	1	2	3	4	9
35-49	25	1.6	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.5		<1	<1	1	2	3	3	3
20-34	53	1.9	3	<1	<1	1	2	4	6	9
35-49	7	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.4	4	<1	<1	2	3	6	7	8
20-34	121	3.5	47	<1	<1	2	3	7	11	42
35-49	19	2.9	16	<1	<1	1	3	6	13	18
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.6	22	<1	<1	2	3	12	15	15
20-34	34	2.8	6	<1	<1	2	3	6	9	11
35-49	5	4.6	65	1	1	1	6	19	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	1.7	3	<1	<1	1	2	3	4	9
B. *Operated*	71	1.9	2	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	164	3.3	37	<1	<1	2	3	6	10	32
B. *Operated*	47	3.1	14	<1	<1	2	3	7	12	19
1. SINGLE DX	556	1.7	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX	211	3.2	32	<1	<1	2	3	7	11	25
A. NOT OPERATED	649	2.1	12	<1	<1	1	2	4	6	14
B. OPERATED	118	2.4	7	<1	<1	1	2	5	7	16
TOTAL 0-19 YRS	104	1.9	4	<1	<1	1	2	4	5	11
20-34	607	2.2	13	<1	<1	1	2	4	6	13
35-49	56	2.4	11	<1	<1	1	3	3	7	19
50-64										
65+										
GRAND TOTAL	**767**	**2.2**	**11**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	2.7	3	<1	<1	2	3	5	6	10
20-34	354	2.7	3	<1	1	2	3	5	5	7
35-49	14	2.6	2	<1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.3	3	<1	<1	2	3	5	6	6
20-34	38	2.3	3	<1	<1	2	3	5	6	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	3.4	3	<1	1	3	4	6	6	8
20-34	413	3.1	3	<1	1	3	4	5	6	9
35-49	18	3.7	3	2	2	3	4	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.2	10	<1	<1	2	4	8	11	12
20-34	54	3.7	6	<1	<1	3	5	7	9	12
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	493	2.7	3	<1	1	2	3	5	6	8
B. *Operated*	53	2.3	3	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	635	3.2	3	<1	1	3	4	5	6	9
B. *Operated*	67	3.6	7	<1	<1	3	5	7	9	12
1. SINGLE DX	546	2.6	3	<1	<1	2	3	5	6	7
2. MULTIPLE DX	702	3.3	3	<1	1	3	4	6	7	9
A. NOT OPERATED	1128	3.0	3	<1	1	3	4	5	6	9
B. OPERATED	120	3.0	5	<1	<1	2	4	6	7	12
TOTAL 0-19 YRS	356	3.1	3	<1	1	3	4	5	6	9
20-34	859	2.9	3	<1	1	3	4	5	6	9
35-49	33	3.2	3	1	1	3	4	5	7	8
50-64										
65+										
GRAND TOTAL	**1248**	**3.0**	**3**	**<1**	**1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.7	7	1	1	3	5	7	10	11
20-34	272	3.4	6	<1	1	3	5	7	8	12
35-49	38	4.1	14	<1	1	3	4	8	14	17
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	36	3.2	6	<1	<1	2	4	8	8	9
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	3.2	13	<1	<1	2	4	6	9	22
20-34	717	3.2	8	<1	<1	2	4	7	9	15
35-49	82	3.5	5	1	1	3	4	7	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	32	3.4	30	<1	<1	2	4	6	7	32
20-34	201	3.9	14	<1	<1	3	5	8	10	25
35-49	18	2.9	5	<1	1	2	4	6	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	3.5	7	<1	1	3	5	7	8	14
B. *Operated*	40	3.2	6	<1	<1	2	4	8	8	9
2. MULTIPLE DX										
A. *Not Operated*	903	3.2	8	<1	<1	2	4	7	9	15
B. *Operated*	251	3.7	15	<1	<1	3	5	7	10	27
1. SINGLE DX	380	3.5	7	<1	1	3	5	7	8	13
2. MULTIPLE DX	1154	3.3	10	<1	<1	2	4	7	9	17
A. NOT OPERATED	1243	3.3	8	<1	1	2	4	7	8	15
B. OPERATED	291	3.7	14	<1	<1	3	5	7	9	25
TOTAL 0-19 YRS	168	3.3	15	<1	<1	2	4	6	9	27
20-34	1226	3.3	9	<1	<1	2	4	7	8	15
35-49	140	3.6	8	1	1	3	4	7	9	16
50-64										
65+										
GRAND TOTAL	**1534**	**3.4**	**9**	**<1**	**1**	**2**	**4**	**7**	**9**	**15**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	544	1.7	3	<1	<1	1	2	3	4	7
20-34	2497	2.0	7	<1	<1	1	2	4	5	12
35-49	176	2.0	5	<1	<1	1	2	4	5	15
50-64										
65+										
B. *Operated*										
0-19 YRS	227	1.9	4	<1	<1	1	2	4	5	11
20-34	1472	2.1	6	<1	<1	1	2	4	6	15
35-49	94	2.3	14	<1	<1	1	2	4	7	25
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	249	2.4	5	<1	<1	2	3	5	7	11
20-34	1194	2.8	18	<1	<1	2	3	5	7	21
35-49	87	3.1	12	<1	<1	2	4	6	9	21
50-64										
65+										
B. *Operated*										
0-19 YRS	123	2.9	14	<1	<1	2	4	5	10	21
20-34	836	3.0	20	<1	<1	2	3	5	9	22
35-49	74	3.4	13	<1	<1	2	4	8	11	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3217	1.9	6	<1	<1	1	2	4	5	11
B. *Operated*	1793	2.1	6	<1	<1	1	2	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	1530	2.8	15	<1	<1	2	3	5	7	20
B. *Operated*	1033	3.1	19	<1	<1	2	3	6	9	22
1. SINGLE DX	5010	2.0	6	<1	<1	1	2	4	5	12
2. MULTIPLE DX	2563	2.9	17	<1	<1	2	3	5	8	20
A. NOT OPERATED	4747	2.2	9	<1	<1	1	2	4	6	14
B. OPERATED	2826	2.4	11	<1	<1	1	3	5	7	17
TOTAL 0-19 YRS	1143	2.0	5	<1	<1	1	2	4	6	11
20-34	5999	2.3	11	<1	<1	1	3	4	6	16
35-49	431	2.5	10	<1	<1	1	3	5	8	16
50-64										
65+										
GRAND TOTAL	**7573**	**2.3**	**10**	**<1**	**<1**	**1**	**3**	**4**	**6**	**16**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.1	1	1	1	2	3	3	3	4
20-34	316	2.3	1	1	1	2	3	3	4	5
35-49	22	2.1	1	1	1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	54	2.5	1	1	1	2	3	4	5	5
20-34	284	3.1	2	1	1	3	4	5	5	7
35-49	22	3.6	3	1	2	3	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.5	4	1	1	2	3	4	5	15
20-34	343	2.6	5	1	1	2	3	4	4	8
35-49	35	2.7	4	1	1	2	3	5	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	108	3.5	4	1	2	3	4	6	7	11
20-34	1181	4.4	18	1	2	4	5	6	9	21
35-49	164	4.6	16	2	2	4	5	7	10	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	2.2	1	1	1	2	3	3	4	5
B. *Operated*	360	3.0	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	442	2.6	5	1	1	2	3	4	4	11
B. *Operated*	1453	4.3	16	2	2	4	5	6	9	20
1. SINGLE DX	765	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX	1895	3.9	14	1	2	3	5	6	8	18
A. NOT OPERATED	847	2.4	3	1	1	2	3	4	4	6
B. OPERATED	1813	4.1	14	1	2	3	5	6	8	18
TOTAL 0-19 YRS	293	2.8	3	1	1	2	3	5	6	10
20-34	2124	3.6	12	1	2	3	4	6	7	16
35-49	243	4.0	12	1	2	3	5	6	9	20
50-64										
65+										
GRAND TOTAL	**2660**	**3.5**	**11**	**1**	**1**	**3**	**4**	**6**	**7**	**16**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4895	1.9	1	1	1	2	2	3	3	4
20-34	34475	1.9	1	1	1	2	2	3	3	4
35-49	2019	2.1	3	1	1	2	3	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1540	2.1	1	1	1	2	2	3	3	4
20-34	9691	2.1	1	1	1	2	3	3	3	4
35-49	573	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	2.2	1	1	1	2	3	4	4	7
20-34	1062	2.2	1	1	1	2	3	4	4	6
35-49	102	2.3	1	1	1	2	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	112	2.4	1	1	1	2	3	4	5	7
20-34	3721	2.7	1	1	2	3	3	4	4	5
35-49	598	2.9	1	2	2	3	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41389	1.9	1	1	1	2	2	3	3	4
B. *Operated*	11804	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1310	2.2	1	1	1	2	3	4	4	6
B. *Operated*	4431	2.7	1	1	2	3	3	4	4	6
1. SINGLE DX	53193	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	5741	2.6	1	1	1	3	3	4	4	6
A. NOT OPERATED	42699	2.0	1	1	1	2	2	3	3	4
B. OPERATED	16235	2.3	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	6693	1.9	1	1	1	2	2	3	3	4
20-34	48949	2.0	1	1	1	2	3	3	3	4
35-49	3292	2.3	2	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**58934**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	21	2.4	1	1	1	2	3	4	4	4
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.3	2	2	2	4	6	6	6	6
20-34	163	5.7	23	2	3	5	5	10	15	31
35-49	24	6.8	80	2	2	4	5	11	35	37
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4		2	2	2	3	3	3	3
20-34	24	6.3	87	1	1	3	5	28	30	31
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	14	5.2	12	2	2	4	6	10	14	15
20-34	410	8.2	106	2	3	5	7	18	30	59
35-49	66	9.8	99	2	3	6	11	28	34	43
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.3	1	<1	1	2	3	4	4	4
B. *Operated*	193	5.8	30	2	3	4	5	9	15	36
2. MULTIPLE DX										
A. *Not Operated*	31	5.4	70	1	1	2	4	18	30	31
B. *Operated*	490	8.3	103	2	3	5	7	19	31	58
1. SINGLE DX	219	5.4	27	2	2	4	5	8	15	35
2. MULTIPLE DX	521	8.1	101	2	2	5	7	19	31	58
A. NOT OPERATED	57	4.0	40	1	1	2	3	5	22	31
B. OPERATED	683	7.6	83	2	3	5	6	15	28	50
TOTAL 0-19 YRS	27	4.2	8	1	2	4	5	7	10	15
20-34	618	7.3	82	2	2	5	6	14	27	53
35-49	95	8.6	92	2	2	5	8	23	34	42
50-64										
65+										
GRAND TOTAL	**740**	**7.3**	**81**	**2**	**2**	**5**	**6**	**15**	**28**	**47**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.1	1	1	1	2	3	3	3	3
20-34	159	2.1	2	1	1	2	3	3	4	9
35-49	14	2.0	1	<1	<1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	23	3.3	4	1	1	3	5	7	7	7
20-34	183	3.2	4	1	1	3	4	5	6	8
35-49	12	3.3	1	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.2	2	<1	1	2	2	3	6	8
20-34	149	2.7	9	1	1	2	3	4	4	23
35-49	14	5.3	120	<1	1	2	4	10	36	43
50-64										
65+										
B. *Operated*										
0-19 YRS	62	5.7	62	1	2	4	5	11	23	47
20-34	601	4.3	14	1	2	4	5	7	9	22
35-49	79	4.1	4	1	2	4	5	6	7	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	2.1	2	1	1	2	3	3	4	9
B. *Operated*	218	3.2	4	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	181	2.8	17	1	1	2	3	4	5	24
B. *Operated*	742	4.4	17	1	2	4	5	7	9	24
1. SINGLE DX	411	2.7	3	1	1	2	3	5	5	8
2. MULTIPLE DX	923	4.1	17	1	1	3	5	6	9	24
A. NOT OPERATED	374	2.5	9	1	1	2	3	3	4	16
B. OPERATED	960	4.1	14	1	1	4	5	6	8	22
TOTAL 0-19 YRS	123	4.1	34	1	1	3	4	6	12	35
20-34	1092	3.6	11	1	1	3	4	6	7	21
35-49	119	3.9	17	1	1	3	5	6	7	22
50-64										
65+										
GRAND TOTAL	**1334**	**3.6**	**13**	**1**	**1**	**3**	**4**	**6**	**7**	**21**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	36	2.2	1	1	1	2	3	3	4	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	62	2.0	1	1	1	2	2	3	3	5
20-34	531	2.1	1	1	1	2	3	3	3	5
35-49	31	2.6	1	1	1	2	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	13	2.7	2	1	1	3	3	4	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	42	2.3	1	1	1	2	3	4	5	6
20-34	368	2.6	2	1	1	2	3	4	5	8
35-49	44	3.1	4	1	2	3	4	4	6	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.1	1	<1	1	2	3	4	4	5
B. *Operated*	624	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	15	2.6	2	1	1	2	3	4	5	6
B. *Operated*	454	2.6	2	1	1	2	3	4	5	8
1. SINGLE DX	666	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	469	2.6	2	1	1	2	3	4	5	8
A. NOT OPERATED	57	2.3	1	1	1	2	3	4	4	6
B. OPERATED	1078	2.3	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	110	2.1	1	1	1	2	2	3	4	6
20-34	948	2.3	1	1	1	2	3	4	4	6
35-49	77	2.9	3	1	1	3	3	4	6	12
50-64										
65+										
GRAND TOTAL	**1135**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.2	1	1	1	2	3	3	4	5
20-34	297	2.1	1	1	1	2	3	3	3	4
35-49	10	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	26	2.0	1	1	1	2	3	3	3	3
20-34	186	2.3	1	1	1	2	3	4	4	5
35-49	11	1.8	1	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A *Not Operated*										
0-19 YRS	22	2.5	2	1	1	2	3	4	6	8
20-34	125	2.5	3	1	1	2	3	4	4	11
35-49	8	2.6	2	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	54	2.8	2	1	1	3	3	4	4	10
20-34	257	2.7	1	1	2	3	3	4	5	6
35-49	19	3.1	2	1	1	3	4	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	2.1	1	1	1	2	3	3	3	4
B. *Operated*	223	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	155	2.5	3	1	1	2	3	4	4	9
B. *Operated*	330	2.8	2	1	1	3	3	4	5	7
1. SINGLE DX	565	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	485	2.7	2	1	1	2	3	4	5	8
A. NOT OPERATED	497	2.2	1	1	1	2	3	3	4	5
B. OPERATED	553	2.6	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	137	2.4	2	1	1	2	3	4	4	8
20-34	865	2.4	1	1	1	2	3	4	4	6
35-49	48	2.6	2	1	1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	**1050**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	85	2.5	1	1	1	2	3	4	5	6
35-49	8	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.9		2	2	3	3	4	4	4
20-34	83	3.6	2	1	2	3	5	6	6	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	6	<1	1	3	5	7	9	10
20-34	130	3.1	5	1	1	3	4	4	5	15
35-49	6	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	42	4.5	11	2	2	4	6	7	8	22
20-34	612	5.1	27	2	2	4	5	7	11	32
35-49	67	5.7	22	2	3	5	6	9	11	34
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.4	1	1	1	2	3	4	5	6
B. *Operated*	92	3.5	2	2	2	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	149	3.1	5	1	1	3	4	4	5	13
B. *Operated*	721	5.1	25	2	2	4	5	7	11	32
1. SINGLE DX	192	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX	870	4.8	22	2	2	4	5	7	10	28
A. NOT OPERATED	249	2.8	3	1	1	3	3	4	5	10
B. OPERATED	813	4.9	23	2	2	4	5	7	10	30
TOTAL 0-19 YRS	70	3.9	9	1	2	3	5	6	8	20
20-34	910	4.4	20	1	2	4	5	6	9	22
35-49	82	5.0	20	2	2	4	6	8	10	30
50-64										
65+										
GRAND TOTAL	**1062**	**4.4**	**19**	**1**	**2**	**4**	**5**	**6**	**9**	**22**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	1	1	2	3	3	3	3
20-34	160	1.9	1	1	1	2	2	3	3	5
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	162	3.9	1	2	2	4	4	5	6	8
20-34	1521	4.0	1	2	3	4	5	5	6	7
35-49	78	4.0	2	1	2	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.0	1	1	1	2	3	4	4	4
20-34	63	2.3	2	<1	1	2	3	3	5	9
35-49	5	5.0	34	1	1	2	7	15	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	210	4.6	9	2	3	4	5	7	8	14
20-34	1937	4.4	5	2	3	4	5	6	7	10
35-49	229	4.5	3	1	2	4	5	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	1.9	1	1	1	2	2	3	3	5
B. *Operated*	1761	4.0	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	81	2.4	4	<1	1	2	3	4	5	13
B. *Operated*	2376	4.5	5	2	3	4	5	6	7	11
1. SINGLE DX	1933	3.8	2	1	2	4	5	5	6	7
2. MULTIPLE DX	2457	4.4	5	2	2	4	5	6	7	11
A. NOT OPERATED	253	2.1	2	1	1	2	3	3	4	6
B. OPERATED	4137	4.3	3	2	3	4	5	6	6	10
TOTAL 0-19 YRS	392	4.2	6	2	2	4	5	6	7	12
20-34	3681	4.1	3	2	2	4	5	6	6	9
35-49	317	4.3	3	1	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**4390**	**4.1**	**4**	**2**	**2**	**4**	**5**	**6**	**6**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	1.8	1	1	1	2	2	3	3	3
20-34	531	2.1	1	1	1	2	3	3	3	4
35-49	42	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	178	2.5	1	1	1	2	3	4	5	6
20-34	1374	2.9	2	1	1	3	4	5	5	6
35-49	101	3.3	3	1	1	3	4	5	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.9	1	1	1	2	2	3	4	4
20-34	376	2.3	1	1	1	2	3	4	4	5
35-49	41	2.4	2	1	1	2	3	4	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	485	3.5	5	1	2	3	4	5	6	13
20-34	3749	3.5	5	1	2	3	4	5	6	8
35-49	379	3.8	3	1	2	4	5	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	630	2.1	1	1	1	2	3	3	3	5
B. *Operated*	1653	2.9	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	453	2.2	1	1	1	2	3	4	4	5
B. *Operated*	4613	3.5	5	1	2	3	4	5	6	9
1. SINGLE DX	2283	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX	5066	3.4	5	1	2	3	4	5	6	9
A. NOT OPERATED	1083	2.1	1	1	1	2	3	3	4	5
B. OPERATED	6266	3.3	4	1	2	3	4	5	6	8
TOTAL 0-19 YRS	756	3.1	4	1	1	3	4	5	6	11
20-34	6030	3.1	4	1	1	3	4	5	6	8
35-49	563	3.5	3	1	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**7349**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	22	2.1	1	<1	1	2	3	3	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	268	4.3	1	3	3	4	5	6	6	8
20-34	1433	4.4	1	3	3	4	5	6	6	7
35-49	70	4.5	1	3	3	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	17	3.1	2	1	1	3	4	5	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	643	4.8	3	3	3	5	5	6	7	12
20-34	4175	4.7	2	3	3	5	5	6	7	10
35-49	328	4.9	2	3	3	5	6	6	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.2	1	<1	1	2	3	3	4	4
B. *Operated*	1771	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	21	2.9	2	1	1	3	4	5	6	6
B. *Operated*	5146	4.7	2	3	3	5	5	6	7	10
1. SINGLE DX	1796	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX	5167	4.7	2	3	3	5	5	6	7	10
A. NOT OPERATED	46	2.5	1	1	1	2	3	4	5	6
B. OPERATED	6917	4.6	2	3	3	4	5	6	7	9
TOTAL 0-19 YRS	916	4.6	3	3	3	4	5	6	7	11
20-34	5647	4.6	2	3	3	4	5	6	7	9
35-49	400	4.8	2	3	3	5	5	6	7	11
50-64										
65+										
GRAND TOTAL	**6963**	**4.6**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	**9**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.2	1	1	1	2	3	3	4	4
20-34	610	2.2	1	1	1	2	3	3	4	5
35-49	30	2.1	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	176	2.8	2	1	1	2	4	5	5	7
20-34	1333	3.1	2	1	1	3	4	5	5	7
35-49	107	3.5	3	1	2	3	5	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.5	1	1	1	2	3	4	4	6
20-34	453	2.4	1	1	1	2	3	4	4	5
35-49	24	3.0	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	434	3.4	4	1	2	3	4	5	6	11
20-34	3049	3.5	3	1	2	3	4	5	6	9
35-49	272	3.8	3	1	2	4	5	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	752	2.2	1	1	1	2	3	3	4	4
B. *Operated*	1616	3.1	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	556	2.4	1	1	1	2	3	4	4	5
B. *Operated*	3755	3.5	3	1	2	3	4	5	6	9
1. SINGLE DX	2368	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX	4311	3.3	3	1	2	3	4	5	6	9
A. NOT OPERATED	1308	2.3	1	1	1	2	3	3	4	5
B. OPERATED	5371	3.4	3	1	2	3	4	5	6	9
TOTAL 0-19 YRS	801	3.0	3	1	1	3	4	5	6	10
20-34	5445	3.1	2	1	1	3	4	5	6	8
35-49	433	3.6	3	1	2	3	5	6	6	9
50-64										
65+										
GRAND TOTAL	**6679**	**3.2**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.6	2	<1	<1	3	3	4	5	5
20-34	91	2.1	1	1	1	2	3	3	3	4
35-49	7	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	48	3.3	2	1	2	3	4	5	5	6
20-34	323	3.6	2	1	2	4	5	5	6	7
35-49	28	4.1	2	2	2	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	2	1	1	2	3	5	5	5
20-34	62	2.9	12	<1	1	2	3	4	9	21
35-49	6	2.0		1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	86	4.4	4	2	2	4	5	6	8	14
20-34	811	4.2	11	2	2	4	5	6	7	14
35-49	101	4.2	4	2	2	4	5	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.2	1	1	1	2	3	3	4	5
B. *Operated*	399	3.6	2	1	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	74	2.8	10	<1	1	2	3	4	7	20
B. *Operated*	998	4.3	10	2	2	4	5	6	7	13
1. SINGLE DX	506	3.3	2	1	1	3	4	5	6	7
2. MULTIPLE DX	1072	4.2	10	1	2	4	5	6	7	15
A. NOT OPERATED	181	2.4	5	<1	1	2	3	3	4	14
B. OPERATED	1397	4.1	8	2	2	4	5	6	7	11
TOTAL 0-19 YRS	149	3.8	3	1	2	4	5	6	6	9
20-34	1287	3.9	8	1	2	4	5	6	6	12
35-49	142	4.0	3	2	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**1578**	**3.9**	**8**	**1**	**2**	**4**	**5**	**6**	**6**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6		2	2	3	3	3	3	3
20-34	150	2.2	1	1	1	2	3	3	4	5
35-49	11	1.9	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	234	4.1	1	3	3	4	5	5	6	6
20-34	5103	4.3	1	3	3	4	5	6	6	7
35-49	390	4.7	2	3	3	5	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	87	2.6	3	1	1	2	3	5	6	8
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	196	4.5	2	2	3	4	5	6	7	9
20-34	6804	4.6	5	3	3	5	5	6	7	10
35-49	861	4.9	2	3	3	5	6	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	2.2	1	1	1	2	3	3	4	5
B. *Operated*	5727	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	91	2.6	2	1	1	2	3	5	6	8
B. *Operated*	7861	4.7	4	3	3	5	5	6	7	10
1. SINGLE DX	5895	4.3	1	2	3	4	5	6	6	7
2. MULTIPLE DX	7952	4.6	4	3	3	5	5	6	7	10
A. NOT OPERATED	259	2.3	1	1	1	2	3	4	5	6
B. OPERATED	13588	4.5	3	3	3	4	5	6	6	9
TOTAL 0-19 YRS	438	4.2	2	2	3	4	5	6	6	8
20-34	12144	4.5	3	2	3	4	5	6	6	9
35-49	1265	4.8	2	3	3	5	6	6	7	10
50-64										
65+										
GRAND TOTAL	**13847**	**4.5**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.5	3	1	1	2	3	3	4	12
20-34	804	2.4	3	1	1	2	3	3	4	7
35-49	62	2.5	4	1	1	2	3	4	4	15
50-64										
65+										
B. *Operated*										
0-19 YRS	120	2.6	1	1	1	2	3	4	5	6
20-34	910	2.6	2	1	1	2	3	4	5	6
35-49	72	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	2.8	2	1	1	3	3	4	6	9
20-34	592	2.9	6	1	1	2	3	4	5	11
35-49	49	3.0	4	1	1	3	3	4	6	14
50-64										
65+										
B. *Operated*										
0-19 YRS	344	3.5	7	1	1	3	4	6	7	12
20-34	2817	3.7	13	1	2	3	4	6	7	15
35-49	304	4.0	7	1	2	4	5	6	7	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	2.4	3	1	1	2	3	3	4	7
B. *Operated*	1102	2.6	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	735	2.9	6	1	1	3	3	4	5	11
B. *Operated*	3465	3.7	12	1	2	3	4	6	7	15
1. SINGLE DX	2067	2.5	2	1	1	2	3	4	4	6
2. MULTIPLE DX	4200	3.6	11	1	2	3	4	6	7	14
A. NOT OPERATED	1700	2.6	4	1	1	2	3	4	5	9
B. OPERATED	4567	3.4	10	1	2	3	4	5	7	13
TOTAL 0-19 YRS	657	3.0	5	1	1	3	4	5	6	12
20-34	5123	3.2	9	1	1	3	4	5	6	12
35-49	487	3.5	6	1	1	3	4	6	7	15
50-64										
65+										
GRAND TOTAL	**6267**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	424	2.0	1	1	1	2	3	3	3	4
20-34	3876	2.0	1	1	1	2	3	3	3	4
35-49	229	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	327	2.1	1	1	1	2	2	3	3	5
20-34	2150	2.3	1	1	1	2	3	3	4	5
35-49	151	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	2.2	1	1	1	2	3	3	4	5
20-34	1050	2.2	1	1	1	2	3	3	4	5
35-49	82	2.3	2	1	1	2	3	4	4	8
50-64										
65+										
B. *Operated*										
0-19 YRS	318	2.5	1	1	1	2	3	4	5	7
20-34	3060	2.6	2	1	1	2	3	4	5	7
35-49	326	2.9	2	1	2	3	3	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4529	2.0	1	1	1	2	3	3	3	4
B. *Operated*	2628	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	1269	2.2	1	1	1	2	3	3	4	5
B. *Operated*	3704	2.6	2	1	1	2	3	4	5	7
1. SINGLE DX	7157	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	4973	2.5	2	1	1	2	3	4	4	6
A. NOT OPERATED	5798	2.1	1	1	1	2	3	3	4	5
B. OPERATED	6332	2.5	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1206	2.2	1	1	1	2	3	3	4	5
20-34	10136	2.3	1	1	1	2	3	3	4	5
35-49	788	2.6	2	1	1	2	3	4	5	7
50-64										
65+										
GRAND TOTAL	**12130**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	1.8	1	1	1	2	2	3	3	4
20-34	830	1.9	1	<1	1	2	2	3	3	4
35-49	91	2.0	1	<1	<1	2	2	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	885	1.9	1	1	1	2	2	3	3	4
20-34	8538	1.9	1	1	1	2	2	3	3	4
35-49	655	2.0	1	1	1	2	3	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	1	1	1	2	2	3	4	4
20-34	220	2.0	1	1	1	2	3	3	4	5
35-49	25	2.1	1	<1	<1	2	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	457	2.2	1	1	1	2	3	3	4	5
20-34	4784	2.3	1	1	1	2	3	3	4	6
35-49	600	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1032	1.9	1	<1	1	2	2	3	3	4
B. *Operated*	10078	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	267	2.0	1	1	1	2	3	3	4	4
B. *Operated*	5841	2.3	1	1	1	2	3	3	4	6
1. SINGLE DX	11110	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	6108	2.3	1	1	1	2	3	3	4	6
A. NOT OPERATED	1299	1.9	1	<1	1	2	2	3	3	4
B. OPERATED	15919	2.1	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1475	2.0	1	1	1	2	2	3	3	4
20-34	14372	2.0	1	1	1	2	3	3	3	5
35-49	1371	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**17218**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.1	1	1	1	2	3	3	3	4
20-34	259	2.2	1	1	1	2	3	3	4	4
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	704	2.2	1	1	1	2	3	3	3	4
20-34	3463	2.2	1	1	1	2	3	3	4	5
35-49	129	2.2	1	1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.2		1	1	2	3	3	3	3
20-34	120	3.1	72	1	1	2	3	4	5	35
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	596	2.4	1	1	2	2	3	3	4	5
20-34	2677	2.6	2	1	1	2	3	4	4	6
35-49	132	2.7	2	1	1	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	2.2	1	1	1	2	3	3	4	4
B. *Operated*	4296	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	147	3.0	58	1	1	2	3	3	4	12
B. *Operated*	3405	2.5	1	1	1	2	3	4	4	6
1. SINGLE DX	4616	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX	3552	2.6	4	1	1	2	3	4	4	6
A. NOT OPERATED	467	2.4	19	1	1	2	3	3	4	5
B. OPERATED	7701	2.4	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1381	2.3	1	1	1	2	3	3	4	5
20-34	6519	2.4	2	1	1	2	3	4	4	5
35-49	268	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**8168**	**2.4**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	1.9	1	1	1	2	2	3	3	8
20-34	272	2.0	1	1	1	2	2	3	3	5
35-49	13	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	247	2.1	1	1	1	2	3	3	3	4
20-34	1372	2.1	1	1	1	2	3	3	4	5
35-49	57	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.4	2	1	1	2	3	3	5	6
20-34	100	2.2	1	<1	1	2	3	3	4	6
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	228	2.4	2	1	1	2	3	4	5	7
20-34	1387	2.5	6	1	1	2	3	4	4	8
35-49	86	2.9	2	1	2	3	3	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	2.0	1	1	1	2	2	3	4	5
B. *Operated*	1676	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	117	2.3	1	<1	1	2	3	3	4	6
B. *Operated*	1701	2.5	6	1	1	2	3	4	4	8
1. SINGLE DX	2016	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1818	2.5	5	1	1	2	3	4	4	8
A. NOT OPERATED	457	2.1	1	1	1	2	3	3	4	6
B. OPERATED	3377	2.3	3	1	1	2	3	3	4	6
TOTAL 0-19 YRS	545	2.2	1	1	1	2	3	3	4	6
20-34	3131	2.3	3	1	1	2	3	3	4	6
35-49	158	2.8	1	1	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**3834**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	832	2.2	1	1	1	2	3	3	4	6
20-34	5103	2.1	1	1	1	2	3	3	4	6
35-49	347	2.4	3	1	1	2	3	4	4	11
50-64										
65+										
B. *Operated*										
0-19 YRS	1630	2.5	2	1	1	2	3	4	5	7
20-34	9915	2.6	3	1	1	2	3	4	5	7
35-49	675	2.9	4	1	1	3	4	4	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	589	2.5	3	1	1	2	3	4	5	9
20-34	3009	2.4	3	1	1	2	3	4	5	8
35-49	280	2.6	3	1	1	2	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2588	3.4	9	1	1	3	4	6	7	14
20-34	16413	3.4	7	1	2	3	4	5	7	13
35-49	1670	4.1	16	1	2	3	5	6	8	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6282	2.2	1	1	1	2	3	3	4	6
B. *Operated*	12220	2.6	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	3878	2.5	3	1	1	2	3	4	5	8
B. *Operated*	20671	3.5	8	1	2	3	4	6	7	13
1. SINGLE DX	18502	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	24549	3.3	8	1	1	3	4	5	7	12
A. NOT OPERATED	10160	2.3	2	1	1	2	3	3	4	7
B. OPERATED	32891	3.2	6	1	1	3	4	5	6	11
TOTAL 0-19 YRS	5639	2.9	6	1	1	2	3	5	6	11
20-34	34440	2.9	5	1	1	3	3	5	6	10
35-49	2972	3.5	11	1	1	3	4	6	7	15
50-64										
65+										
GRAND TOTAL	**43051**	**3.0**	**6**	**1**	**1**	**3**	**3**	**5**	**6**	**11**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.5	11	1	1	3	4	6	7	22
20-34	177	3.3	3	1	2	3	4	5	6	9
35-49	10	3.4	3	1	1	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.6	2	<1	<1	3	4	4	4	4
20-34	23	5.1	11	1	1	4	7	9	11	15
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.5	4	1	1	3	5	6	8	9
20-34	110	3.8	5	1	2	3	5	6	9	14
35-49	9	6.1	17	1	2	5	8	13	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	28	5.5	23	1	2	4	6	12	16	23
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	3.4	4	1	2	3	4	5	6	9
B. *Operated*	32	4.5	9	<1	1	4	6	9	9	15
2. MULTIPLE DX										
A. *Not Operated*	138	3.9	6	1	2	3	5	6	9	15
B. *Operated*	33	5.4	20	1	2	4	6	10	15	23
1. SINGLE DX	266	3.5	5	1	2	3	4	6	7	10
2. MULTIPLE DX	171	4.2	9	1	2	4	5	7	10	15
A. NOT OPERATED	372	3.6	5	1	2	3	4	6	7	12
B. OPERATED	65	5.0	15	1	2	4	6	9	14	22
TOTAL 0-19 YRS	75	3.4	8	1	1	3	4	6	7	19
20-34	338	3.8	6	1	2	3	4	6	8	15
35-49	24	4.8	9	1	1	4	6	8	11	15
50-64										
65+										
GRAND TOTAL	**437**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
20-34	67	1.3		<1	<1	1	1	2	2	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.4		<1	1	1	2	2	3	3
20-34	230	1.5	1	<1	<1	1	2	3	3	6
35-49	15	1.5	1	<1	1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	1	1	1	2	3	4	4	4
20-34	20	2.0	1	<1	1	2	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	21	1.5	1	<1	<1	1	2	3	4	5
20-34	140	2.2	3	<1	1	1	3	5	6	8
35-49	9	4.8	14	1	1	4	8	10	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	1.3		<1	<1	1	1	2	2	4
B. *Operated*	269	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	33	2.1	1	1	1	2	3	4	4	4
B. *Operated*	170	2.2	4	<1	<1	1	3	5	7	9
1. SINGLE DX	345	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	203	2.2	3	<1	1	2	3	4	6	9
A. NOT OPERATED	109	1.5	1	<1	<1	1	2	3	4	4
B. OPERATED	439	1.8	2	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	65	1.6	1	<1	<1	1	2	3	4	5
20-34	457	1.7	2	<1	<1	1	2	3	4	8
35-49	26	2.7	7	<1	1	2	3	8	9	11
50-64										
65+										
GRAND TOTAL	**548**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	3	<1	1	3	4	6	7	8
20-34	112	3.7	10	1	1	3	4	8	9	17
35-49	7	6.7	20	1	1	10	10	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	20	2.9	5	1	1	2	4	5	8	11
20-34	171	2.9	9	<1	1	2	3	7	10	13
35-49	13	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.6	5	1	1	4	4	7	8	8
20-34	61	4.8	12	1	1	4	7	10	12	14
35-49	6	6.5	18	1	1	6	10	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	20	3.0	11	1	1	2	3	8	12	13
20-34	103	3.5	12	<1	1	2	5	7	10	20
35-49	13	5.4	51	<1	<1	3	5	15	25	27
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.8	10	1	1	3	4	9	10	13
B. *Operated*	204	2.9	8	<1	1	2	3	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	76	4.8	12	1	1	4	7	10	12	14
B. *Operated*	136	3.6	16	<1	1	2	4	7	11	24
1. SINGLE DX	340	3.3	9	<1	1	2	4	7	10	13
2. MULTIPLE DX	212	4.1	14	1	1	3	5	9	12	20
A. NOT OPERATED	212	4.2	11	1	1	3	6	9	11	13
B. OPERATED	340	3.2	11	<1	1	2	4	7	10	17
TOTAL 0-19 YRS	66	3.1	6	1	1	2	4	5	9	13
20-34	447	3.5	11	<1	1	2	4	8	10	14
35-49	39	4.7	26	<1	<1	3	6	11	12	27
50-64										
65+										
GRAND TOTAL	**552**	**3.6**	**11**	**<1**	**1**	**2**	**4**	**8**	**10**	**14**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	416	3.4	5	1	2	3	4	6	7	11
20-34	390	3.7	4	1	2	3	5	6	7	11
35-49	270	4.2	7	2	2	4	5	7	9	16
50-64	193	4.8	8	2	2	4	6	8	10	14
65+	169	5.7	19	2	2	4	7	11	14	25
B. *Operated*										
0-19 YRS	198	3.9	14	<1	1	3	5	8	10	23
20-34	195	4.7	13	1	1	4	6	10	13	18
35-49	141	5.6	19	1	2	4	8	12	15	20
50-64	91	5.7	26	1	2	4	7	13	16	26
65+	65	6.2	17	2	2	5	9	10	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	567	4.1	8	1	2	3	5	7	9	15
20-34	563	5.3	20	2	2	4	6	9	12	23
35-49	554	5.6	15	2	2	5	7	10	12	18
50-64	720	7.1	26	2	3	6	9	14	17	27
65+	1336	8.4	45	2	3	7	10	16	20	34
B. *Operated*										
0-19 YRS	208	5.6	22	1	2	4	7	11	13	22
20-34	360	7.6	61	2	2	5	9	15	21	50
35-49	312	9.1	73	1	2	6	10	19	27	43
50-64	425	11.6	109	2	3	8	15	25	34	53
65+	564	13.3	128	3	4	10	18	29	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1438	4.1	8	1	2	3	5	7	9	14
B. *Operated*	690	4.9	17	1	1	4	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	3740	6.6	30	2	2	5	8	13	16	28
B. *Operated*	1869	10.3	97	2	3	7	13	22	32	54
1. SINGLE DX	2128	4.4	11	1	2	3	5	8	10	18
2. MULTIPLE DX	5609	7.8	55	2	2	6	9	15	21	41
A. NOT OPERATED	5178	5.9	25	2	2	5	7	11	15	25
B. OPERATED	2559	8.8	81	1	2	6	11	19	27	50
TOTAL 0-19 YRS	1389	4.1	11	1	2	3	5	7	10	18
20-34	1508	5.4	27	1	2	4	6	10	14	27
35-49	1277	6.2	31	2	2	5	7	11	16	32
50-64	1429	8.0	54	2	3	6	9	16	22	39
65+	2134	9.4	70	2	3	7	12	19	25	49
GRAND TOTAL	**7737**	**6.9**	**46**	**2**	**2**	**5**	**8**	**14**	**19**	**37**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	3.5	9	1	1	3	4	6	7	14
20-34	98	3.3	5	1	1	3	4	6	7	13
35-49	56	3.4	3	1	1	3	4	6	6	9
50-64	23	3.6	4	1	1	3	5	6	7	8
65+	30	5.6	9	2	2	5	7	10	11	12
B. *Operated*										
0-19 YRS	117	3.3	9	<1	<1	2	5	7	9	14
20-34	96	4.3	13	<1	1	3	5	8	12	18
35-49	58	3.8	11	<1	<1	3	5	8	11	15
50-64	43	4.6	27	<1	<1	3	5	12	16	24
65+	21	3.7	10	<1	<1	2	5	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-15 YRS	189	3.6	5	1	2	3	4	6	8	11
20-34	125	4.6	14	1	2	4	5	7	11	21
35-49	126	5.1	13	1	2	4	7	10	12	17
50-64	114	6.7	17	2	3	6	9	11	14	22
65+	198	8.4	56	2	3	6	10	16	20	43
B. *Operated*										
0-19 YRS	121	5.4	33	<1	1	4	7	10	16	28
20-34	133	6.6	91	1	1	4	7	12	17	53
35-49	132	8.1	116	1	2	5	8	14	27	74
50-64	145	8.8	76	1	2	6	11	19	26	45
65+	148	10.9	93	2	2	8	15	22	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	3.6	7	1	1	3	5	6	8	11
B. *Operated*	335	3.9	13	<1	<1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	752	5.7	26	1	2	4	7	11	15	24
B. *Operated*	679	8.1	86	1	2	5	9	18	24	46
1. SINGLE DX	673	3.7	10	<1	1	3	5	7	9	17
2. MULTIPLE DX	1431	6.8	56	1	2	5	8	14	19	41
A. NOT OPERATED	1090	5.1	21	1	2	4	6	10	12	21
B. OPERATED	1014	6.7	66	<1	1	4	8	14	21	44
TOTAL 0-19 YRS	558	3.9	13	<1	1	3	5	7	10	20
20-34	452	4.8	36	1	1	3	5	9	12	31
35-49	372	5.7	51	1	1	4	7	11	14	36
50-64	325	7.1	47	1	2	5	9	14	20	38
65+	397	8.9	67	2	2	7	11	19	23	45
GRAND TOTAL	**2104**	**5.9**	**43**	**1**	**1**	**4**	**7**	**11**	**17**	**36**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	319	2.6	2	1	1	2	3	5	5	8
20-34	652	2.6	3	1	1	2	3	4	5	8
35-49	93	3.2	7	<1	1	2	3	6	9	14
50-64	18	2.8	6	<1	<1	2	3	6	9	10
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	7	3.4	11	<1	<1	2	5	9	10	10
35-49	3	3.3		3	3	3	4	4	4	4
50-64	2	10.5	145	2	2	10	19	19	19	19
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	38	3.7	8	1	2	3	5	6	9	16
20-34	105	3.4	20	1	1	2	4	6	8	27
35-49	33	3.6	4	1	2	3	5	6	8	9
50-64	18	6.1	44	2	2	3	9	19	23	23
65+	9	6.0	45	2	2	4	6	17	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.0	11	1	1	3	5	9	10	10
B. *Operated*	1084	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	16	4.6	26	<1	<1	3	5	18	17	19
B. *Operated*	203	3.9	19	1	1	3	4	7	9	23
1. SINGLE DX	1090	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	219	3.9	19	1	1	3	4	7	10	23
A. NOT OPERATED	22	4.4	21	<1	1	3	5	11	15	19
B. OPERATED	1287	2.8	6	1	1	2	3	5	6	10
TOTAL 0-19 YRS	363	2.7	3	1	1	2	3	5	6	9
20-34	766	2.7	5	1	1	2	3	5	6	9
35-49	129	3.3	6	1	1	3	4	6	8	14
50-64	39	4.9	31	<1	1	3	5	11	21	23
65+	12	5.9	40	2	2	4	7	16	22	23
GRAND TOTAL	**1309**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	104	1.2		<1	<1	<1	1	2	2	4
20-34	92	1.5	2	<1	<1	<1	2	2	3	10
35-49	55	1.5	2	<1	<1	1	1	3	4	10
50-64	59	1.4	1	<1	<1	<1	1	2	3	8
65+	33	1.3		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	1.8	2	<1	<1	1	2	4	4	4
50-64	3	3.0	12	1	1	1	6	7	7	7
65+	4	4.8	3	3	3	4	6	7	7	7
B. *Operated*										
0-19 YRS	21	1.5	1	<1	<1	1	2	3	4	4
20-34	31	3.0	27	<1	<1	1	2	7	17	24
35-49	46	2.4	3	<1	<1	2	3	5	6	8
50-64	39	2.9	9	<1	<1	2	3	6	10	15
65+	21	4.9	65	<1	<1	2	6	9	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	343	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.8	5	<1	<1	2	4	7	7	7
B. *Operated*	158	2.8	18	<1	<1	1	3	6	8	23
1. SINGLE DX	345	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	172	2.8	16	<1	<1	1	3	6	7	22
A. NOT OPERATED	16	2.6	5	<1	<1	1	4	7	7	7
B. OPERATED	501	1.8	7	<1	<1	1	2	3	5	13
TOTAL 0-19 YRS	127	1.2		<1	<1	<1	1	2	3	4
20-34	124	1.9	9	<1	<1	1	2	3	4	19
35-49	106	1.9	3	<1	<1	1	2	4	5	9
50-64	102	2.0	5	<1	<1	1	2	4	7	13
65+	58	2.8	26	<1	<1	1	3	6	7	36
GRAND TOTAL	**517**	**1.9**	**7**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	3.3	12	1	1	2	4	7	7	13
20-34	95	4.2	17	<1	1	3	5	8	11	26
35-49	61	3.0	5	<1	1	2	4	5	7	13
50-64	56	6.2	68	<1	1	4	6	14	22	48
65+	79	6.3	20	1	2	5	9	12	16	20
B. *Operated*										
0-19 YRS	280	2.2	7	<1	<1	1	2	4	7	16
20-34	337	3.5	38	<1	<1	2	3	7	12	37
35-49	305	3.8	30	<1	<1	2	4	8	12	28
50-64	291	4.1	65	<1	<1	2	4	8	15	62
65+	256	5.7	80	<1	<1	2	6	16	24	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	3.8	14	1	1	3	5	7	11	21
20-34	185	7.0	94	<1	1	4	8	15	21	55
35-49	219	6.3	45	1	1	4	8	12	19	37
50-64	323	7.8	73	1	2	5	10	15	23	57
65+	856	10.1	80	2	3	7	13	21	27	46
B. *Operated*										
0-19 YRS	220	6.2	115	<1	<1	2	5	17	31	58
20-34	478	12.0	257	<1	1	5	16	34	47	88
35-49	498	10.0	188	<1	1	4	13	29	42	99+
50-64	575	11.4	232	<1	1	5	14	33	48	99
65+	1032	17.5	322	1	2	12	24	43	58	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	446	4.4	22	1	1	3	5	9	12	26
B. *Operated*	1469	3.8	44	<1	<1	2	4	8	14	37
2. MULTIPLE DX										
A. *Not Operated*	1799	8.2	73	1	2	6	10	17	23	45
B. *Operated*	2803	13.1	265	<1	1	7	18	35	51	93
1. SINGLE DX	1915	3.9	39	<1	<1	2	4	8	13	32
2. MULTIPLE DX	4602	11.1	196	1	1	6	14	29	42	83
A. NOT OPERATED	2245	7.4	65	1	1	5	9	16	22	43
B. OPERATED	4272	9.9	209	<1	<1	4	12	29	43	83
TOTAL 0-19 YRS	871	3.8	39	<1	<1	2	4	7	13	36
20-34	1095	7.9	156	<1	<1	3	8	20	35	66
35-49	1083	7.1	112	<1	1	3	8	20	29	81
50-64	1245	8.5	153	<1	1	4	10	22	37	75
65+	2223	12.9	210	1	1	8	17	30	44	81
GRAND TOTAL	**6517**	**9.0**	**160**	**<1**	**1**	**4**	**11**	**23**	**36**	**75**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.8	9	1	1	3	5	8	11	13
20-34	38	4.5	9	1	2	3	6	10	12	13
35-49	39	4.6	16	<1	<1	3	6	10	13	19
50-64	19	5.3	8	2	2	5	8	9	10	10
65+	8	5.8	11	2	2	6	8	10	10	10
B. *Operated*										
0-19 YRS	12	2.5	3	<1	1	2	3	4	7	7
20-34	20	3.0	7	1	1	2	4	6	9	12
35-49	20	2.9	6	<1	1	2	3	7	9	9
50-64	8	8.1	17	3	3	8	11	14	14	14
65+	7	5.9	32	<1	<1	3	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.3	28	1	1	4	6	12	14	29
20-34	135	6.4	31	1	2	5	8	12	18	29
35-49	139	7.4	50	1	2	6	9	13	21	44
50-64	142	8.5	54	2	3	6	10	17	24	44
65+	123	8.7	60	2	2	6	12	19	22	37
B. *Operated*										
0-19 YRS	24	9.7	149	1	2	6	10	24	40	53
20-34	73	10.6	129	1	2	7	13	24	36	94
35-49	89	10.0	152	2	2	7	12	21	27	78
50-64	89	14.4	153	2	3	10	22	37	52	99+
65+	58	14.4	140	3	3	11	18	31	43	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	4.6	11	<1	1	4	6	10	11	16
B. *Operated*	67	3.8	12	<1	1	2	5	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	575	7.6	48	2	2	6	9	15	22	33
B. *Operated*	333	12.1	148	2	2	8	15	28	39	99+
1. SINGLE DX	202	4.3	11	<1	1	3	6	10	11	15
2. MULTIPLE DX	908	9.2	89	2	2	6	11	21	28	53
A. NOT OPERATED	710	7.0	42	1	2	5	8	14	20	31
B. OPERATED	400	10.7	134	1	2	7	13	26	37	97
TOTAL 0-19 YRS	103	5.6	52	1	1	3	7	11	16	43
20-34	266	7.0	58	1	2	5	9	15	22	43
35-49	287	7.5	78	<1	2	5	9	14	22	44
50-64	258	10.3	93	2	3	8	12	24	35	96
65+	196	10.2	88	2	2	7	14	21	30	48
GRAND TOTAL	**1110**	**8.3**	**79**	**1**	**2**	**6**	**10**	**18**	**26**	**51**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	5.2	30	<1	1	3	6	11	15	33
20-34	36	5.6	12	2	2	5	7	10	13	18
35-49	63	6.5	14	2	2	6	9	12	13	17
50-64	119	6.3	14	2	2	5	8	11	14	17
65+	112	7.4	25	2	3	6	10	13	17	27
B. *Operated*										
0-19 YRS	12	10.5	142	2	3	7	13	23	43	46
20-34	65	8.1	59	1	2	5	12	16	27	34
35-49	122	7.4	36	1	2	6	10	16	18	30
50-64	293	7.8	38	1	2	6	11	16	21	30
65+	244	8.6	38	1	2	8	12	16	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	9.3	115	<1	2	6	11	17	43	50
20-34	49	6.1	29	2	2	4	8	13	15	28
35-49	93	7.3	31	2	3	5	9	13	19	29
50-64	280	7.5	37	2	2	6	9	15	19	34
65+	480	8.8	48	2	3	7	11	18	24	34
B. *Operated*										
0-19 YRS	10	6.1	19	<1	1	5	10	12	14	14
20-34	62	8.2	73	1	1	5	11	18	28	39
35-49	152	9.0	103	2	2	6	12	19	30	54
50-64	464	9.2	88	2	2	6	12	20	26	44
65+	491	12.2	112	2	3	10	16	23	33	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	386	6.4	20	2	2	5	9	12	15	20
B. *Operated*	736	8.1	41	1	2	6	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	954	8.1	46	2	2	6	10	16	22	36
B. *Operated*	1179	10.3	101	2	2	7	14	22	29	52
1. SINGLE DX	1122	7.5	35	1	2	6	10	15	18	30
2. MULTIPLE DX	2133	9.4	78	2	2	7	12	20	26	48
A. NOT OPERATED	1340	7.6	39	2	2	6	10	14	20	32
B. OPERATED	1915	9.5	79	1	2	7	13	20	25	47
TOTAL 0-19 YRS	130	7.4	76	<1	1	5	10	14	17	49
20-34	212	7.3	49	1	2	5	9	15	23	34
35-49	430	7.8	56	1	2	6	10	16	20	38
50-64	1156	8.2	56	2	2	6	11	16	22	36
65+	1327	9.9	71	2	3	8	13	20	25	45
GRAND TOTAL	**3255**	**8.7**	**63**	**2**	**2**	**6**	**12**	**17**	**23**	**40**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	5	3.2	1	2	2	3	4	5	5	5
35-49	12	4.3	15	<1	<1	3	5	10	13	14
50-64	28	4.2	7	<1	1	4	6	7	8	10
65+	86	5.2	10	1	2	4	7	9	11	16
B. *Operated*										
0-19 YRS	18	4.7	20	<1	<1	3	8	11	14	16
20-34	155	4.1	14	<1	<1	3	5	9	12	17
35-49	352	4.4	18	<1	1	3	6	10	13	20
50-64	1148	7.5	29	1	1	7	11	14	17	24
65+	1940	11.3	32	2	3	11	15	17	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	21	3	3	9	11	12	12	12
20-34	16	4.6	11	1	1	4	6	11	12	12
35-49	29	6.2	58	1	1	4	6	11	24	38
50-64	186	5.3	24	1	1	4	6	11	17	26
65+	886	6.8	28	1	2	5	9	13	18	26
B. *Operated*										
0-19 YRS	9	7.4	56	1	1	4	11	20	23	23
20-34	147	4.7	30	1	1	3	5	11	15	28
35-49	381	5.8	49	1	1	3	8	12	16	28
50-64	1422	9.1	49	1	2	9	12	17	20	36
65+	3306	13.4	66	2	4	12	16	22	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	4.7	10	1	2	4	6	9	11	15
B. *Operated*	3613	9.1	36	1	2	9	13	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	1120	6.5	28	1	1	5	8	13	17	27
B. *Operated*	5265	11.4	67	1	2	11	15	20	25	40
1. SINGLE DX	3748	8.9	35	1	2	9	13	16	19	26
2. MULTIPLE DX	6385	10.5	63	1	2	10	14	19	24	38
A. NOT OPERATED	1255	6.3	26	1	2	5	8	13	17	25
B. OPERATED	8878	10.5	55	1	2	10	14	18	22	36
TOTAL 0-19 YRS	34	5.5	29	<1	1	3	9	12	16	23
20-34	323	4.4	21	<1	1	3	5	10	13	25
35-49	774	5.1	35	<1	1	3	7	11	15	27
50-64	2784	8.2	40	1	2	7	12	16	19	29
65+	6218	11.7	55	2	3	11	15	19	24	37
GRAND TOTAL	**10133**	**10.0**	**54**	**1**	**2**	**9**	**14**	**18**	**22**	**34**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	7.3	39	1	2	5	11	19	22	23
20-34	49	4.3	6	2	2	4	5	8	9	13
35-49	34	4.2	13	1	1	3	4	7	10	21
50-64	26	5.5	25	1	1	4	7	13	18	19
65+	30	5.6	19	2	2	4	7	12	16	19
B. *Operated*										
0-19 YRS	66	9.4	49	1	2	8	13	19	22	37
20-34	179	4.6	24	<1	1	3	5	9	16	24
35-49	149	4.6	18	1	1	3	6	9	12	21
50-64	161	5.6	19	1	2	4	7	12	15	19
65+	109	8.2	30	1	2	8	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	8.2	35	2	2	6	12	16	20	26
20-34	82	5.5	13	1	2	5	7	10	12	20
35-49	65	6.5	20	1	2	5	9	12	16	23
50-64	99	9.5	138	1	2	6	11	19	23	75
65+	231	8.5	61	1	2	6	11	17	28	37
B. *Operated*										
0-19 YRS	82	12.5	84	2	3	10	16	24	31	47
20-34	180	8.0	75	1	2	4	10	20	27	43
35-49	206	7.0	59	1	1	5	10	16	21	45
50-64	239	9.5	82	1	2	7	13	21	29	46
65+	260	12.1	112	2	3	10	15	25	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	5.6	24	1	2	4	7	13	19	23
B. *Operated*	664	5.9	28	1	1	4	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	563	7.9	60	1	2	6	10	15	22	35
B. *Operated*	967	9.6	88	1	2	7	13	21	29	46
1. SINGLE DX	878	5.8	27	1	1	4	8	13	16	24
2. MULTIPLE DX	1530	9.0	78	1	2	6	12	19	25	43
A. NOT OPERATED	777	7.3	51	1	2	5	9	15	21	33
B. OPERATED	1631	8.1	67	1	2	5	11	17	24	42
TOTAL 0-19 YRS	309	9.4	55	1	2	7	13	20	23	34
20-34	490	6.0	41	1	1	4	7	14	19	33
35-49	454	5.9	38	1	1	4	7	12	17	32
50-64	525	8.1	74	1	2	5	10	17	23	44
65+	630	9.8	79	1	2	8	13	20	28	43
GRAND TOTAL	**2408**	**7.9**	**62**	**1**	**2**	**5**	**10**	**17**	**23**	**40**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	3	1	1	1	3	5	5	5
20-34	17	1.5	1	<1	<1	1	2	3	3	3
35-49	8	1.1		<1	<1	1	1	2	2	2
50-64	3	4.3	12	<1	<1	4	7	8	8	8
65+	3	3.7		3	3	4	4	4	4	4
B. *Operated*										
0-19 YRS	747	2.1	3	<1	<1	2	3	4	5	7
20-34	1891	2.3	3	<1	<1	2	3	4	5	9
35-49	960	2.2	4	<1	<1	2	3	4	5	9
50-64	501	2.3	2	<1	1	2	3	4	5	8
65+	153	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.1		<1	<1	<1	1	1	2	2
20-34	27	1.4	1	<1	<1	1	2	2	3	5
35-49	19	1.8	1	<1	<1	1	3	4	5	5
50-64	22	1.5	2	<1	<1	1	1	3	5	8
65+	21	3.9	15	<1	<1	3	5	8	13	17
B. *Operated*										
0-19 YRS	526	2.4	3	<1	1	2	3	5	5	8
20-34	1684	2.7	5	<1	<1	2	4	5	6	11
35-49	1155	2.6	6	<1	<1	2	3	5	7	12
50-64	1005	2.7	4	<1	1	2	3	5	6	11
65+	515	3.4	9	1	1	3	4	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*	4252	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	106	1.9	5	<1	<1	1	2	4	6	13
B. *Operated*	4885	2.7	5	<1	1	2	3	5	6	12
1. SINGLE DX	4290	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	4991	2.7	5	<1	1	2	3	5	6	12
A. NOT OPERATED	144	1.9	4	<1	<1	1	2	4	5	9
B. OPERATED	9137	2.5	4	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	1297	2.2	3	<1	<1	2	3	4	5	8
20-34	3619	2.5	4	<1	<1	2	3	5	6	9
35-49	2142	2.4	5	<1	<1	2	3	5	6	10
50-64	1531	2.5	4	<1	1	2	3	5	6	10
65+	692	3.3	8	<1	1	3	4	6	8	17
GRAND TOTAL	**9281**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	3.0	9	1	1	2	4	7	8	18
20-34	40	3.5	6	<1	<1	3	5	7	9	9
35-49	51	4.2	15	<1	<1	3	5	10	13	18
50-64	24	3.8	13	<1	1	3	4	9	13	14
65+	60	3.8	6	<1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	1129	2.7	3	<1	1	2	4	5	5	7
20-34	1925	3.0	4	<1	1	3	4	5	6	9
35-49	528	3.0	5	<1	<1	3	4	5	6	10
50-64	241	3.6	12	<1	1	3	4	7	10	20
65+	127	4.8	26	<1	1	3	6	11	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	4.3	33	1	1	3	4	10	13	35
20-34	105	4.0	18	<1	<1	3	4	8	16	20
35-49	87	4.9	22	<1	1	3	6	9	17	23
50-64	125	4.9	17	1	1	4	6	9	14	22
65+	286	6.5	31	1	2	5	8	12	16	30
B. *Operated*										
0-19 YRS	593	3.6	12	<1	1	3	4	6	9	15
20-34	972	3.9	16	<1	1	3	5	7	10	18
35-49	507	4.0	14	<1	1	3	5	8	10	21
50-64	353	4.7	26	1	1	3	5	9	14	26
65+	299	8.5	71	1	2	6	11	17	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	3.6	10	<1	1	3	5	7	9	17
B. *Operated*	3950	3.0	5	<1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	695	5.3	26	1	1	4	7	11	15	25
B. *Operated*	2724	4.4	24	1	1	3	5	9	13	25
1. SINGLE DX	4206	3.0	5	<1	1	3	4	5	7	11
2. MULTIPLE DX	3419	4.6	25	1	1	3	5	9	13	25
A. NOT OPERATED	951	4.9	22	<1	1	4	6	10	14	23
B. OPERATED	6674	3.6	13	<1	1	3	4	6	9	18
TOTAL 0-19 YRS	1895	3.1	8	<1	1	3	4	5	7	13
20-34	3042	3.3	8	<1	1	3	4	6	8	15
35-49	1173	3.6	11	<1	1	3	4	7	9	19
50-64	743	4.3	20	<1	1	3	5	8	13	24
65+	772	6.8	46	1	1	5	9	14	18	37
GRAND TOTAL	**7625**	**3.8**	**15**	**<1**	**1**	**3**	**4**	**7**	**10**	**19**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	6.0	12	2	2	5	8	12	12	12
35-49	8	6.5	13	2	2	6	9	12	12	12
50-64	7	7.6	26	2	2	8	10	15	16	16
65+	2	29.5	1201	5	5	29	54	54	54	54
B. *Operated*										
0-19 YRS										
20-34	2	8.5	85	2	2	8	15	15	15	15
35-49	2	10.0	50	5	5	10	15	15	15	15
50-64	1	21.0		21	21	21	21	21	21	21
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	2	4	4	6	7	7	7	7
20-34	6	7.0	11	4	4	6	10	12	12	12
35-49	11	12.7	132	3	3	10	17	32	38	39
50-64	9	5.6	10	2	2	7	7	10	11	11
65+	13	8.5	36	3	3	6	12	17	22	23
B. *Operated*										
0-19 YRS										
20-34	4	9.0	31	1	1	10	12	14	14	14
35-49	4	17.0	170	8	8	12	25	36	36	36
50-64	11	13.2	101	1	3	12	16	27	38	39
65+	8	14.0	144	5	5	9	19	35	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	8.4	101	2	2	6	11	12	24	54
B. *Operated*	6	11.7	49	2	2	13	15	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	43	8.5	53	2	3	7	10	16	24	39
B. *Operated*	27	13.4	106	1	5	11	15	34	39	39
1. SINGLE DX	32	9.0	91	2	2	6	11	15	20	54
2. MULTIPLE DX	70	10.4	78	2	3	8	13	21	36	39
A. NOT OPERATED	69	8.5	70	2	3	6	10	16	23	51
B. OPERATED	33	13.1	94	1	4	11	15	27	38	39
TOTAL 0-19 YRS	4	5.8	2	4	4	6	7	7	7	7
20-34	21	7.1	18	1	2	6	11	13	14	15
35-49	25	11.2	96	2	3	8	15	27	37	39
50-64	28	9.6	62	2	2	8	12	18	23	39
65+	24	12.3	150	3	4	8	13	26	43	54
GRAND TOTAL	**102**	**10.0**	**81**	**2**	**3**	**7**	**12**	**18**	**31**	**46**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.9	27	2	2	5	7	15	17	17
35-49	41	5.2	14	1	2	4	7	12	13	14
50-64	77	6.0	26	1	2	5	8	11	13	30
65+	97	5.5	12	1	2	5	8	10	13	60
B. *Operated*										
0-19 YRS	6	8.7	4	6	6	8	11	11	11	11
20-34	62	5.1	41	1	1	4	6	11	14	41
35-49	200	5.2	19	1	1	4	8	10	14	21
50-64	293	5.1	20	1	1	4	7	10	13	24
65+	149	6.8	33	1	1	5	10	15	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	10	<1	<1	4	6	10	10	10
20-34	26	5.7	20	1	2	5	7	11	15	21
35-49	124	6.5	25	1	2	5	9	13	16	28
50-64	310	6.2	30	1	2	5	8	11	13	35
65+	921	7.3	31	2	3	6	9	13	17	32
B. *Operated*										
0-19 YRS	3	10.7	1	10	10	10	12	12	12	12
20-34	48	4.7	20	1	1	3	7	11	15	19
35-49	236	7.3	50	1	1	6	9	14	18	39
50-64	514	7.2	37	1	1	6	10	15	19	30
65+	497	11.5	116	1	2	9	15	25	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	5.6	18	1	2	5	8	10	13	24
B. *Operated*	710	5.5	25	1	1	4	8	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	1387	7.0	30	2	2	6	9	13	17	31
B. *Operated*	1298	8.8	74	1	1	7	11	18	25	44
1. SINGLE DX	932	5.5	23	1	1	4	8	11	15	25
2. MULTIPLE DX	2685	7.8	52	1	2	6	10	15	21	39
A. NOT OPERATED	1609	6.8	29	2	2	5	9	12	16	31
B. OPERATED	2008	7.6	59	1	1	6	10	16	22	40
TOTAL 0-19 YRS	15	7.5	11	<1	2	8	10	11	12	12
20-34	143	5.1	29	1	1	3	7	11	15	23
35-49	601	6.3	33	1	1	5	8	13	16	30
50-64	1194	6.4	31	1	1	5	8	12	16	30
65+	1664	8.4	60	1	2	6	10	17	23	43
GRAND TOTAL	**3617**	**7.2**	**46**	**1**	**2**	**6**	**9**	**14**	**19**	**36**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	5.7	11	1	1	6	8	10	11	13
20-34	587	6.0	18	1	1	5	8	12	14	19
35-49	854	6.3	17	1	2	6	8	11	14	20
50-64	446	6.4	19	1	2	6	8	11	14	23
65+	148	6.5	18	1	2	6	9	12	14	21
B. *Operated*										
0-19 YRS	118	5.4	17	1	1	5	7	11	13	21
20-34	3064	5.7	20	1	1	5	8	11	14	21
35-49	3993	5.9	23	1	1	5	8	12	15	22
50-64	1803	6.3	26	1	1	5	9	13	15	24
65+	431	7.8	45	1	1	7	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.8	43	1	1	7	9	15	24	26
20-34	383	7.1	30	1	2	6	9	14	19	27
35-49	692	7.1	29	1	2	6	9	13	18	24
50-64	691	7.5	26	1	2	6	10	14	17	26
65+	687	8.3	29	2	3	7	11	15	18	28
B. *Operated*										
0-19 YRS	21	7.9	105	1	1	4	9	21	32	43
20-34	921	8.2	43	1	1	7	10	16	20	34
35-49	1779	9.0	48	1	2	8	12	17	22	35
50-64	1512	9.3	66	1	2	7	12	19	23	37
65+	844	11.9	84	2	2	10	16	23	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2068	6.3	18	1	2	6	8	11	14	21
B. *Operated*	9409	6.0	23	1	1	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	2467	7.6	28	1	2	6	10	14	18	26
B. *Operated*	5077	9.4	60	1	2	8	12	19	24	36
1. SINGLE DX	11477	6.0	22	1	1	5	8	12	15	22
2. MULTIPLE DX	7544	8.8	50	1	2	7	11	17	22	34
A. NOT OPERATED	4535	7.0	24	1	2	6	9	13	16	25
B. OPERATED	14486	7.2	39	1	1	6	10	15	19	29
TOTAL 0-19 YRS	186	5.9	28	1	1	5	7	11	15	25
20-34	4955	6.3	26	1	1	5	8	12	16	25
35-49	7318	6.8	30	1	1	6	9	13	17	26
50-64	4452	7.5	41	1	1	6	10	15	19	30
65+	2110	9.5	57	1	2	8	12	18	23	34
GRAND TOTAL	**19021**	**7.1**	**35**	**1**	**1**	**6**	**9**	**14**	**18**	**28**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	3	1	1	3	5	5	5	5
20-34	75	5.0	10	<1	1	5	7	8	9	19
35-49	136	6.1	14	1	1	6	8	11	13	16
50-64	84	5.3	10	1	1	5	7	9	12	14
65+	30	6.8	37	2	3	5	7	10	17	35
B. *Operated*										
0-19 YRS	8	4.4	14	1	1	3	7	10	10	10
20-34	282	4.9	14	1	1	4	7	10	12	16
35-49	755	5.2	19	1	1	4	7	10	13	21
50-64	373	5.3	18	1	1	5	7	10	13	21
65+	52	6.7	26	1	1	6	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	46	5.2	13	1	2	5	6	8	14	19
35-49	173	6.4	29	1	1	5	8	12	16	33
50-64	171	6.1	30	1	2	5	7	11	15	30
65+	196	6.7	26	2	2	5	8	12	15	30
B. *Operated*										
0-19 YRS	7	4.3	6	2	2	4	5	8	9	9
20-34	152	5.9	33	1	1	5	8	12	13	28
35-49	496	7.4	60	1	2	6	9	14	20	41
50-64	432	7.6	48	1	2	5	10	16	21	34
65+	125	10.9	79	1	2	9	14	22	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	5.6	14	1	1	5	8	10	12	17
B. *Operated*	1470	5.2	18	1	1	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	588	6.3	27	1	2	5	8	12	15	30
B. *Operated*	1212	7.6	55	1	2	6	9	16	21	40
1. SINGLE DX	1801	5.3	17	1	1	5	7	10	13	20
2. MULTIPLE DX	1800	7.2	46	1	2	5	9	14	19	36
A. NOT OPERATED	919	6.1	22	1	2	5	8	11	14	24
B. OPERATED	2682	6.3	36	1	1	5	8	12	17	31
TOTAL 0-19 YRS	23	3.9	7	1	1	4	5	9	10	10
20-34	555	5.2	19	1	1	4	7	10	13	19
35-49	1560	6.1	33	1	1	5	8	12	16	29
50-64	1060	6.4	32	1	1	5	8	12	16	31
65+	403	8.0	47	1	2	6	10	16	21	38
GRAND TOTAL	**3601**	**6.2**	**33**	**1**	**1**	**5**	**8**	**12**	**16**	**30**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	62	6.0	22	1	2	4	8	11	18	23
35-49	76	6.4	14	1	2	6	8	12	13	18
50-64	24	5.8	9	1	2	5	7	11	12	13
65+	7	6.1	12	2	2	6	8	11	12	12
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	66	5.2	32	<1	1	2	8	12	14	32
35-49	66	5.6	34	1	1	3	8	12	16	28
50-64	15	4.7	14	<1	1	3	8	9	11	11
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	28	<1	<1	5	10	11	11	11
20-34	85	7.1	20	2	3	6	9	14	18	22
35-49	104	7.8	26	2	3	7	9	13	19	28
50-64	72	7.8	32	2	2	6	10	16	18	29
65+	49	8.4	47	3	3	7	10	13	18	47
B. *Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	74	7.6	45	1	1	7	11	15	17	38
35-49	95	9.1	61	1	1	8	11	18	26	39
50-64	38	8.2	30	1	2	7	12	16	18	20
65+	17	12.5	171	1	2	9	16	24	46	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	6.1	16	1	2	5	8	11	13	19
B. *Operated*	150	5.4	30	1	1	3	8	12	14	28
2. MULTIPLE DX										
A. *Not Operated*	314	7.7	29	2	3	6	9	14	18	26
B. *Operated*	227	8.6	59	1	1	8	11	17	20	41
1. SINGLE DX	320	5.8	23	1	1	5	8	11	14	25
2. MULTIPLE DX	541	8.1	42	1	2	7	10	15	19	36
A. NOT OPERATED	484	7.1	25	2	2	6	9	13	18	23
B. OPERATED	377	7.3	50	1	1	6	10	15	18	36
TOTAL 0-19 YRS	10	5.0	16	<1	<1	5	8	10	11	11
20-34	287	6.5	30	1	1	5	9	13	17	27
35-49	341	7.4	36	1	1	6	10	14	18	35
50-64	149	7.3	27	1	2	6	10	15	17	22
65+	74	9.1	73	2	3	7	10	16	20	55
GRAND TOTAL	**861**	**7.2**	**36**	**1**	**1**	**6**	**10**	**14**	**18**	**31**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.4	7	5	5	8	11	11	11	11
20-34	37	6.1	17	1	2	5	8	12	14	17
35-49	58	6.3	14	1	2	6	9	12	13	17
50-64	47	5.8	9	2	2	5	7	10	11	14
65+	29	6.9	33	1	1	6	8	13	15	30
B. *Operated*										
0-19 YRS	7	3.4	15	1	1	2	4	10	12	12
20-34	51	3.7	10	1	1	2	6	9	10	12
35-49	61	6.0	57	1	1	3	7	14	26	39
50-64	35	6.8	62	<1	1	5	9	13	28	36
65+	9	4.9	12	1	1	4	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	41	7.3	27	2	3	6	8	16	19	27
35-49	63	6.9	18	2	3	6	9	11	18	20
50-64	80	6.7	15	2	2	6	9	11	14	20
65+	144	8.1	24	2	3	7	10	15	19	25
B. *Operated*										
0-19 YRS	3	10.3	120	4	4	4	18	23	23	23
20-34	23	6.1	23	<1	1	4	9	13	17	18
35-49	50	7.7	47	1	1	6	10	20	21	22
50-64	44	9.5	56	1	1	8	12	20	24	35
65+	29	9.6	66	2	3	7	12	18	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	6.3	16	1	2	6	8	11	13	17
B. *Operated*	163	5.3	40	1	1	3	7	11	15	35
2. MULTIPLE DX										
A. *Not Operated*	330	7.4	21	2	3	7	9	13	18	23
B. *Operated*	149	8.4	51	1	1	7	11	20	22	35
1. SINGLE DX	339	5.8	28	1	1	5	8	11	14	30
2. MULTIPLE DX	479	7.7	31	2	2	7	10	15	20	26
A. NOT OPERATED	506	7.0	20	2	2	6	9	12	15	23
B. OPERATED	312	6.8	47	1	1	5	9	15	21	35
TOTAL 0-19 YRS	17	6.6	35	1	1	4	11	14	20	23
20-34	152	5.6	20	1	1	5	8	11	15	19
35-49	232	6.7	33	1	1	5	9	13	20	28
50-64	206	7.1	31	1	2	6	9	13	17	33
65+	211	8.0	31	2	3	7	10	14	19	30
GRAND TOTAL	**818**	**6.9**	**30**	**1**	**2**	**6**	**9**	**13**	**18**	**28**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.0	9	1	1	2	4	6	7	20
20-34	591	5.6	18	1	1	5	7	11	15	19
35-49	757	6.1	22	1	1	5	8	12	16	20
50-64	428	6.1	25	1	1	5	7	12	16	24
65+	228	5.9	16	1	1	5	8	11	13	19
B. *Operated*										
0-19 YRS	46	3.0	8	1	1	2	4	7	11	13
20-34	671	3.7	15	1	1	2	5	8	12	17
35-49	902	4.4	19	1	1	3	6	9	12	21
50-64	644	5.1	21	1	1	4	8	10	14	20
65+	400	7.3	42	1	1	6	10	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	5.2	48	<1	<1	2	6	12	22	32
20-34	786	7.6	48	1	1	5	10	19	19	32
35-49	1177	7.8	41	1	2	6	10	18	19	30
50-64	1002	7.3	34	1	2	6	9	15	19	31
65+	1213	7.4	34	1	2	6	9	14	18	27
B. *Operated*										
0-19 YRS	46	5.3	20	1	1	4	8	14	15	16
20-34	571	6.0	34	1	1	4	8	13	17	28
35-49	1040	6.8	44	1	1	5	9	14	19	31
50-64	1109	8.5	74	1	1	7	11	17	22	46
65+	1067	11.2	101	1	2	9	14	23	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2059	5.9	21	1	1	5	8	11	15	20
B. *Operated*	2663	4.8	23	1	1	3	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	4240	7.5	39	1	2	6	10	17	19	31
B. *Operated*	3833	8.4	71	1	1	7	11	17	23	43
1. SINGLE DX	4722	5.3	22	1	1	4	7	11	15	20
2. MULTIPLE DX	8073	7.9	54	1	1	6	10	17	20	27
A. NOT OPERATED	6299	7.0	34	1	2	5	9	15	19	28
B. OPERATED	6496	6.9	54	1	1	5	9	15	19	37
TOTAL 0-19 YRS	209	4.2	24	<1	1	2	5	10	14	28
20-34	2619	5.8	32	1	1	4	8	13	18	25
35-49	3876	6.4	34	1	1	5	8	13	19	28
50-64	3183	7.1	46	1	1	6	9	15	19	34
65+	2908	8.7	62	1	2	7	11	17	22	41
GRAND TOTAL	**12795**	**6.9**	**44**	**1**	**1**	**5**	**9**	**15**	**19**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.0	5	1	1	2	4	5	8	11
20-34	52	4.0	12	1	1	3	5	8	13	16
35-49	70	3.1	4	<1	1	3	4	6	6	11
50-64	71	3.3	10	<1	1	2	4	6	9	19
65+	34	4.6	8	1	2	4	6	8	8	16
B. *Operated*										
0-19 YRS	221	2.0	2	<1	<1	1	3	4	5	7
20-34	616	2.4	5	<1	<1	2	3	4	5	9
35-49	792	2.4	3	<1	<1	2	3	5	6	10
50-64	740	2.3	3	<1	<1	2	3	4	6	9
65+	236	2.8	6	<1	<1	2	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.3	8	<1	1	2	4	7	10	14
20-34	66	4.0	5	1	2	4	5	8	8	11
35-49	100	5.1	25	1	1	4	6	10	15	29
50-64	128	4.9	14	1	1	4	7	9	11	21
65+	220	6.6	27	2	2	5	8	13	18	27
B. *Operated*										
0-19 YRS	106	2.7	5	<1	1	2	3	6	7	12
20-34	395	3.1	10	<1	<1	2	4	5	7	13
35-49	581	3.7	12	1	1	3	4	7	11	17
50-64	636	3.8	16	<1	1	3	4	7	11	18
65+	339	5.0	42	1	1	3	5	9	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	3.4	7	1	1	3	4	7	8	14
B. *Operated*	2605	2.4	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	570	5.3	21	1	1	4	7	11	13	25
B. *Operated*	2057	3.8	18	<1	1	3	4	7	10	19
1. SINGLE DX	2936	2.5	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	2627	4.1	19	<1	1	3	5	8	11	20
A. NOT OPERATED	901	4.6	17	1	1	3	6	9	12	20
B. OPERATED	4662	3.0	11	<1	<1	2	4	5	7	15
TOTAL 0-19 YRS	487	2.5	4	<1	<1	2	3	5	6	11
20-34	1129	2.8	7	<1	<1	2	3	5	7	11
35-49	1543	3.1	9	<1	<1	2	4	6	8	14
50-64	1575	3.2	11	<1	<1	2	4	6	9	16
65+	829	4.8	28	<1	1	3	6	9	13	25
GRAND TOTAL	**5563**	**3.3**	**12**	**<1**	**<1**	**2**	**4**	**6**	**9**	**16**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	199	2.7	3	<1	1	2	3	5	5	8
20-34	333	2.8	2	<1	1	2	4	5	6	9
35-49	405	2.7	2	<1	1	3	3	4	5	7
50-64	544	3.0	3	<1	1	3	4	5	6	8
65+	293	3.0	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	8	2.3	7	<1	<1	1	3	7	8	8
50-64	22	2.0	9	<1	<1	1	1	5	9	14
65+	24	3.4	17	<1	<1	1	5	9	12	17
B. *Operated*										
0-19 YRS	195	2.9	2	1	1	3	4	5	6	8
20-34	508	3.1	4	1	1	3	4	5	6	8
35-49	753	3.2	3	1	1	3	4	5	6	8
50-64	1348	3.5	4	1	1	3	4	6	7	10
65+	1075	4.0	5	1	2	4	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	1774	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	60	2.5	11	<1	<1	1	2	7	9	17
B. *Operated*	3879	3.5	4	1	1	3	4	6	7	10
1. SINGLE DX	1777	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	3939	3.5	4	1	1	3	4	6	7	10
A. NOT OPERATED	63	2.4	11	<1	<1	1	2	7	9	17
B. OPERATED	5653	3.3	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	395	2.8	3	<1	1	2	4	5	5	8
20-34	847	2.9	3	1	1	3	4	5	6	9
35-49	1167	3.0	2	1	1	3	4	5	6	8
50-64	1914	3.3	4	1	1	3	4	5	7	10
65+	1393	3.7	5	1	1	3	5	6	7	11
GRAND TOTAL	**5716**	**3.3**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	5	1.4		<1	<1	<1	2	2	2	2
35-49	6	1.3		<1	<1	1	2	2	2	2
50-64	5	3.8	27	<1	<1	2	5	13	13	13
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	241	1.3		<1	<1	1	1	2	3	4
20-34	448	1.5	2	<1	<1	<1	2	2	3	4
35-49	264	1.6	1	<1	<1	1	2	3	4	5
50-64	179	1.8	2	<1	<1	1	2	4	5	8
65+	97	2.1	3	<1	<1	1	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	8	1.6	1	<1	<1	1	2	3	3	3
35-49	6	4.5	36	<1	<1	1	6	15	16	16
50-64	4	3.0	6	1	1	3	5	6	6	6
65+	11	4.5	10	<1	<1	4	8	9	9	9
B. *Operated*										
0-19 YRS	25	1.9	2	<1	<1	1	2	4	5	7
20-34	100	2.0	5	<1	<1	1	3	3	4	13
35-49	112	2.7	13	<1	<1	2	3	6	8	22
50-64	144	3.1	7	<1	<1	2	4	6	8	13
65+	90	3.6	13	<1	1	3	4	7	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.9	7	<1	<1	<1	2	2	7	13
B. *Operated*	1229	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	31	3.4	12	<1	<1	2	4	8	9	16
B. *Operated*	471	2.8	9	<1	<1	2	3	6	8	16
1. SINGLE DX	1250	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX	502	2.8	9	<1	<1	2	3	6	8	16
A. NOT OPERATED	52	2.8	10	<1	<1	1	2	7	9	16
B. OPERATED	1700	1.9	4	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	271	1.4	1	<1	<1	1	2	2	3	4
20-34	561	1.6	2	<1	<1	1	2	3	3	5
35-49	388	1.9	5	<1	<1	1	2	3	5	9
50-64	332	2.4	5	<1	<1	2	3	5	7	12
65+	200	2.9	8	<1	<1	2	3	6	8	16
GRAND TOTAL	**1752**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	12.7	90	2	4	10	17	25	28	53
20-34	20	8.7	22	2	3	8	12	16	17	18
35-49	21	9.3	80	1	2	6	12	22	33	34
50-64	9	7.9	31	1	2	9	11	16	19	19
65+	12	7.9	60	1	2	5	11	20	27	28
B. *Operated*										
0-19 YRS	94	15.0	145	2	3	12	21	30	44	51
20-34	79	8.9	64	1	2	6	14	21	26	35
35-49	67	9.6	104	1	1	7	11	21	31	55
50-64	64	8.4	66	1	1	6	11	17	24	41
65+	37	8.7	65	1	2	6	10	20	23	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	14.7	128	2	3	10	21	29	40	50
20-34	31	13.6	123	1	2	10	19	28	40	42
35-49	43	13.4	99	1	3	12	19	29	32	42
50-64	75	17.4	224	2	3	11	26	42	47	61
65+	76	12.2	99	3	3	8	15	29	34	47
B. *Operated*										
0-19 YRS	108	19.7	158	4	6	16	27	42	43	50
20-34	150	19.8	275	2	3	16	29	44	54	80
35-49	167	19.1	298	2	3	13	28	49	58	99+
50-64	218	18.1	275	2	3	12	27	43	53	73
65+	229	19.7	295	2	4	15	28	47	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	10.8	74	2	3	8	14	22	28	40
B. *Operated*	341	10.6	101	1	2	8	14	23	30	49
2. MULTIPLE DX										
A. *Not Operated*	288	14.4	143	2	3	10	20	31	41	51
B. *Operated*	872	19.2	269	2	4	14	28	44	54	91
1. SINGLE DX	474	10.7	93	1	2	8	14	23	30	49
2. MULTIPLE DX	1160	18.0	242	2	3	13	26	42	51	82
A. NOT OPERATED	421	13.3	124	2	3	9	17	29	36	51
B. OPERATED	1213	16.8	237	2	3	12	23	42	50	81
TOTAL 0-19 YRS	336	16.0	140	2	4	13	22	31	43	51
20-34	280	15.2	206	1	2	10	22	38	45	74
35-49	298	15.4	227	1	2	10	21	40	51	92
50-64	366	16.0	235	2	3	10	22	39	48	68
65+	354	16.5	240	2	3	12	22	37	52	99
GRAND TOTAL	**1634**	**15.9**	**210**	**2**	**3**	**11**	**22**	**38**	**47**	**73**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	5.4	24	<1	1	4	8	10	11	25
20-34	44	3.6	21	<1	<1	2	5	8	9	29
35-49	75	2.3	2	<1	1	2	3	4	6	8
50-64	70	3.4	6	1	1	3	4	6	8	15
65+	140	5.5	15	1	2	4	8	11	13	20
B. *Operated*										
0-19 YRS	678	3.6	12	<1	1	3	4	7	9	18
20-34	783	3.6	14	<1	1	3	4	7	9	18
35-49	412	4.6	24	<1	1	3	6	10	13	19
50-64	264	5.7	23	1	1	4	8	11	14	25
65+	199	9.0	67	1	2	8	13	16	23	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	5.6	46	<1	1	3	6	17	20	30
20-34	106	3.5	11	1	1	3	4	7	9	20
35-49	214	4.1	17	1	1	3	5	9	12	24
50-64	420	6.6	39	1	2	4	9	15	19	31
65+	2028	8.6	44	2	3	7	11	16	20	37
B. *Operated*										
0-19 YRS	287	4.1	21	1	1	3	4	8	14	25
20-34	572	5.3	42	1	1	3	6	11	15	32
35-49	459	7.3	70	1	1	4	10	15	20	44
50-64	537	10.7	126	1	2	8	14	22	30	58
65+	974	13.5	110	2	3	11	17	26	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	4.2	14	1	1	3	6	9	11	20
B. *Operated*	2336	4.5	23	<1	1	3	5	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	2816	7.7	43	1	2	6	10	15	20	34
B. *Operated*	2829	9.4	97	1	2	6	13	20	27	47
1. SINGLE DX	2716	4.4	22	<1	1	3	5	9	13	24
2. MULTIPLE DX	5645	8.5	71	1	2	6	11	17	23	42
A. NOT OPERATED	3196	7.3	41	1	2	6	10	14	19	32
B. OPERATED	5165	7.2	69	1	1	4	9	16	21	41
TOTAL 0-19 YRS	1064	3.9	17	<1	1	3	5	8	11	23
20-34	1505	4.2	25	<1	1	3	5	8	12	27
35-49	1160	5.4	42	1	1	3	7	12	16	31
50-64	1291	8.0	76	1	2	5	10	16	23	42
65+	3341	9.9	69	2	3	8	13	19	25	44
GRAND TOTAL	**8361**	**7.2**	**58**	**1**	**1**	**5**	**9**	**15**	**20**	**38**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	178	3.0	4	<1	<1	3	4	6	7	10
20-34	127	2.8	6	<1	<1	2	4	5	8	12
35-49	54	3.0	4	<1	<1	2	4	6	7	9
50-64	41	3.0	5	<1	1	2	3	6	8	11
65+	22	4.0	7	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3	1	<1	<1	1	1	3	3	3
20-34	5	6.2	24	<1	<1	5	9	14	14	14
35-49	7	2.9	4	<1	<1	2	5	5	5	5
50-64	5	14.4	571	2	2	4	19	57	57	57
65+	9	12.1	76	1	2	10	19	25	25	25
B. *Operated*										
0-19 YRS	252	3.7	14	1	1	3	4	6	9	15
20-34	152	4.2	11	<1	1	3	5	8	9	15
35-49	125	4.1	9	1	1	3	6	8	9	15
50-64	120	4.6	15	1	1	4	6	9	11	19
65+	84	8.7	178	1	2	4	8	21	34	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	422	3.0	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	33	7.3	121	<1	<1	4	8	18	25	57
B. *Operated*	733	4.6	34	1	1	3	5	8	11	30
1. SINGLE DX	426	3.0	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX	766	4.7	37	1	1	3	5	9	11	33
A. NOT OPERATED	37	6.7	111	<1	<1	3	7	17	25	57
B. OPERATED	1155	4.0	24	<1	1	3	5	7	9	22
TOTAL 0-19 YRS	439	3.4	10	<1	1	3	4	6	7	13
20-34	284	3.6	10	<1	<1	3	5	7	9	15
35-49	187	3.7	8	<1	1	3	5	7	9	13
50-64	166	4.5	29	1	1	3	6	9	11	24
65+	116	8.0	140	1	2	4	8	18	26	72
GRAND TOTAL	**1192**	**4.1**	**26**	**<1**	**1**	**3**	**5**	**8**	**10**	**25**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	5.6	32	1	1	3	7	16	17	17
35-49	22	4.4	11	1	1	4	6	7	11	16
50-64	19	3.5	11	<1	1	2	5	8	12	14
65+	15	6.8	38	2	2	4	7	17	21	22
B. *Operated*										
0-19 YRS										
20-34	16	4.6	40	1	1	2	4	9	22	27
35-49	36	3.1	11	1	1	2	4	9	10	15
50-64	22	5.9	37	1	1	3	8	12	19	27
65+	13	5.7	20	1	1	5	8	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	23	3.8	6	1	2	3	4	6	10	13
35-49	23	6.3	20	1	1	5	10	14	15	16
50-64	40	6.8	46	1	2	5	8	10	25	34
65+	70	5.8	15	2	2	5	7	10	13	24
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	22	5.6	26	1	1	5	7	12	17	21
35-49	20	5.2	19	<1	1	4	8	11	15	17
50-64	25	6.2	46	1	1	5	7	11	21	33
65+	18	8.9	60	1	2	5	12	22	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	4.9	21	1	1	4	6	13	16	21
B. *Operated*	87	4.5	25	1	1	2	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	157	5.8	23	1	2	5	7	10	14	28
B. *Operated*	86	6.3	37	1	1	4	8	15	21	30
1. SINGLE DX	157	4.7	23	1	1	3	6	10	16	26
2. MULTIPLE DX	243	6.0	28	1	1	5	7	11	16	28
A. NOT OPERATED	227	5.5	23	1	1	4	7	10	15	26
B. OPERATED	173	5.4	32	1	1	3	7	11	17	27
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	75	4.8	24	1	1	3	6	11	16	25
35-49	101	4.5	16	1	1	3	6	10	14	17
50-64	106	5.9	38	1	1	4	7	10	18	33
65+	116	6.4	26	1	2	5	8	13	17	26
GRAND TOTAL	**400**	**5.5**	**26**	**1**	**1**	**4**	**7**	**11**	**16**	**27**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.6	5	<1	<1	2	3	5	8	11
20-34	122	3.8	10	<1	1	3	4	8	10	19
35-49	136	4.5	18	1	1	3	6	9	14	20
50-64	102	4.0	10	1	1	4	5	8	11	16
65+	83	4.3	12	1	1	3	6	8	11	20
B. *Operated*										
0-19 YRS	381	3.9	15	<1	<1	2	7	9	11	16
20-34	527	3.1	12	<1	<1	2	4	8	10	17
35-49	416	3.0	12	<1	<1	2	3	6	9	19
50-64	427	2.5	6	<1	<1	2	3	5	7	14
65+	326	2.6	7	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	2.5	4	<1	1	2	3	5	7	10
20-34	259	4.9	19	1	1	3	7	10	13	19
35-49	297	5.0	17	1	1	4	7	10	13	20
50-64	340	5.0	19	1	1	4	6	10	13	22
65+	570	6.0	27	1	2	5	7	12	15	29
B. *Operated*										
0-19 YRS	387	4.1	27	<1	1	2	4	9	13	25
20-34	597	3.7	20	<1	1	2	4	9	12	24
35-49	495	4.9	44	<1	1	3	6	11	15	30
50-64	577	5.5	46	1	1	3	7	12	17	40
65+	519	6.8	66	1	1	4	9	15	19	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	4.0	12	1	1	3	5	8	11	19
B. *Operated*	2077	3.0	11	<1	<1	2	3	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	1549	5.2	21	1	1	4	7	11	13	24
B. *Operated*	2575	5.0	42	<1	1	3	6	11	15	34
1. SINGLE DX	2576	3.2	11	<1	<1	2	4	8	10	17
2. MULTIPLE DX	4124	5.1	34	1	1	3	6	11	15	29
A. NOT OPERATED	2048	4.9	19	1	1	4	6	10	13	22
B. OPERATED	4652	4.1	29	<1	1	2	5	9	13	25
TOTAL 0-19 YRS	907	3.8	19	<1	<1	2	5	9	11	20
20-34	1505	3.7	17	<1	1	2	4	9	11	20
35-49	1344	4.3	26	<1	1	3	5	9	13	24
50-64	1446	4.4	27	<1	1	3	5	10	13	25
65+	1498	5.4	38	1	1	3	7	12	16	33
GRAND TOTAL	**6700**	**4.4**	**26**	**<1**	**1**	**3**	**5**	**10**	**13**	**24**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	3	6.3	17	3	3	5	9	11	11	11
35-49	8	5.8	14	2	2	5	7	12	14	14
50-64	4	3.5	6	1	1	3	5	7	7	7
65+	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	2	9.0	128	1	1	9	17	17	17	17
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	5.7	13	1	2	6	8	9	12	16
35-49	28	5.2	8	2	2	4	7	10	11	11
50-64	21	5.8	9	1	2	6	8	10	11	11
65+	9	6.0	13	2	3	5	7	12	13	13
B. *Operated*										
0-19 YRS										
20-34	5	5.2	11	1	1	5	8	9	9	9
35-49	8	8.8	48	2	2	5	16	18	18	18
50-64	5	4.8	5	3	3	4	6	8	8	8
65+	4	8.8	57	4	4	5	13	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.1	11	1	2	4	6	10	12	14
B. *Operated*	5	5.2	46	<1	<1	2	8	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	82	5.5	10	1	2	5	8	10	11	15
B. *Operated*	22	7.0	31	2	2	5	8	17	19	20
1. SINGLE DX	25	5.1	16	<1	1	4	6	11	15	17
2. MULTIPLE DX	104	5.9	15	2	2	5	8	11	14	19
A. NOT OPERATED	102	5.4	10	1	2	5	8	10	11	15
B. OPERATED	27	6.7	33	1	1	5	8	17	18	20
TOTAL 0-19 YRS	4	4.5	6	3	3	4	6	8	8	8
20-34	33	5.5	12	1	1	5	8	9	11	16
35-49	46	6.1	20	2	2	5	8	14	17	18
50-64	31	5.2	8	1	2	4	8	9	11	11
65+	15	6.4	23	1	2	5	6	13	18	20
GRAND TOTAL	**129**	**5.7**	**15**	**1**	**2**	**5**	**8**	**11**	**14**	**18**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.7	10	<1	<1	1	3	7	11	13
20-34	2	1.5	1	1	1	2	75	99+	99+	99+
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	46	4.6	11	1	1	3	6	10	12	15
20-34	18	7.1	30	1	1	6	12	16	18	18
35-49	4	5.3	14	1	1	5	8	10	10	10
50-64	4	10.0	91	2	2	9	18	21	21	21
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	4.0	17	<1	<1	3	5	8	10	22
20-34	5	5.2	37	2	2	3	6	16	16	16
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64	3	7.3	2	6	6	7	8	9	9	9
65+	6	5.0	20	1	1	4	7	12	13	13
B. *Operated*										
0-19 YRS	100	7.8	67	1	1	5	10	17	27	41
20-34	12	9.7	61	1	1	8	14	23	23	23
35-49	12	10.7	124	1	2	7	16	24	39	41
50-64	7	6.0	11	1	1	7	9	9	9	9
65+	10	13.1	84	2	3	11	15	28	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.9	11	<1	<1	1	3	11	43	99+
B. *Operated*	73	5.5	21	1	1	4	7	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	78	4.3	17	<1	1	3	6	9	12	22
B. *Operated*	141	8.5	71	1	1	6	11	18	27	42
1. SINGLE DX	95	4.9	20	<1	1	3	7	12	15	64
2. MULTIPLE DX	219	7.0	56	<1	1	5	9	16	22	37
A. NOT OPERATED	100	4.0	16	<1	<1	3	5	9	13	60
B. OPERATED	214	7.5	55	1	1	5	10	16	22	37
TOTAL 0-19 YRS	225	5.7	41	<1	1	4	7	12	17	33
20-34	37	7.4	41	1	1	6	12	18	23	99+
35-49	20	8.4	85	<1	1	5	10	17	29	41
50-64	14	7.4	30	1	2	7	9	16	20	21
65+	18	9.1	72	1	1	6	13	21	29	33
GRAND TOTAL	**314**	**6.4**	**46**	**<1**	**1**	**4**	**8**	**15**	**21**	**37**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	112	1.2	1	<1	<1	<1	1	1	2	7
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	392	1.7	1	<1	<1	1	2	3	3	7
20-34	106	2.0	2	<1	<1	2	2	3	4	8
35-49	53	1.8	1	<1	<1	2	2	3	4	7
50-64	59	1.8	1	<1	1	2	2	3	3	4
65+	52	1.9	2	<1	<1	2	2	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	1.8	6	<1	<1	<1	1	4	8	12
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	6.3	17	3	3	5	9	11	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	150	2.5	14	<1	<1	2	3	4	6	20
20-34	45	2.0	2	<1	1	2	2	3	4	13
35-49	26	2.4	2	<1	1	2	3	4	5	8
50-64	47	2.1	1	<1	<1	2	3	4	4	4
65+	77	2.3	2	<1	<1	2	3	3	5	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	1.2	1	<1	<1	<1	1	1	2	7
B. Operated	662	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	42	2.1	7	<1	<1	1	1	6	10	12
B. Operated	345	2.3	7	<1	<1	2	3	4	5	11
1. SINGLE DX	776	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	387	2.3	7	<1	<1	2	3	4	5	12
A. NOT OPERATED	156	1.4	3	<1	<1	<1	1	2	4	11
B. OPERATED	1007	2.0	3	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	690	1.8	4	<1	<1	1	2	3	4	9
20-34	153	2.0	2	<1	<1	2	2	3	4	8
35-49	83	2.2	3	<1	1	2	3	4	5	10
50-64	107	2.0	1	<1	<1	2	2	3	4	4
65+	130	2.1	2	<1	<1	2	2	4	5	8
GRAND TOTAL	**1163**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.5	12	<1	<1	1	3	4	9	17
20-34	6	2.5	2	1	1	2	3	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	618	4.1	22	<1	<1	2	6	8	9	13
20-34	71	3.8	9	<1	1	2	6	8	10	13
35-49	38	4.6	12	1	1	3	8	10	11	12
50-64	32	4.8	36	1	1	2	7	10	15	30
65+	18	3.6	18	1	1	2	2	12	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	195	3.9	45	<1	<1	2	4	7	14	30
20-34	38	4.4	15	1	1	3	6	10	13	18
35-49	20	4.1	5	<1	1	4	5	7	8	10
50-64	16	5.9	51	1	1	5	6	9	24	31
65+	29	6.6	52	<1	1	5	6	14	18	38
B. Operated										
0-19 YRS	1138	6.1	54	<1	1	4	8	13	17	39
20-34	114	6.9	38	1	1	5	10	15	21	56
35-49	95	7.5	91	1	1	3	9	16	26	52
50-64	81	8.5	117	1	1	7	10	17	22	69
65+	61	10.2	103	1	1	8	14	22	29	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.5	8	<1	1	2	3	4	5	17
B. Operated	777	4.1	21	<1	<1	2	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	298	4.3	40	<1	<1	3	5	9	14	33
B. Operated	1489	6.5	61	<1	1	5	9	14	18	46
1. SINGLE DX	811	4.0	20	<1	<1	2	6	8	10	15
2. MULTIPLE DX	1787	6.2	58	<1	1	4	8	13	18	40
A. NOT OPERATED	332	4.1	37	<1	<1	2	5	8	14	32
B. OPERATED	2266	5.7	49	<1	1	4	8	12	16	34
TOTAL 0-19 YRS	1973	5.2	44	<1	<1	3	7	11	14	31
20-34	229	5.4	26	1	1	3	8	12	15	27
35-49	155	6.3	61	1	1	3	8	12	18	45
50-64	131	7.2	90	1	1	4	9	15	19	42
65+	110	8.0	80	1	1	5	11	17	26	48
GRAND TOTAL	**2598**	**5.5**	**47**	**<1**	**1**	**3**	**8**	**11**	**16**	**34**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	394	3.5	4	1	1	3	4	6	8	11
20-34	9	3.1	3	1	1	3	4	6	7	7
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	5	<1	<1	1	2	5	7	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	285	3.5	7	1	1	3	4	6	7	8
20-34	14	2.4	1	<1	1	2	3	4	4	4
35-49	8	3.4	1	2	2	3	4	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	411	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	25	2.0	5	<1	<1	1	2	5	7	11
B. *Operated*	310	3.5	6	1	1	3	4	6	7	8
1. SINGLE DX	415	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX	335	3.4	6	<1	1	3	4	6	7	8
A. NOT OPERATED	29	1.8	5	<1	<1	1	2	4	6	11
B. OPERATED	721	3.5	5	1	1	3	4	6	7	9
TOTAL 0-19 YRS	708	3.5	5	1	1	3	4	6	7	10
20-34	23	2.7	2	<1	1	3	3	4	5	7
35-49	13	3.2	2	1	1	3	4	5	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	4	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	**750**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	1	1	1	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	318	3.1	2	1	2	3	4	5	6	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	<1	<1	2	4	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	93	4.5	11	2	2	4	5	8	12	19
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.5	1	1	1	1	2	3	3	3
B. *Operated*	318	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	4	2.8	3	<1	<1	2	4	5	5	5
B. *Operated*	93	4.5	11	2	2	4	5	8	12	19
1. SINGLE DX	326	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX	97	4.5	11	2	2	4	5	8	11	19
A. NOT OPERATED	12	1.9	2	<1	<1	2	3	4	5	5
B. OPERATED	411	3.4	4	2	2	3	4	5	7	12
TOTAL 0-19 YRS	423	3.4	4	1	2	3	4	5	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**423**	**3.4**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.3	17	<1	<1	1	2	4	7	27
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	220	4.3	14	<1	<1	3	6	9	12	16
20-34	56	3.4	15	<1	<1	2	5	8	9	23
35-49	22	3.8	11	<1	<1	3	5	9	12	14
50-64	20	3.7	7	1	1	3	6	8	9	9
65+	7	8.0	28	1	1	8	11	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.3	18	<1	1	3	5	10	14	20
20-34	5	6.2	17	2	2	5	10	11	11	11
35-49	6	3.0	1	2	2	3	4	4	4	4
50-64	11	6.5	62	<1	1	4	7	17	28	29
65+	20	4.9	10	<1	1	5	5	11	12	12
B. *Operated*										
0-19 YRS	275	7.0	46	1	1	5	9	16	22	40
20-34	61	7.3	39	<1	1	6	9	18	20	29
35-49	28	6.4	62	<1	<1	4	8	12	31	32
50-64	34	10.1	77	2	2	8	12	22	28	41
65+	40	11.2	102	<1	1	9	16	22	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.2	14	<1	<1	1	2	4	6	26
B. *Operated*	325	4.1	14	<1	<1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	126	4.6	20	<1	1	3	5	10	13	24
B. *Operated*	438	7.6	56	<1	1	5	9	17	24	41
1. SINGLE DX	381	3.8	14	<1	<1	2	5	9	11	16
2. MULTIPLE DX	564	6.9	50	<1	1	5	9	16	21	38
A. NOT OPERATED	182	3.9	19	<1	<1	2	5	9	12	25
B. OPERATED	763	6.1	41	<1	1	4	8	13	19	32
TOTAL 0-19 YRS	625	5.3	32	<1	<1	4	7	11	16	29
20-34	124	5.4	30	<1	<1	4	8	11	18	26
35-49	59	4.8	35	<1	<1	3	5	10	13	32
50-64	68	7.3	59	1	1	5	9	17	24	39
65+	69	8.8	72	<1	1	5	12	19	24	44
GRAND TOTAL	**945**	**5.7**	**38**	**<1**	**<1**	**4**	**8**	**12**	**18**	**31**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	535	1.6	1	<1	<1	1	2	3	3	5
20-34	26	1.8	4	<1	1	1	2	3	5	11
35-49	13	1.8	1	<1	<1	2	2	3	4	4
50-64	3	2.0		2	2	2	2	2	2	2
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	427	1.9	2	<1	<1	1	2	3	4	7
20-34	44	2.7	3	1	1	2	4	6	7	7
35-49	15	2.9	6	1	1	2	3	8	8	8
50-64	4	4.0	9	1	1	4	6	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	579	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	14	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	491	2.0	2	<1	<1	2	2	4	5	8
1. SINGLE DX	579	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	505	2.0	2	<1	<1	2	2	3	5	8
A. NOT OPERATED	14	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	1070	1.8	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	976	1.7	1	<1	<1	1	2	3	4	6
20-34	70	2.4	4	1	1	2	3	5	7	10
35-49	28	2.4	4	<1	1	2	3	5	8	8
50-64	7	3.1	5	1	1	2	5	7	7	7
65+	3	2.7	2	1	1	3	4	4	4	4
GRAND TOTAL	**1084**	**1.8**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4	1	<1	<1	1	2	3	3	3
20-34	10	2.0	1	<1	<1	2	2	3	4	4
35-49	4	3.3	4	1	1	3	5	6	6	6
50-64	2	15.0	392	<1	<1	14	29	29	29	29
65+										
B. *Operated*										
0-19 YRS	451	3.4	9	<1	<1	2	5	8	9	14
20-34	135	3.5	9	<1	<1	3	5	7	10	14
35-49	38	4.1	10	<1	1	4	5	8	9	17
50-64	12	4.3	10	1	1	3	7	8	9	9
65+	9	3.8	6	<1	<1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.4	3	<1	<1	2	4	5	6	6
20-34	16	3.4	6	1	1	2	5	8	8	8
35-49	17	5.3	57	<1	1	3	5	9	25	33
50-64	10	4.9	16	2	2	4	5	11	15	15
65+	10	6.4	17	1	1	7	8	12	14	14
B. *Operated*										
0-19 YRS	409	4.6	17	<1	<1	3	7	10	13	19
20-34	188	5.2	20	<1	1	4	6	11	14	19
35-49	88	7.6	75	1	2	6	8	15	28	83
50-64	64	5.3	31	<1	<1	4	6	8	20	29
65+	37	9.1	38	1	2	8	12	15	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.0	31	<1	<1	2	2	4	12	29
B. *Operated*	645	3.5	9	<1	<1	2	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	73	4.2	21	<1	1	3	5	8	10	29
B. *Operated*	786	5.4	28	<1	1	4	7	11	14	28
1. SINGLE DX	670	3.5	10	<1	<1	2	5	8	9	14
2. MULTIPLE DX	859	5.3	28	<1	1	4	7	11	14	29
A. NOT OPERATED	98	3.9	23	<1	<1	2	5	8	10	31
B. OPERATED	1431	4.5	20	<1	<1	3	6	9	12	20
TOTAL 0-19 YRS	889	3.9	13	<1	<1	3	6	8	11	16
20-34	349	4.4	16	<1	1	4	6	9	12	18
35-49	147	6.3	56	1	1	5	7	10	18	57
50-64	88	5.4	32	<1	1	4	6	9	20	30
65+	56	7.8	33	<1	1	7	10	14	19	30
GRAND TOTAL	**1529**	**4.5**	**20**	**<1**	**<1**	**3**	**6**	**9**	**12**	**20**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	297	2.8	2	1	1	3	4	4	5	7
20-34	18	4.1	6	1	1	4	5	8	10	10
35-49	11	4.2	7	1	1	4	5	8	11	11
50-64	5	3.6	6	1	1	3	5	7	7	7
65+	8	3.5	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.0		<1	<1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	201	3.2	4	1	1	3	4	5	6	9
20-34	53	3.1	3	1	1	3	4	5	6	7
35-49	29	3.2	2	1	1	3	4	5	6	7
50-64	40	3.5	3	1	2	3	4	6	7	9
65+	14	3.5	1	2	2	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	339	2.9	3	1	1	3	4	5	5	10
2. MULTIPLE DX										
A. *Not Operated*	24	1.0		<1	<1	1	1	1	2	2
B. *Operated*	337	3.2	3	1	1	3	4	5	6	9
1. SINGLE DX	342	2.9	3	1	1	3	4	5	5	10
2. MULTIPLE DX	361	3.1	3	1	1	3	4	5	6	9
A. NOT OPERATED	27	1.0		<1	<1	1	1	1	2	2
B. OPERATED	676	3.1	3	1	1	3	4	5	6	9
TOTAL 0-19 YRS	523	2.9	3	1	1	3	4	5	5	9
20-34	72	3.3	4	1	1	3	4	5	7	10
35-49	40	3.5	3	1	1	3	4	6	7	11
50-64	45	3.5	3	1	2	3	4	6	7	9
65+	23	3.4	2	1	2	3	4	5	6	6
GRAND TOTAL	**703**	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.7	13	<1	<1	1	2	7	11	17
20-34	22	7.0	69	1	1	4	8	17	26	37
35-49	15	3.4	7	1	1	2	5	7	9	9
50-64	4	6.0	18	3	3	5	9	12	12	12
65+	6	6.0	40	<1	<1	4	7	17	18	18
B. *Operated*										
0-19 YRS	1003	3.5	14	<1	1	2	4	7	9	18
20-34	332	3.3	11	<1	<1	2	4	8	10	14
35-49	168	3.7	12	<1	<1	2	6	9	10	18
50-64	104	5.4	37	1	1	3	8	11	12	35
65+	35	5.9	37	1	1	4	8	14	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	4.7	54	<1	<1	2	6	9	16	50
20-34	50	4.7	16	<1	1	4	6	9	13	21
35-49	47	6.1	15	2	2	5	8	11	16	17
50-64	55	5.5	17	1	1	5	6	11	14	21
65+	50	7.4	24	2	3	6	9	13	15	31
B. *Operated*										
0-19 YRS	564	5.1	33	1	1	4	6	10	15	31
20-34	238	5.6	41	<1	1	4	7	12	16	36
35-49	186	7.1	40	<1	1	5	10	15	21	30
50-64	145	8.5	82	1	2	7	10	17	24	82
65+	87	9.2	76	1	2	8	13	18	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.6	24	<1	<1	2	4	9	14	19
B. *Operated*	1642	3.7	16	<1	<1	2	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	357	5.4	34	<1	1	4	7	11	15	30
B. *Operated*	1220	6.2	46	1	1	4	8	13	18	34
1. SINGLE DX	1788	3.7	16	<1	<1	2	4	8	11	19
2. MULTIPLE DX	1577	6.0	44	1	1	4	8	13	17	34
A. NOT OPERATED	503	4.9	32	<1	1	3	6	11	14	26
B. OPERATED	2862	4.7	30	<1	1	3	6	10	14	29
TOTAL 0-19 YRS	1821	4.1	24	<1	1	3	5	8	12	25
20-34	642	4.4	26	<1	<1	3	6	10	13	26
35-49	416	5.5	27	<1	1	4	8	12	16	27
50-64	308	6.9	56	1	1	5	9	13	17	44
65+	178	7.9	54	1	1	6	11	15	20	42
GRAND TOTAL	**3365**	**4.8**	**30**	**<1**	**1**	**3**	**6**	**10**	**14**	**29**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3176	2.4	3	1	1	2	3	4	5	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	89	3.1	6	1	1	2	4	6	8	14
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1499	6.7	92	1	1	3	6	16	28	52
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	168	15.6	385	1	2	8	20	52	74	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3176	2.4	3	1	1	2	3	4	5	10
B. *Operated*	89	3.1	6	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1499	6.7	92	1	1	3	6	16	28	52
B. *Operated*	168	15.6	385	1	2	8	20	52	74	99+
1. SINGLE DX	3265	2.4	3	1	1	2	3	4	5	11
2. MULTIPLE DX	1667	7.6	129	1	1	3	8	19	31	71
A. NOT OPERATED	4675	3.8	36	1	1	2	3	6	12	33
B. OPERATED	257	11.3	289	1	1	4	13	35	58	99+
TOTAL 0-19 YRS	4932	4.1	52	1	1	2	3	8	14	40
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**4932**	**4.1**	**52**	**1**	**1**	**2**	**3**	**8**	**14**	**40**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	763	2.1	5	<1	1	2	2	4	5	9
20-34	321	2.4	7	<1	1	2	3	4	6	19
35-49	155	2.2	2	1	1	2	3	4	5	7
50-64	123	2.6	4	1	1	2	3	5	7	12
65+	105	3.3	12	1	1	2	3	8	11	17
B. *Operated*										
0-19 YRS	17	2.4	2	<1	1	2	3	5	6	6
20-34	26	2.8	5	<1	1	2	4	7	8	9
35-49	10	5.6	30	<1	<1	4	8	15	17	17
50-64	14	4.0	12	<1	1	3	4	5	13	14
65+	9	3.1	6	1	1	2	3	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1203	2.5	5	1	1	2	3	5	6	11
20-34	439	3.8	24	<1	1	2	4	8	11	32
35-49	422	4.1	17	1	1	3	5	8	10	19
50-64	535	4.5	20	1	1	3	5	9	13	25
65+	988	6.0	36	1	2	4	7	12	17	33
B. *Operated*										
0-19 YRS	67	5.3	72	1	1	2	5	14	18	50
20-34	53	4.8	22	1	1	3	6	12	14	23
35-49	39	4.8	18	1	1	4	6	9	12	24
50-64	91	9.7	102	1	2	7	13	26	30	85
65+	131	9.4	92	2	2	7	12	20	28	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1467	2.3	6	<1	1	2	3	4	5	12
B. *Operated*	76	3.3	9	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	3587	4.1	21	1	1	3	5	8	12	22
B. *Operated*	381	7.7	78	1	1	5	9	17	26	61
1. SINGLE DX	1543	2.3	6	<1	1	2	3	4	6	13
2. MULTIPLE DX	3968	4.5	28	1	1	3	5	9	13	27
A. NOT OPERATED	5054	3.6	18	1	1	2	4	7	10	21
B. OPERATED	457	6.9	69	1	1	4	8	16	23	52
TOTAL 0-19 YRS	2050	2.4	8	<1	1	2	3	4	6	12
20-34	839	3.3	18	<1	1	2	4	7	10	21
35-49	626	3.7	14	1	1	3	4	7	9	17
50-64	763	4.8	30	1	1	3	6	10	15	30
65+	1233	6.2	41	1	2	4	8	13	17	34
GRAND TOTAL	**5511**	**3.9**	**23**	**1**	**1**	**2**	**4**	**8**	**12**	**24**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	2.7	2	1	1	3	3	5	5	9
20-34	53	3.0	3	1	1	3	4	6	7	8
35-49	45	4.1	11	1	2	3	5	9	11	16
50-64	38	4.5	5	2	2	4	6	8	9	10
65+	48	4.3	13	1	1	3	6	8	10	22
B. *Operated*										
0-19 YRS	17	4.1	26	<1	<1	2	4	15	17	17
20-34	7	6.7	47	2	2	5	5	19	22	22
35-49	6	5.0	8	2	2	5	5	10	10	10
50-64	8	5.6	15	2	2	4	8	12	13	13
65+	9	6.4	15	2	2	5	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	511	3.3	8	1	1	3	4	6	8	17
20-34	200	4.4	15	1	1	3	6	8	9	25
35-49	157	5.3	20	1	2	4	7	9	11	26
50-64	248	5.5	13	1	2	5	7	10	13	18
65+	613	6.4	24	2	2	5	8	12	16	24
B. *Operated*										
0-19 YRS	41	5.8	67	1	1	3	5	16	25	41
20-34	54	7.4	81	2	2	5	8	13	24	59
35-49	38	8.2	43	2	2	7	10	15	23	32
50-64	63	8.6	42	2	2	8	11	16	21	35
65+	111	13.6	170	2	3	10	18	29	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	3.2	5	1	1	3	4	6	7	11
B. *Operated*	47	5.3	22	<1	1	4	6	12	17	22
2. MULTIPLE DX										
A. *Not Operated*	1729	5.0	18	1	2	4	6	10	13	22
B. *Operated*	307	9.8	107	2	2	7	12	22	29	78
1. SINGLE DX	508	3.4	7	1	1	3	4	6	8	14
2. MULTIPLE DX	2036	5.7	34	1	2	4	7	11	16	29
A. NOT OPERATED	2190	4.6	16	1	1	3	6	9	12	21
B. OPERATED	354	9.2	98	1	2	7	12	20	27	70
TOTAL 0-19 YRS	846	3.2	10	1	1	3	4	5	7	18
20-34	314	4.7	27	1	1	3	6	8	10	28
35-49	246	5.5	23	1	2	4	7	10	14	27
50-64	357	6.0	19	2	2	5	8	11	14	23
65+	781	7.3	51	2	2	5	9	15	20	41
GRAND TOTAL	**2544**	**5.3**	**30**	**1**	**1**	**4**	**6**	**10**	**14**	**27**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.2	4	<1	1	2	3	4	4	13
20-34	173	2.8	5	1	1	2	4	6	7	12
35-49	116	3.0	6	<1	1	2	4	6	8	13
50-64	65	3.3	9	1	1	2	4	6	9	16
65+	23	3.7	8	<1	1	3	5	8	11	12
B. *Operated*										
0-19 YRS	16	1.6	1	1	1	2	2	3	3	3
20-34	29	3.1	5	1	1	3	4	7	7	8
35-49	33	3.2	12	<1	1	2	4	6	9	19
50-64	14	2.3	2	<1	<1	2	3	5	5	5
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	2.1	5	1	1	2	3	3	4	16
20-34	380	4.0	14	1	1	3	5	8	11	19
35-49	280	4.2	11	1	1	3	5	8	11	18
50-64	208	3.9	8	1	1	3	5	8	9	14
65+	195	4.1	9	1	1	3	6	8	9	14
B. *Operated*										
0-19 YRS	13	3.1	6	<1	1	3	4	6	9	10
20-34	49	4.2	12	1	1	4	5	7	9	22
35-49	56	5.1	14	1	1	4	7	9	12	19
50-64	35	6.1	30	1	2	4	9	12	15	28
65+	37	6.0	29	1	2	4	6	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	2.9	6	1	1	2	4	6	8	12
B. *Operated*	87	2.9	7	<1	1	2	3	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	1140	3.9	11	1	1	3	5	8	10	18
B. *Operated*	190	5.1	19	1	1	4	6	10	13	25
1. SINGLE DX	520	2.9	6	1	1	2	4	6	8	13
2. MULTIPLE DX	1330	4.1	12	1	1	3	5	8	11	18
A. NOT OPERATED	1573	3.6	10	1	1	3	5	7	10	17
B. OPERATED	277	4.4	16	1	1	3	5	9	12	21
TOTAL 0-19 YRS	154	2.2	5	<1	1	2	3	4	4	13
20-34	631	3.6	11	1	1	3	4	7	10	18
35-49	485	3.9	11	1	1	3	5	8	10	18
50-64	322	3.9	11	1	1	3	5	8	11	16
65+	258	4.3	12	1	1	4	6	8	11	17
GRAND TOTAL	**1850**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.5		<1	1	1	2	2	3	3
20-34	28	3.0	4	<1	<1	2	4	6	7	7
35-49	34	2.3	2	<1	1	2	3	4	5	6
50-64	63	2.9	3	<1	<1	3	4	5	6	7
65+	101	2.6	3	<1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	20	1.8	2	<1	<1	1	2	4	5	6
20-34	30	3.1	2	1	1	3	4	5	5	5
35-49	43	3.7	5	1	1	3	5	7	8	9
50-64	70	4.0	5	1	1	4	5	7	8	10
65+	90	4.4	6	1	2	4	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.5	6	1	1	2	3	5	9	11
20-34	36	3.3	6	<1	1	2	5	7	9	10
35-49	62	3.3	4	1	1	3	4	6	7	11
50-64	170	3.7	10	1	1	3	5	6	8	22
65+	379	3.8	10	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	9	2.3	2	1	1	2	3	4	4	4
20-34	17	3.9	7	<1	1	3	5	7	10	11
35-49	57	4.4	5	1	1	4	6	7	9	12
50-64	115	5.2	20	1	1	4	7	9	11	28
65+	200	5.6	20	1	2	4	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	2.6	3	<1	1	2	3	5	6	7
B. *Operated*	253	3.8	5	<1	1	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	677	3.6	9	1	1	3	5	7	9	14
B. *Operated*	398	5.2	17	1	1	4	7	9	12	23
1. SINGLE DX	496	3.2	4	<1	1	3	4	6	7	11
2. MULTIPLE DX	1075	4.2	13	1	1	3	5	8	10	21
A. NOT OPERATED	920	3.4	8	1	1	3	4	6	8	13
B. OPERATED	651	4.6	13	1	1	4	6	8	11	21
TOTAL 0-19 YRS	76	2.1	3	<1	<1	2	2	4	5	10
20-34	111	3.2	5	<1	1	3	5	6	7	10
35-49	196	3.5	5	1	1	3	5	6	7	11
50-64	418	4.1	12	1	1	3	5	7	9	20
65+	770	4.2	12	1	1	3	5	8	11	20
GRAND TOTAL	**1571**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.1	5	1	1	2	5	7	8	8
20-34	12	3.8	4	1	1	4	5	6	7	7
35-49	9	2.6	4	<1	<1	2	4	6	6	6
50-64	14	2.7	7	<1	1	2	3	5	10	11
65+	9	4.0	9	1	1	4	4	9	11	11
B. *Operated*										
0-19 YRS	101	1.5	1	<1	<1	1	2	3	3	5
20-34	110	1.8	2	<1	<1	1	2	3	4	8
35-49	67	2.4	6	<1	<1	2	3	4	6	16
50-64	57	1.9	2	<1	<1	2	2	3	5	8
65+	42	2.6	16	<1	<1	1	2	4	9	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	4.1	37	<1	<1	2	4	7	11	38
20-34	48	3.1	7	<1	1	2	4	7	9	13
35-49	63	2.9	9	<1	1	2	3	6	8	18
50-64	94	4.1	12	1	1	3	6	10	12	15
65+	163	6.3	65	1	1	4	7	15	21	45
B. *Operated*										
0-19 YRS	38	4.3	78	<1	<1	2	4	8	19	51
20-34	52	3.8	14	<1	<1	2	5	10	11	15
35-49	57	4.2	36	<1	<1	2	4	9	16	32
50-64	79	5.3	45	<1	1	3	7	13	18	37
65+	110	10.2	175	<1	1	5	12	27	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.2	6	1	1	3	4	6	8	11
B. *Operated*	377	1.9	4	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	408	4.7	36	1	1	3	6	10	14	37
B. *Operated*	336	6.4	92	<1	1	3	7	15	27	52
1. SINGLE DX	439	2.1	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	744	5.4	62	<1	1	3	6	12	18	45
A. NOT OPERATED	470	4.5	33	1	1	3	5	9	14	37
B. OPERATED	713	4.0	50	<1	<1	2	4	9	15	40
TOTAL 0-19 YRS	197	2.7	25	<1	<1	1	2	4	7	31
20-34	222	2.7	7	<1	<1	2	3	6	9	13
35-49	196	3.1	16	<1	<1	2	3	6	9	24
50-64	244	3.9	22	<1	1	2	5	10	13	20
65+	324	7.1	100	<1	1	3	8	16	28	51
GRAND TOTAL	**1183**	**4.2**	**43**	**<1**	**<1**	**2**	**4**	**9**	**14**	**38**

334: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	10.0	133	1	1	6	19	23	23	23
50-64										
65+	2	7.0	18	4	4	7	10	10	10	10
B. *Operated*										
0-19 YRS	16	3.6	15	<1	<1	2	4	12	13	13
20-34	20	4.8	72	<1	<1	2	4	11	26	38
35-49	10	9.3	101	<1	<1	4	18	25	28	28
50-64	18	9.1	170	1	1	3	10	31	42	46
65+	27	12.6	372	1	1	7	14	25	50	97
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	5.5	3	4	4	5	7	7	7	7
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	13	6.7	18	2	2	5	9	13	14	14
65+	75	10.5	93	3	4	8	11	22	27	92
B. *Operated*										
0-19 YRS	19	8.5	164	1	1	4	10	19	41	56
20-34	28	11.4	157	1	2	4	18	32	38	45
35-49	37	15.9	333	1	3	9	17	44	63	78
50-64	129	17.9	231	2	3	14	24	36	49	78
65+	487	18.0	177	3	5	15	24	36	46	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	8.3	60	1	1	6	10	22	23	23
B. *Operated*	91	8.2	180	<1	<1	3	8	22	36	76
2. MULTIPLE DX										
A. *Not Operated*	95	9.6	79	2	4	7	11	19	26	87
B. *Operated*	700	17.4	197	2	3	14	23	36	47	69
1. SINGLE DX	97	8.2	172	<1	<1	4	8	22	33	73
2. MULTIPLE DX	795	16.4	189	2	3	13	22	35	46	71
A. NOT OPERATED	101	9.5	77	2	3	7	11	19	25	85
B. OPERATED	791	16.3	203	1	2	13	22	36	46	70
TOTAL 0-19 YRS	36	6.1	98	<1	<1	3	8	13	20	56
20-34	53	8.3	119	<1	1	4	8	28	36	45
35-49	52	14.0	267	1	2	8	17	30	52	78
50-64	160	16.0	221	1	2	12	22	35	46	76
65+	591	16.8	181	3	4	13	22	36	46	71
GRAND TOTAL	**892**	**15.6**	**193**	**1**	**2**	**12**	**22**	**34**	**45**	**71**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	1	<1	1	2	3	4	5	5
20-34	262	2.1	2	<1	1	2	3	4	5	10
35-49	992	2.2	2	1	1	2	3	4	5	8
50-64	964	2.4	2	1	1	2	3	4	5	7
65+	481	2.5	3	1	1	2	3	4	6	10
B. *Operated*										
0-19 YRS	6	1.7	1	1	1	2	2	3	3	3
20-34	64	2.1	2	<1	1	2	2	4	6	8
35-49	307	2.2	5	1	1	2	2	4	5	7
50-64	331	2.3	3	<1	1	2	2	4	5	9
65+	105	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.0	2	<1	<1	1	3	4	5	6
20-34	536	2.4	3	1	1	2	3	4	5	9
35-49	2442	2.7	4	1	1	2	3	5	6	9
50-64	3553	3.1	6	1	1	3	4	5	7	11
65+	3061	3.7	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	7	2.3	3	1	1	2	4	5	5	5
20-34	107	3.2	13	1	1	2	4	7	8	22
35-49	673	3.3	9	1	1	2	4	7	9	16
50-64	1191	3.3	8	1	1	2	4	7	9	15
65+	654	4.6	18	1	1	3	6	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2720	2.3	2	1	1	2	3	4	5	8
B. *Operated*	813	2.2	3	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	9635	3.1	6	1	1	3	4	6	7	12
B. *Operated*	2632	3.6	11	1	1	2	4	7	10	17
1. SINGLE DX	3533	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	12267	3.2	7	1	1	2	4	6	8	14
A. NOT OPERATED	12355	3.0	5	1	1	2	4	5	7	11
B. OPERATED	3445	3.3	10	1	1	2	4	7	9	16
TOTAL 0-19 YRS	77	2.1	2	<1	1	2	3	4	5	6
20-34	969	2.4	4	<1	1	2	3	4	6	10
35-49	4414	2.7	4	1	1	2	3	5	6	10
50-64	6039	3.0	6	1	1	2	4	5	7	11
65+	4301	3.7	9	1	1	3	4	7	9	16
GRAND TOTAL	**15800**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	2.4	5	<1	1	2	3	5	7	11
20-34	20	2.4	3	<1	<1	2	3	4	6	8
35-49	26	2.4	4	<1	1	2	3	5	7	8
50-64	43	3.7	22	<1	<1	2	3	10	11	27
65+	57	2.9	8	<1	1	2	3	7	9	14
B. *Operated*										
0-19 YRS	14	2.4	3	<1	1	2	3	5	6	6
20-34	20	3.8	13	<1	<1	2	6	9	12	14
35-49	36	3.0	12	<1	<1	2	3	6	9	20
50-64	73	2.7	6	<1	1	2	3	6	9	12
65+	59	2.5	5	<1	<1	2	3	5	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	339	3.6	22	1	1	2	4	7	12	19
20-34	94	3.7	11	1	1	3	5	7	11	17
35-49	140	4.1	12	<1	1	3	6	8	12	17
50-64	420	5.3	17	1	1	4	7	11	13	22
65+	784	6.0	22	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	36	5.6	66	<1	<1	3	7	9	16	48
20-34	25	5.8	85	<1	1	4	6	9	19	48
35-49	80	4.4	18	<1	1	3	5	9	12	25
50-64	191	5.1	23	1	1	4	7	10	14	25
65+	295	7.1	84	1	1	5	9	14	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	2.7	8	<1	1	2	3	5	8	13
B. *Operated*	202	2.8	7	<1	<1	2	3	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	1777	5.1	21	1	1	4	7	11	14	21
B. *Operated*	627	6.0	57	1	1	4	7	12	17	35
1. SINGLE DX	539	2.7	8	<1	1	2	3	6	8	13
2. MULTIPLE DX	2404	5.3	30	1	1	4	7	11	14	25
A. NOT OPERATED	2114	4.7	19	1	1	3	6	10	13	21
B. OPERATED	829	5.2	47	<1	1	3	6	11	15	30
TOTAL 0-19 YRS	580	3.3	19	1	1	2	4	6	9	19
20-34	159	3.9	22	<1	1	2	5	8	10	17
35-49	282	3.9	13	<1	1	3	5	8	11	18
50-64	727	4.9	18	1	1	4	7	10	13	23
65+	1195	5.9	37	1	1	4	8	12	16	29
GRAND TOTAL	**2943**	**4.8**	**27**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.6	1	<1	<1	1	2	3	4	4
20-34	76	1.9	1	<1	1	2	2	4	4	7
35-49	90	2.0	2	<1	<1	1	2	4	5	9
50-64	61	1.7	1	<1	1	1	2	4	4	6
65+	46	3.2	7	<1	1	2	4	6	8	15
B. *Operated*										
0-19 YRS	42	1.5	4	<1	<1	<1	1	1	5	12
20-34	19	3.4	9	<1	<1	2	4	7	11	13
35-49	14	3.1	6	<1	<1	2	5	7	8	8
50-64	33	5.4	13	1	1	5	8	10	12	15
65+	35	5.3	15	<1	1	4	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	6	<1	1	2	5	7	8	8
20-34	115	2.7	6	<1	1	2	3	5	7	13
35-49	107	2.9	4	1	1	2	4	6	8	11
50-64	140	3.3	13	<1	1	2	4	6	9	15
65+	364	4.8	15	1	1	4	6	9	13	20
B. *Operated*										
0-19 YRS	75	2.6	12	<1	<1	1	3	7	10	18
20-34	47	4.8	15	<1	<1	3	6	11	14	17
35-49	50	5.5	18	<1	1	5	7	11	13	22
50-64	96	6.6	29	1	2	5	8	12	19	29
65+	281	8.7	56	2	2	7	11	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	143	3.7	12	<1	<1	2	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	749	3.8	12	1	1	3	5	8	10	17
B. *Operated*	549	6.9	43	<1	1	5	9	14	18	37
1. SINGLE DX	441	2.6	6	<1	<1	2	3	6	8	13
2. MULTIPLE DX	1298	5.1	27	<1	1	4	7	11	14	26
A. NOT OPERATED	1047	3.3	10	<1	1	2	4	7	9	15
B. OPERATED	692	6.2	38	<1	<1	5	8	13	17	32
TOTAL 0-19 YRS	165	2.3	8	<1	<1	1	2	6	8	15
20-34	257	2.9	8	<1	1	2	3	6	8	15
35-49	261	3.1	8	<1	1	2	4	7	9	13
50-64	330	4.1	19	1	1	3	5	9	11	24
65+	726	6.2	34	1	2	5	8	13	16	30
GRAND TOTAL	**1739**	**4.5**	**23**	**<1**	**1**	**3**	**6**	**10**	**13**	**23**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1041	1.7	1	<1	1	1	2	3	4	6
20-34	1219	2.4	5	<1	1	2	3	5	6	10
35-49	656	2.6	4	<1	1	2	3	5	6	9
50-64	433	2.9	5	1	1	2	4	6	7	9
65+	310	3.4	8	1	1	3	4	6	9	15
B. *Operated*										
0-19 YRS	221	3.1	3	1	1	3	4	5	6	9
20-34	342	3.3	4	1	1	3	4	6	7	12
35-49	138	3.5	8	<1	1	3	5	7	8	15
50-64	92	3.8	7	<1	1	3	5	8	10	11
65+	45	4.2	9	<1	1	3	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	709	2.3	5	<1	1	2	3	4	5	10
20-34	1427	3.1	13	<1	1	2	4	6	8	14
35-49	1035	3.4	7	1	1	3	4	7	9	12
50-64	960	4.2	13	1	1	3	5	8	11	17
65+	1499	4.8	18	1	1	4	6	9	11	20
B. *Operated*										
0-19 YRS	159	3.5	5	1	1	3	4	6	8	10
20-34	387	4.7	15	1	1	4	6	9	13	18
35-49	245	5.7	26	1	1	5	7	11	15	30
50-64	249	6.8	34	1	1	6	9	14	19	28
65+	312	7.6	35	2	2	6	9	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3659	2.4	4	<1	1	2	3	5	6	9
B. *Operated*	838	3.4	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	5630	3.7	13	1	1	3	5	7	10	16
B. *Operated*	1352	5.8	26	1	1	4	7	12	16	27
1. SINGLE DX	4497	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	6982	4.1	16	1	1	3	5	8	11	19
A. NOT OPERATED	9289	3.2	10	<1	1	2	4	6	8	14
B. OPERATED	2190	4.9	19	1	1	4	6	10	13	23
TOTAL 0-19 YRS	2130	2.2	3	<1	1	2	3	4	5	9
20-34	3375	3.0	10	<1	1	2	4	6	8	14
35-49	2074	3.4	9	1	1	3	4	7	9	14
50-64	1734	4.2	15	1	1	3	5	9	11	20
65+	2166	5.0	20	1	1	4	6	9	12	22
GRAND TOTAL	**11479**	**3.5**	**12**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.1	5	1	1	1	3	4	6	13
20-34	61	2.9	9	<1	1	2	3	5	8	20
35-49	39	2.3	4	<1	<1	1	3	5	7	10
50-64	37	2.3	3	<1	<1	2	3	4	7	8
65+	64	3.1	5	<1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	14	3.6	5	<1	1	3	5	7	8	8
20-34	40	4.2	7	<1	1	4	5	7	9	14
35-49	22	4.9	13	<1	<1	4	8	10	11	12
50-64	31	3.2	16	<1	<1	2	4	6	8	22
65+	25	4.0	17	<1	<1	2	6	13	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	317	2.8	11	1	1	2	3	5	7	15
20-34	251	3.5	13	<1	1	2	4	7	10	20
35-49	236	4.6	21	1	1	3	6	10	13	25
50-64	410	5.0	25	1	1	4	6	10	14	25
65+	890	5.5	20	1	2	4	7	11	15	22
B. *Operated*										
0-19 YRS	31	5.7	25	<1	1	4	8	12	18	21
20-34	86	5.1	19	1	1	5	7	10	14	25
35-49	87	6.2	69	1	1	5	7	11	17	52
50-64	132	8.2	99	<1	1	6	10	18	25	41
65+	230	9.1	64	1	2	7	11	18	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	2.5	5	<1	1	2	3	5	7	11
B. *Operated*	132	4.0	12	<1	<1	3	5	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	2104	4.7	20	1	1	3	6	10	13	23
B. *Operated*	566	7.7	66	1	1	6	9	16	22	37
1. SINGLE DX	440	3.0	8	<1	1	2	4	6	8	14
2. MULTIPLE DX	2670	5.3	31	1	1	4	7	11	15	27
A. NOT OPERATED	2412	4.4	18	1	1	3	6	9	12	22
B. OPERATED	698	7.0	58	<1	1	5	9	14	20	35
TOTAL 0-19 YRS	469	2.9	11	1	1	2	3	6	7	16
20-34	438	3.8	14	<1	1	3	5	8	10	20
35-49	384	4.7	31	<1	1	3	6	10	13	24
50-64	610	5.4	42	1	1	4	7	11	16	28
65+	1209	6.0	30	1	2	4	8	12	16	28
GRAND TOTAL	**3110**	**5.0**	**28**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	623	3.3	20	<1	1	2	4	6	9	20
20-34	236	2.8	6	<1	1	2	3	5	6	14
35-49	253	2.4	3	<1	1	2	3	4	5	8
50-64	344	2.6	7	<1	1	2	3	5	7	13
65+	494	3.4	18	1	1	2	4	7	9	15
B. *Operated*										
0-19 YRS	93	2.3	8	<1	<1	1	2	5	7	16
20-34	121	2.4	9	<1	<1	2	3	4	6	17
35-49	130	2.1	4	<1	<1	2	2	4	4	13
50-64	175	2.3	6	<1	<1	2	2	4	6	13
65+	105	3.3	11	<1	1	2	4	7	10	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1033	4.7	36	1	1	3	5	10	14	30
20-34	647	3.8	23	1	1	3	5	7	9	23
35-49	878	3.9	15	1	1	3	5	8	10	18
50-64	2041	4.5	19	1	1	3	6	9	13	22
65+	5730	5.6	30	1	2	4	7	11	15	28
B. *Operated*										
0-19 YRS	129	9.3	167	1	1	4	9	30	39	83
20-34	155	3.7	22	<1	1	2	4	9	10	15
35-49	273	5.5	57	1	1	3	7	11	17	34
50-64	560	6.2	93	1	1	3	7	14	24	51
65+	1054	8.8	110	1	2	5	11	18	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1950	3.0	14	<1	1	2	3	6	8	15
B. *Operated*	624	2.5	7	<1	<1	2	3	5	6	17
2. MULTIPLE DX										
A. *Not Operated*	10329	5.0	27	1	1	3	6	10	14	26
B. *Operated*	2171	7.4	99	1	1	4	9	16	27	61
1. SINGLE DX	2574	2.9	12	<1	1	2	3	6	8	15
2. MULTIPLE DX	12500	5.4	40	1	1	4	6	11	16	33
A. NOT OPERATED	12279	4.7	25	1	1	3	6	10	13	25
B. OPERATED	2795	6.3	83	<1	1	3	7	14	23	55
TOTAL 0-19 YRS	1878	4.5	41	1	1	3	5	9	14	34
20-34	1159	3.4	18	<1	1	2	4	6	9	20
35-49	1534	3.8	21	1	1	2	4	8	11	19
50-64	3120	4.5	31	1	1	3	5	9	13	28
65+	7383	5.9	42	1	1	4	7	12	16	33
GRAND TOTAL	**15074**	**5.0**	**36**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	1.9	3	1	1	1	2	3	4	10
20-34	16	4.0	11	<1	1	3	6	10	11	11
35-49	8	4.1	5	1	1	5	6	7	7	7
50-64	4	6.3	13	3	3	5	9	11	11	11
65+										
B. *Operated*										
0-19 YRS	56	4.6	10	1	1	4	6	8	11	16
20-34	20	5.3	7	1	2	5	7	9	10	10
35-49	4	3.8	10	<1	<1	3	6	7	7	7
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	3.2	26	1	1	2	3	6	8	32
20-34	66	4.9	27	1	1	4	6	9	13	34
35-49	37	4.9	13	<1	1	4	6	12	12	14
50-64	24	7.6	50	<1	1	6	8	18	24	30
65+	22	9.2	59	1	1	6	17	21	22	22
B. *Operated*										
0-19 YRS	103	8.7	127	1	1	6	11	35	54	99+
20-34	104	11.7	216	1	2	7	15	24	54	88
35-49	39	16.3	295	1	2	11	36	53	76	99+
50-64	22	19.0	609	1	2	11	21	68	98	99+
65+	10	14.6	519	1	2	7	12	47	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	2.1	4	1	1	1	2	4	6	11
B. *Operated*	83	4.7	9	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	433	4.2	30	1	1	2	5	8	13	31
B. *Operated*	278	11.9	241	1	1	7	13	40	64	99+
1. SINGLE DX	381	2.7	6	1	1	2	3	6	8	12
2. MULTIPLE DX	711	7.2	127	1	1	4	8	17	37	99+
A. NOT OPERATED	731	3.3	21	1	1	2	4	7	11	22
B. OPERATED	361	10.3	197	1	1	6	12	32	54	99+
TOTAL 0-19 YRS	713	3.6	35	1	1	2	4	7	12	45
20-34	206	8.3	130	1	1	5	9	17	30	75
35-49	88	9.9	169	1	1	5	12	37	53	99+
50-64	52	12.2	310	1	2	7	13	34	60	99+
65+	33	10.8	192	1	2	7	15	21	22	78
GRAND TOTAL	**1092**	**5.6**	**89**	**1**	**1**	**3**	**6**	**13**	**20**	**75**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	2.0	3	<1	1	1	2	4	5	12
20-34	39	3.5	20	1	1	2	4	7	14	23
35-49	9	3.9	6	<1	<1	4	5	7	8	8
50-64	9	2.6	3	1	1	2	3	5	7	7
65+	8	8.0	17	2	3	9	10	14	15	15
B. *Operated*										
0-19 YRS	27	4.3	3	1	2	4	6	7	8	8
20-34	18	9.1	191	1	1	6	9	14	43	62
35-49	6	2.5		2	2	2	3	3	3	3
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	4.0	22	1	1	2	4	9	15	24
20-34	114	6.4	99	1	1	4	7	11	16	65
35-49	55	5.3	18	1	1	4	7	11	15	20
50-64	42	5.4	27	1	1	4	7	11	14	29
65+	32	12.4	211	1	3	10	14	23	31	82
B. *Operated*										
0-19 YRS	80	17.5	351	1	2	11	24	48	67	92
20-34	125	13.8	194	2	3	9	17	34	48	82
35-49	37	15.6	535	1	1	9	18	85	99	99+
50-64	26	18.9	538	1	1	10	22	65	96	99+
65+	14	27.4	733	1	3	19	43	59	89	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.6	8	<1	1	2	3	5	8	16
B. *Operated*	53	5.8	71	1	2	4	6	9	12	61
2. MULTIPLE DX										
A. *Not Operated*	448	5.5	59	1	1	3	6	12	17	29
B. *Operated*	282	16.2	345	1	2	10	20	45	67	99+
1. SINGLE DX	284	3.2	21	1	1	2	4	6	9	17
2. MULTIPLE DX	730	9.7	196	1	1	5	11	23	43	95
A. NOT OPERATED	679	4.5	44	1	1	3	5	10	14	28
B. OPERATED	335	14.6	315	1	2	8	18	44	61	99+
TOTAL 0-19 YRS	478	5.6	98	1	1	2	5	13	21	65
20-34	296	9.3	149	1	1	5	11	23	35	70
35-49	107	8.6	218	1	1	5	9	18	31	99+
50-64	78	9.6	234	1	1	5	10	22	53	99
65+	55	15.5	353	1	3	9	16	38	53	97
GRAND TOTAL	**1014**	**7.9**	**156**	**1**	**1**	**4**	**8**	**18**	**31**	**84**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.4	1	<1	<1	1	2	2	3	4
20-34	24	1.6	1	<1	<1	1	2	3	4	5
35-49	7	1.9	1	<1	<1	1	3	4	4	4
50-64	4	2.8	1	2	2	3	3	4	4	4
65+	3	7.3	86	<1	<1	3	14	18	18	18
B. *Operated*										
0-19 YRS	527	1.6	2	<1	<1	1	2	3	3	7
20-34	628	2.1	3	<1	1	2	2	4	5	10
35-49	203	2.3	5	<1	1	2	3	5	6	12
50-64	51	2.7	10	1	1	2	3	5	10	17
65+	36	3.5	13	1	1	2	4	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.0	2	<1	1	1	3	4	6	7
20-34	122	2.5	18	<1	<1	1	3	5	6	18
35-49	48	3.0	7	<1	1	2	3	7	8	13
50-64	40	4.1	42	<1	1	3	5	7	9	42
65+	78	5.7	23	<1	1	4	8	13	16	21
B. *Operated*										
0-19 YRS	487	2.8	7	<1	1	2	3	5	7	15
20-34	883	3.9	30	1	1	3	4	8	11	21
35-49	311	4.3	51	1	1	3	4	8	11	36
50-64	141	5.7	48	1	1	3	7	12	18	32
65+	118	7.8	55	1	2	5	10	19	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	1.9	5	<1	<1	1	2	3	4	16
B. *Operated*	1445	2.0	3	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	350	3.4	19	<1	<1	2	4	7	10	19
B. *Operated*	1940	4.1	32	1	1	3	4	8	11	24
1. SINGLE DX	1509	2.0	3	<1	<1	1	2	3	5	11
2. MULTIPLE DX	2290	4.0	30	1	1	2	4	8	11	24
A. NOT OPERATED	414	3.1	17	<1	<1	2	4	6	9	19
B. OPERATED	3385	3.2	21	<1	1	2	3	6	9	20
TOTAL 0-19 YRS	1102	2.2	4	<1	<1	2	3	4	6	11
20-34	1657	3.1	19	<1	1	2	3	6	8	17
35-49	569	3.5	31	1	1	2	4	7	9	19
50-64	236	4.7	39	1	1	3	5	10	14	32
65+	235	6.4	40	1	1	4	8	15	20	33
GRAND TOTAL	**3799**	**3.2**	**20**	**<1**	**1**	**2**	**3**	**6**	**9**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	4.5	29	1	1	3	5	9	12	20
20-34	246	4.0	7	1	1	4	6	8	9	13
35-49	150	5.3	20	1	1	5	7	9	12	28
50-64	143	5.4	12	1	2	4	7	11	13	14
65+	266	7.1	24	2	2	6	9	13	17	27
B. *Operated*										
0-19 YRS	25	9.0	32	1	2	8	13	18	19	20
20-34	61	7.2	40	1	2	5	10	16	19	31
35-49	22	9.3	62	1	2	7	11	23	27	29
50-64	9	7.9	30	1	2	7	8	16	21	21
65+	18	10.3	69	1	2	8	14	21	28	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	4.8	16	1	2	4	6	9	11	22
20-34	394	5.1	22	1	1	4	7	10	13	20
35-49	253	5.9	18	1	2	5	8	10	14	21
50-64	364	8.0	32	2	2	7	10	15	18	26
65+	1640	9.3	44	3	3	8	12	17	21	33
B. *Operated*										
0-19 YRS	74	12.0	195	2	2	8	14	28	41	97
20-34	220	12.3	126	2	3	9	17	25	36	61
35-49	93	11.8	113	2	2	10	16	25	35	81
50-64	97	14.6	222	2	2	10	17	34	48	75
65+	209	14.4	129	4	4	12	17	29	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	5.4	19	1	1	4	7	10	13	23
B. *Operated*	135	8.3	45	1	2	6	12	18	21	32
2. MULTIPLE DX										
A. *Not Operated*	2793	8.0	38	2	2	7	10	15	19	30
B. *Operated*	693	13.2	146	2	3	10	17	28	41	83
1. SINGLE DX	1077	5.7	23	1	1	5	7	11	14	25
2. MULTIPLE DX	3486	9.0	64	2	2	7	11	17	23	44
A. NOT OPERATED	3735	7.3	35	1	2	6	9	14	18	28
B. OPERATED	828	12.4	133	2	3	9	16	25	35	72
TOTAL 0-19 YRS	378	6.4	65	1	1	4	8	13	18	52
20-34	921	6.7	54	1	1	4	8	14	20	41
35-49	518	7.0	43	1	2	5	9	13	20	34
50-64	613	8.4	65	2	2	6	11	16	22	48
65+	2133	9.5	53	3	3	8	12	17	23	39
GRAND TOTAL	**4563**	**8.2**	**56**	**1**	**2**	**6**	**10**	**16**	**21**	**41**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	5	3.8	5	2	2	3	5	7	7	7
50-64	4	13.0	101	4	4	10	20	27	27	27
65+	4	8.0	22	3	3	7	11	14	14	14
B. *Operated*										
0-19 YRS	4	14.3	86	6	6	12	21	27	27	27
20-34	13	16.8	100	1	3	17	25	30	32	32
35-49	3	22.0	192	14	14	14	32	38	38	38
50-64	1	11.0		11	11	11	11	11	11	11
65+	3	16.3	121	5	5	17	24	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	10.4	333	1	1	3	8	41	57	57
20-34	10	8.7	88	1	1	7	9	23	33	33
35-49	1	13.0		13	13	13	13	13	13	13
50-64	8	5.6	20	2	2	4	6	15	18	18
65+	31	9.1	27	3	4	7	12	18	20	21
B. *Operated*										
0-19 YRS	15	22.8	280	1	3	22	51	99+	99+	99+
20-34	75	29.3	405	5	7	26	43	70	86	99+
35-49	20	33.3	683	5	6	22	56	83	99+	99+
50-64	9	33.7	602	4	6	48	84	99+	99+	99+
65+	11	32.7	574	7	8	31	49	91	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.9	43	<1	2	5	8	14	23	27
B. *Operated*	24	16.7	97	3	5	16	26	30	34	38
2. MULTIPLE DX										
A. *Not Operated*	59	8.8	79	1	2	6	12	18	21	55
B. *Operated*	130	29.7	495	5	7	27	49	85	99+	99+
1. SINGLE DX	40	12.8	97	1	2	10	17	27	31	38
2. MULTIPLE DX	189	23.2	431	2	3	18	38	66	99+	99+
A. NOT OPERATED	75	8.4	72	1	2	6	11	18	21	51
B. OPERATED	154	27.7	421	5	6	24	43	74	99+	99+
TOTAL 0-19 YRS	29	17.2	282	1	1	16	31	71	99+	99+
20-34	100	25.0	384	2	4	21	36	56	82	99+
35-49	29	26.3	611	2	4	17	42	67	99	99+
50-64	22	18.7	423	2	3	13	48	99+	99+	99+
65+	49	14.8	242	3	4	9	19	33	62	99+
GRAND TOTAL	**229**	**21.4**	**388**	**2**	**3**	**17**	**33**	**60**	**93**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.7		<1	<1	2	2	3	3	3
20-34	38	2.3	4	1	1	1	3	6	6	10
35-49	57	2.6	3	1	1	2	3	5	6	8
50-64	53	3.3	5	1	1	2	5	7	8	8
65+	58	5.3	12	1	2	4	8	9	12	17
B. *Operated*										
0-19 YRS										
20-34	6	3.3	4	1	1	4	5	5	5	5
35-49	4	3.0	7	1	1	2	5	7	7	7
50-64	3	8.0	21	3	3	9	11	12	12	12
65+	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.3	6	1	1	2	4	7	9	10
20-34	252	3.5	8	1	1	3	5	7	8	12
35-49	278	4.5	12	1	1	3	6	9	11	16
50-64	357	4.9	15	1	1	4	7	9	11	23
65+	897	7.3	31	2	2	6	9	15	17	26
B. *Operated*										
0-19 YRS	30	6.5	24	2	2	5	7	11	18	26
20-34	120	7.2	47	1	2	6	9	14	19	37
35-49	100	8.9	77	1	2	7	10	18	25	50
50-64	126	8.9	70	2	2	6	11	18	27	64
65+	163	13.6	158	2	4	10	16	27	46	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.4	7	1	1	2	4	7	9	13
B. *Operated*	15	4.6	10	1	1	5	7	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	1839	5.8	23	1	1	4	8	11	15	24
B. *Operated*	539	9.8	96	2	2	7	12	20	28	55
1. SINGLE DX	233	3.5	7	1	1	2	5	7	9	13
2. MULTIPLE DX	2378	6.7	43	1	2	5	8	13	18	31
A. NOT OPERATED	2057	5.5	22	1	1	4	7	11	15	24
B. OPERATED	554	9.7	95	2	2	7	11	19	28	55
TOTAL 0-19 YRS	97	4.1	14	1	1	3	5	8	10	22
20-34	416	4.5	22	1	1	3	6	9	12	24
35-49	439	5.3	30	1	1	4	6	10	14	28
50-64	539	5.7	30	1	1	4	7	11	15	28
65+	1120	8.1	53	2	2	6	10	16	20	42
GRAND TOTAL	**2611**	**6.4**	**40**	**1**	**1**	**5**	**8**	**13**	**17**	**30**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	5.6	45	1	2	4	5	12	23	34
20-34	57	7.4	62	1	2	6	9	15	22	48
35-49	27	5.6	17	1	2	4	8	11	14	19
50-64	55	7.9	58	2	2	6	10	14	23	47
65+	195	8.5	30	2	3	7	11	15	18	29
B. *Operated*										
0-19 YRS	12	10.4	88	1	2	6	17	24	29	30
20-34	13	12.3	147	2	2	8	15	31	42	44
35-49	6	6.7	20	1	1	6	8	13	14	14
50-64	5	20.8	766	2	2	11	31	69	69	69
65+	17	12.7	153	2	3	11	14	34	44	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	6.4	41	1	1	5	7	12	17	35
20-34	158	8.8	82	2	2	6	10	18	30	49
35-49	89	10.5	73	2	3	8	13	20	28	47
50-64	140	12.0	94	2	3	9	16	23	26	59
65+	973	11.8	65	3	4	10	15	21	26	44
B. *Operated*										
0-19 YRS	56	14.5	114	3	4	11	20	29	35	50
20-34	102	18.5	243	4	5	14	23	41	53	71
35-49	70	23.6	312	5	7	18	32	49	64	81
50-64	69	21.0	317	2	5	14	29	53	61	96
65+	153	18.3	220	5	6	13	23	36	54	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	7.6	41	2	2	6	10	15	19	33
B. *Operated*	53	12.2	172	2	2	8	14	28	43	68
2. MULTIPLE DX										
A. *Not Operated*	1476	11.0	71	2	3	9	14	21	26	46
B. *Operated*	450	19.1	246	4	5	14	25	42	55	72
1. SINGLE DX	443	8.2	58	2	2	6	10	16	21	44
2. MULTIPLE DX	1926	12.9	123	3	4	10	16	25	35	61
A. NOT OPERATED	1866	10.3	66	2	3	8	13	19	25	45
B. OPERATED	503	18.4	242	3	5	13	24	41	53	71
TOTAL 0-19 YRS	240	8.3	73	1	2	5	11	20	27	45
20-34	330	11.7	151	2	2	8	14	27	41	67
35-49	192	14.5	201	2	3	9	18	32	47	69
50-64	269	13.6	175	2	3	10	17	27	46	71
65+	1338	12.1	85	3	4	10	15	22	29	53
GRAND TOTAL	**2369**	**12.0**	**114**	**2**	**3**	**9**	**15**	**24**	**32**	**58**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	2.8	16	<1	<1	1	2	9	11	20
20-34	23	3.7	36	1	1	2	3	8	22	23
35-49	19	2.6	5	<1	1	2	3	7	8	9
50-64	34	3.6	10	1	1	3	5	7	10	16
65+	156	4.1	12	1	1	3	5	9	10	18
B. *Operated*										
0-19 YRS	878	3.0	15	1	1	2	3	6	12	20
20-34	106	3.8	13	1	1	3	5	7	9	20
35-49	111	4.2	28	1	1	3	4	7	11	34
50-64	97	4.2	9	1	1	3	5	9	10	16
65+	156	5.3	14	1	2	4	7	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.4	14	<1	1	2	4	7	9	19
20-34	42	4.9	41	<1	1	3	6	12	16	35
35-49	35	3.8	7	1	1	3	5	8	9	10
50-64	106	6.8	68	1	1	4	7	15	22	51
65+	595	7.5	44	2	2	5	10	16	21	33
B. *Operated*										
0-19 YRS	279	5.5	42	1	1	3	6	15	19	31
20-34	134	9.2	143	1	2	6	11	17	28	76
35-49	96	8.3	94	1	1	5	10	18	31	78
50-64	151	9.9	139	2	2	6	12	22	30	94
65+	403	9.8	93	2	3	7	12	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	3.6	14	1	1	2	5	8	11	21
B. *Operated*	1348	3.5	16	1	1	2	4	8	12	20
2. MULTIPLE DX										
A. *Not Operated*	829	6.9	45	1	2	5	9	14	20	34
B. *Operated*	1063	8.5	95	1	2	5	10	18	27	51
1. SINGLE DX	1667	3.6	16	1	1	2	4	8	11	20
2. MULTIPLE DX	1892	7.8	74	1	2	5	10	17	23	45
A. NOT OPERATED	1148	6.0	39	1	1	4	8	13	18	31
B. OPERATED	2411	5.7	57	1	1	3	7	13	19	36
TOTAL 0-19 YRS	1295	3.6	22	1	1	2	3	9	15	22
20-34	305	6.3	82	1	1	4	7	12	21	42
35-49	261	5.5	52	1	1	3	6	10	18	51
50-64	388	7.1	81	1	1	4	8	15	22	53
65+	1310	7.6	55	1	2	5	9	16	22	35
GRAND TOTAL	**3559**	**5.8**	**51**	**1**	**1**	**3**	**7**	**13**	**18**	**35**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	1.3	1	<1	<1	1	1	2	3	4
20-34	18	2.1	3	<1	1	2	2	5	6	6
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64	14	2.0	2	<1	1	2	2	4	5	6
65+	32	3.2	5	1	1	2	4	7	8	9
B. *Operated*										
0-19 YRS	1467	1.6	1	<1	<1	1	2	3	4	6
20-34	504	2.5	3	<1	1	2	3	4	5	10
35-49	309	2.4	5	1	1	2	3	4	5	8
50-64	366	2.2	3	<1	1	2	3	4	5	7
65+	385	2.8	6	1	1	2	4	5	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.0	9	<1	<1	1	2	3	4	22
20-34	61	3.3	10	1	1	2	4	6	10	18
35-49	33	4.4	69	<1	<1	2	4	9	18	46
50-64	39	5.3	33	1	1	3	6	13	19	27
65+	171	7.0	58	1	2	6	9	13	17	30
B. *Operated*										
0-19 YRS	331	3.6	34	1	1	2	3	7	10	29
20-34	398	5.5	55	1	1	4	6	11	18	39
35-49	226	4.8	29	1	1	3	5	9	12	24
50-64	268	4.8	40	1	1	3	5	10	16	42
65+	479	6.6	52	1	1	4	8	14	18	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.1	3	<1	1	1	2	5	6	8
B. *Operated*	3031	2.1	3	<1	1	1	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	356	5.2	44	1	1	3	6	12	16	27
B. *Operated*	1702	5.2	45	1	1	3	6	11	16	34
1. SINGLE DX	3136	2.1	3	<1	1	1	3	4	5	9
2. MULTIPLE DX	2058	5.2	45	1	1	3	6	11	16	32
A. NOT OPERATED	461	4.5	36	1	1	3	6	10	14	24
B. OPERATED	4733	3.2	20	<1	1	2	3	6	10	20
TOTAL 0-19 YRS	1886	1.9	8	<1	<1	1	2	3	5	11
20-34	981	3.8	27	1	1	3	4	7	11	23
35-49	573	3.5	19	1	1	3	4	6	9	21
50-64	687	3.4	21	1	1	2	4	6	9	24
65+	1067	5.2	38	1	1	3	6	12	15	30
GRAND TOTAL	**5194**	**3.3**	**22**	**<1**	**1**	**2**	**4**	**7**	**10**	**21**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.1	5	<1	<1	1	2	5	8	8
20-34	14	2.4	3	1	1	2	3	5	6	6
35-49	7	2.6	5	<1	<1	2	3	6	7	7
50-64	6	1.7		1	1	2	2	2	2	2
65+	6	3.3	8	1	1	2	3	8	9	9
B. *Operated*										
0-19 YRS	483	1.4	1	<1	<1	1	2	2	3	5
20-34	689	1.7	2	<1	<1	1	2	3	4	9
35-49	246	1.7	1	<1	<1	1	2	3	4	6
50-64	103	2.1	6	<1	<1	1	2	3	5	16
65+	54	2.1	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.9	1	<1	<1	2	3	4	4	5
20-34	40	3.3	9	<1	<1	2	4	7	10	15
35-49	11	1.8	1	<1	<1	1	2	4	4	4
50-64	14	2.7	2	1	1	3	4	5	5	5
65+	48	7.2	55	1	1	5	9	16	23	41
B. *Operated*										
0-19 YRS	210	2.9	15	<1	<1	2	3	6	9	25
20-34	444	3.1	17	<1	1	2	3	6	8	20
35-49	147	3.6	32	<1	1	2	4	6	10	41
50-64	116	3.1	15	1	1	2	4	5	6	25
65+	109	6.0	64	1	1	3	7	13	19	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.4	4	<1	<1	2	3	5	7	9
B. *Operated*	1575	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	133	4.3	28	<1	1	3	5	9	13	27
B. *Operated*	1026	3.4	24	<1	1	2	4	7	10	26
1. SINGLE DX	1618	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1159	3.5	25	<1	1	2	4	7	10	24
A. NOT OPERATED	176	3.8	23	<1	1	2	4	9	11	24
B. OPERATED	2601	2.3	11	<1	<1	1	2	4	6	15
TOTAL 0-19 YRS	723	1.9	5	<1	<1	1	2	3	5	10
20-34	1187	2.3	8	<1	<1	1	2	4	6	11
35-49	411	2.4	13	<1	<1	1	2	4	6	18
50-64	239	2.6	10	<1	1	2	3	5	6	18
65+	217	5.2	48	1	1	3	6	12	18	42
GRAND TOTAL	**2777**	**2.4**	**12**	**<1**	**<1**	**1**	**3**	**5**	**7**	**17**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	16.9	180	1	2	18	24	34	46	51
20-34	7	3.6	5	1	1	4	6	6	6	6
35-49	8	5.3	10	1	1	5	8	9	9	9
50-64	21	6.0	31	<1	<1	5	9	13	17	22
65+	92	6.7	30	1	1	6	10	16	17	23
B. *Operated*										
0-19 YRS	69	9.1	65	1	2	6	11	20	23	45
20-34	47	9.8	36	3	4	8	12	18	22	31
35-49	83	8.5	15	3	4	8	10	13	16	23
50-64	324	10.3	31	4	5	9	12	16	20	32
65+	1816	13.0	37	6	7	12	15	19	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	13.9	152	<1	1	11	23	28	35	43
20-34	14	5.6	16	1	1	5	7	12	13	14
35-49	7	8.1	35	1	2	6	11	18	19	19
50-64	40	10.2	76	2	3	8	13	19	26	48
65+	450	11.2	102	1	2	9	15	22	30	67
B. *Operated*										
0-19 YRS	65	15.7	214	2	4	11	18	34	52	65
20-34	94	18.8	233	5	6	13	22	41	47	81
35-49	141	13.2	63	4	5	11	16	25	31	48
50-64	614	15.6	132	6	7	13	18	27	35	76
65+	6512	16.3	82	7	8	14	19	26	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	9.0	86	1	1	6	12	21	25	47
B. *Operated*	2339	12.3	38	5	6	11	15	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	533	11.0	100	1	2	9	14	22	29	65
B. *Operated*	7426	16.2	89	7	8	14	19	26	34	57
1. SINGLE DX	2509	12.1	42	4	6	11	15	19	23	34
2. MULTIPLE DX	7959	15.8	91	6	8	14	18	26	33	58
A. NOT OPERATED	703	10.5	97	1	2	8	14	22	28	54
B. OPERATED	9765	15.2	80	6	8	13	18	24	31	53
TOTAL 0-19 YRS	198	13.5	157	1	2	10	20	28	42	64
20-34	162	14.4	175	2	4	11	17	31	42	73
35-49	239	11.2	50	4	4	9	14	21	27	42
50-64	999	13.4	102	4	6	11	15	23	30	65
65+	8870	15.2	77	6	8	14	18	24	31	52
GRAND TOTAL	**10468**	**14.9**	**82**	**5**	**7**	**13**	**18**	**24**	**31**	**53**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	338	16.1	137	1	1	17	22	29	35	53
20-34	9	24.1	553	2	2	9	49	54	56	56
35-49	10	16.6	403	3	3	6	30	49	64	64
50-64	9	10.7	233	3	3	6	8	34	51	51
65+	34	17.0	308	<1	1	12	26	44	56	69
B. *Operated*										
0-19 YRS	351	11.0	110	1	1	7	18	25	32	46
20-34	124	11.3	90	1	2	10	14	21	29	54
35-49	46	10.6	127	1	3	7	12	21	37	58
50-64	28	15.9	277	2	4	11	16	40	59	73
65+	95	15.9	114	4	7	14	19	25	36	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	17.2	158	1	2	17	24	31	42	54
20-34	27	16.8	315	2	2	8	35	48	49	50
35-49	10	9.3	68	1	1	7	9	24	26	26
50-64	38	21.3	366	1	3	17	29	46	55	93
65+	186	18.5	311	2	3	12	26	48	53	90
B. *Operated*										
0-19 YRS	370	18.0	174	2	4	15	25	37	42	60
20-34	314	19.9	275	2	4	15	24	47	56	96
35-49	116	18.0	312	1	2	13	24	45	61	77
50-64	114	23.4	395	3	6	18	30	56	78	99+
65+	377	19.7	190	6	8	16	25	40	53	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	16.2	168	1	1	16	23	30	40	61
B. *Operated*	644	11.9	118	1	2	9	17	24	32	57
2. MULTIPLE DX										
A. *Not Operated*	407	18.0	256	1	2	14	26	42	50	78
B. *Operated*	1291	19.4	237	2	5	15	25	41	54	93
1. SINGLE DX	1044	13.6	141	1	2	11	20	28	35	57
2. MULTIPLE DX	1698	19.1	242	2	4	15	25	41	53	91
A. NOT OPERATED	807	17.1	213	1	2	15	24	36	49	65
B. OPERATED	1935	16.9	209	2	3	13	22	36	50	79
TOTAL 0-19 YRS	1205	15.3	151	1	2	14	23	30	39	54
20-34	474	17.6	247	2	3	13	22	44	53	86
35-49	182	15.6	266	1	2	10	21	34	57	67
50-64	189	21.3	372	2	4	15	29	50	64	97
65+	692	18.7	218	3	5	15	24	41	53	84
GRAND TOTAL	**2742**	**17.0**	**210**	**1**	**2**	**14**	**23**	**36**	**49**	**73**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	1.9	2	<1	1	1	2	4	5	8
20-34	94	2.7	3	<1	1	2	4	5	6	9
35-49	60	2.8	4	<1	1	2	4	6	7	8
50-64	53	3.8	8	1	1	3	5	8	10	14
65+	64	6.4	27	1	2	5	9	12	17	29
B. *Operated*										
0-19 YRS	659	3.3	17	1	1	2	4	7	9	18
20-34	529	5.0	16	1	1	4	6	10	12	19
35-49	321	5.4	21	1	2	4	7	11	14	18
50-64	184	7.5	36	2	3	6	9	14	18	27
65+	102	8.2	36	1	2	7	11	15	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.3	15	<1	1	2	4	8	10	23
20-34	91	3.6	8	1	1	3	5	7	9	14
35-49	64	4.5	16	<1	1	4	5	9	12	20
50-64	82	7.4	60	1	2	6	9	15	21	45
65+	197	8.8	59	1	2	6	11	16	22	46
B. *Operated*										
0-19 YRS	327	7.5	76	1	2	5	9	15	22	48
20-34	513	10.2	128	1	2	7	11	24	35	83
35-49	301	11.0	127	2	2	7	13	22	35	62
50-64	220	11.5	107	1	3	9	14	21	34	99+
65+	231	13.5	114	3	4	11	16	27	38	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	3.0	9	1	1	2	4	6	8	15
B. *Operated*	1795	4.9	23	1	1	4	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	518	6.2	43	1	1	4	8	13	17	37
B. *Operated*	1592	10.5	115	1	2	7	13	22	33	63
1. SINGLE DX	2264	4.5	20	1	1	3	6	9	12	21
2. MULTIPLE DX	2110	9.4	101	1	2	6	12	20	29	58
A. NOT OPERATED	987	4.7	29	1	1	3	6	10	14	28
B. OPERATED	3387	7.5	74	1	1	5	9	16	22	52
TOTAL 0-19 YRS	1268	4.2	34	1	1	3	5	9	12	28
20-34	1227	6.9	69	1	1	5	8	14	22	52
35-49	746	7.4	71	1	2	5	9	15	21	51
50-64	539	8.8	72	1	2	7	11	17	22	56
65+	594	10.3	80	2	3	8	13	20	27	48
GRAND TOTAL	**4374**	**6.9**	**65**	**1**	**1**	**4**	**8**	**14**	**21**	**48**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.8	1	<1	1	1	2	3	5	5
20-34	108	3.0	5	<1	1	2	4	6	7	11
35-49	64	2.9	4	<1	1	2	4	6	7	10
50-64	76	3.6	10	1	1	3	5	7	8	20
65+	78	4.7	13	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	717	2.7	4	1	1	2	3	5	6	9
20-34	1210	3.6	7	1	1	3	4	6	8	14
35-49	744	4.0	8	1	2	3	5	7	8	12
50-64	651	4.4	6	1	2	4	6	7	9	13
65+	327	6.2	20	2	2	5	7	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.6	5	<1	1	2	3	5	6	13
20-34	108	3.6	6	1	1	3	4	7	8	15
35-49	73	5.2	17	1	1	4	7	12	14	19
50-64	124	6.1	27	1	2	4	7	13	17	25
65+	245	7.2	41	2	2	6	9	15	19	42
B. *Operated*										
0-19 YRS	426	4.8	46	1	1	3	5	8	12	36
20-34	820	5.5	29	1	2	4	6	11	15	29
35-49	519	5.7	27	1	2	4	7	11	15	29
50-64	555	7.1	39	2	2	6	8	13	17	40
65+	598	9.7	63	3	3	8	12	17	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	3.2	7	<1	1	2	4	6	8	15
B. *Operated*	3649	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	609	5.6	28	1	1	4	7	12	16	31
B. *Operated*	2918	6.6	43	1	2	5	8	13	17	36
1. SINGLE DX	4051	3.8	8	1	1	3	5	7	8	15
2. MULTIPLE DX	3527	6.4	40	1	2	5	8	13	17	34
A. NOT OPERATED	1011	4.7	21	1	1	3	6	9	13	23
B. OPERATED	6567	5.1	25	1	1	4	6	9	13	25
TOTAL 0-19 YRS	1278	3.4	19	1	1	3	4	6	8	17
20-34	2246	4.3	16	1	1	3	5	8	11	20
35-49	1400	4.6	16	1	2	4	5	8	11	20
50-64	1406	5.6	23	1	2	5	7	10	13	25
65+	1248	8.0	47	2	3	6	10	15	19	40
GRAND TOTAL	**7578**	**5.0**	**25**	**1**	**1**	**4**	**6**	**9**	**13**	**25**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.4	1	<1	1	1	2	3	4	4
20-34	16	1.6	1	<1	1	1	2	3	3	3
35-49	12	3.3	16	<1	<1	2	4	10	13	14
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	8	3.6	14	1	1	2	5	10	12	12
B. *Operated*										
0-19 YRS	33	2.4	1	<1	1	2	3	4	4	5
20-34	47	2.4	2	1	1	2	3	5	6	7
35-49	17	4.8	67	1	1	3	4	7	26	36
50-64	7	3.6	1	3	3	3	4	5	5	5
65+	4	3.0	15	1	1	1	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.4	10	<1	1	1	3	4	6	21
20-34	127	3.3	6	1	1	2	5	7	8	11
35-49	73	4.9	24	1	1	4	6	8	14	31
50-64	39	5.1	20	1	1	4	6	12	15	18
65+	115	7.1	42	1	2	5	10	15	21	31
B. *Operated*										
0-19 YRS	33	4.5	23	<1	1	3	6	9	18	21
20-34	77	5.0	27	1	1	3	7	12	14	26
35-49	42	7.6	81	2	2	5	8	14	20	56
50-64	24	8.8	84	<1	1	5	14	22	28	37
65+	25	12.6	157	1	2	9	18	24	44	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.2	6	<1	1	1	2	4	7	14
B. *Operated*	108	2.9	13	1	1	2	3	5	6	20
2. MULTIPLE DX										
A. *Not Operated*	424	4.6	24	1	1	3	6	10	14	26
B. *Operated*	201	6.9	66	1	1	4	8	16	22	47
1. SINGLE DX	166	2.6	10	<1	1	2	3	5	6	14
2. MULTIPLE DX	625	5.3	38	1	1	3	6	12	17	31
A. NOT OPERATED	482	4.3	22	1	1	3	5	9	13	25
B. OPERATED	309	5.5	51	1	1	3	6	12	19	39
TOTAL 0-19 YRS	154	2.7	10	<1	1	2	3	5	8	21
20-34	267	3.6	12	1	1	2	5	8	10	16
35-49	144	5.5	46	1	1	4	6	10	15	37
50-64	74	6.0	41	1	1	4	6	15	18	34
65+	152	7.7	63	1	1	5	10	19	22	41
GRAND TOTAL	**791**	**4.8**	**34**	**1**	**1**	**3**	**6**	**10**	**15**	**29**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	8	1	1	2	4	8	8	8
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	9.0	50	4	4	9	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	13	<1	<1	2	6	9	12	12
20-34	6	8.5	62	2	2	5	12	22	23	23
35-49	3	3.0		3	3	3	3	3	3	3
50-64										
65+	4	12.3	42	9	9	9	16	22	22	22
B. *Operated*										
0-19 YRS	13	26.8	979	2	3	8	41	87	93	94
20-34	13	28.8	806	4	6	16	51	71	86	89
35-49	3	15.3	146	6	6	11	24	29	29	29
50-64	4	29.5	574	5	5	30	50	52	52	52
65+	4	12.8	40	7	7	12	18	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.4	7	1	1	3	4	8	8	8
B. *Operated*	7	5.1	19	<1	<1	4	6	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	25	6.2	36	<1	1	4	9	12	22	23
B. *Operated*	37	25.4	687	3	4	13	41	67	88	94
1. SINGLE DX	17	4.1	12	<1	1	4	5	8	12	14
2. MULTIPLE DX	62	17.6	510	1	2	8	22	49	74	93
A. NOT OPERATED	35	5.4	29	1	1	4	8	12	20	23
B. OPERATED	44	22.1	634	2	3	11	29	66	86	94
TOTAL 0-19 YRS	33	12.7	507	1	1	4	8	41	79	94
20-34	24	18.3	575	1	2	8	20	66	74	89
35-49	7	9.0	87	3	3	6	10	25	29	29
50-64	5	25.0	532	5	5	13	49	52	52	52
65+	10	11.8	35	4	5	9	16	21	22	22
GRAND TOTAL	**79**	**14.7**	**432**	**1**	**1**	**7**	**15**	**44**	**67**	**93**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	11	1.9	2	<1	<1	1	3	4	5	5
35-49	5	1.4		<1	<1	1	2	2	2	2
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	4	3.8	30	1	1	1	7	12	12	12
B. *Operated*										
0-19 YRS	90	2.2	1	1	1	2	3	4	4	6
20-34	412	2.4	2	1	1	2	3	4	5	7
35-49	127	2.3	2	<1	1	2	3	4	4	8
50-64	47	2.3	3	<1	1	2	3	4	5	10
65+	48	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	3	3
20-34	29	4.0	30	<1	<1	2	4	10	21	23
35-49	7	2.0	2	1	1	1	3	5	5	5
50-64	13	3.5	16	<1	<1	2	4	9	14	15
65+	21	6.9	47	<1	1	4	9	17	22	27
B. *Operated*										
0-19 YRS	28	3.0	5	<1	1	2	4	7	7	8
20-34	105	3.5	11	1	1	3	4	6	8	20
35-49	56	4.4	19	1	1	4	5	7	13	27
50-64	39	3.7	12	<1	1	3	5	8	11	18
65+	77	5.0	41	1	1	2	6	13	18	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.0	5	<1	<1	1	2	4	7	12
B. *Operated*	724	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	80	4.2	28	<1	<1	2	4	10	17	26
B. *Operated*	305	4.0	20	1	1	3	5	8	13	21
1. SINGLE DX	749	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	385	4.1	22	<1	1	3	5	9	14	22
A. NOT OPERATED	105	3.7	24	<1	<1	2	4	9	15	25
B. OPERATED	1029	2.8	8	1	1	2	3	5	7	17
TOTAL 0-19 YRS	129	2.3	2	1	1	2	3	4	5	7
20-34	557	2.7	5	<1	1	2	3	4	6	11
35-49	195	2.8	8	<1	1	2	3	4	6	15
50-64	103	3.0	8	<1	1	2	3	6	9	16
65+	150	4.3	31	1	1	2	5	10	17	27
GRAND TOTAL	**1134**	**2.9**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**18**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	9	1.4	1	1	1	1	2	3	3	3
35-49	10	1.5	1	<1	<1	1	2	3	4	4
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	597	2.1	2	<1	<1	1	3	4	5	10
20-34	1390	2.2	3	<1	<1	2	3	4	5	7
35-49	717	2.0	2	<1	<1	2	2	4	5	7
50-64	345	2.3	3	<1	<1	2	3	5	6	9
65+	87	2.6	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	<1	<1	1	3	3	3	3
20-34	19	1.7	1	<1	<1	1	2	4	5	5
35-49	15	2.6	7	<1	<1	2	3	4	9	11
50-64	15	3.1	12	<1	<1	1	5	9	11	12
65+	12	5.3	13	1	2	5	6	10	14	15
B. *Operated*										
0-19 YRS	431	2.9	7	<1	<1	2	4	5	7	12
20-34	1075	2.7	5	<1	<1	2	4	5	6	11
35-49	577	2.6	6	<1	<1	2	3	5	6	10
50-64	507	2.6	6	<1	<1	2	3	5	6	10
65+	265	3.8	18	<1	<1	2	5	8	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	1.8	1	<1	1	1	3	4	4	4
B. *Operated*	3136	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	70	2.8	8	<1	<1	2	4	6	9	14
B. *Operated*	2855	2.8	7	<1	<1	2	4	5	7	12
1. SINGLE DX	3167	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	2925	2.8	7	<1	<1	2	4	5	7	12
A. NOT OPERATED	101	2.5	6	<1	<1	1	3	5	7	13
B. OPERATED	5991	2.4	5	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	1043	2.4	5	<1	<1	2	3	5	6	10
20-34	2493	2.4	4	<1	<1	2	3	5	6	10
35-49	1319	2.3	4	<1	<1	2	3	4	6	9
50-64	870	2.5	5	<1	<1	2	3	5	6	10
65+	367	3.6	15	<1	<1	2	4	7	10	23
GRAND TOTAL	**6092**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.8	8	1	1	2	4	7	9	13
20-34	27	3.9	5	<1	1	3	5	7	9	9
35-49	13	5.9	24	1	1	4	8	14	16	17
50-64	8	15.5	509	<1	<1	9	16	54	69	69
65+	6	3.7	21	1	1	2	2	12	13	13
B. *Operated*										
0-19 YRS	174	3.0	26	<1	1	2	3	6	9	19
20-34	205	3.1	8	<1	1	2	4	7	9	15
35-49	102	3.7	17	<1	<1	2	4	10	12	20
50-64	47	5.1	63	<1	1	2	5	10	29	39
65+	49	5.0	50	<1	1	2	6	11	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.0	111	<1	1	3	6	10	23	54
20-34	32	5.0	24	<1	1	4	7	9	11	27
35-49	16	4.9	26	<1	1	3	6	10	18	21
50-64	26	7.5	173	1	1	4	6	10	47	57
65+	30	6.9	30	2	2	6	10	14	17	25
B. *Operated*										
0-19 YRS	115	5.4	53	1	1	4	7	12	17	36
20-34	195	6.2	70	<1	1	4	7	14	17	39
35-49	108	6.8	54	1	1	4	8	18	25	32
50-64	69	6.8	117	1	1	3	7	17	20	69
65+	85	10.1	122	1	2	5	15	25	42	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	5.1	69	1	1	3	6	11	13	55
B. *Operated*	577	3.5	23	<1	1	2	4	8	11	27
2. MULTIPLE DX										
A. *Not Operated*	129	6.1	71	1	1	4	7	11	17	55
B. *Operated*	572	6.8	78	1	1	4	8	17	21	45
1. SINGLE DX	655	3.7	29	<1	1	2	4	8	11	28
2. MULTIPLE DX	701	6.7	77	1	1	4	8	16	21	47
A. NOT OPERATED	207	5.7	70	1	1	3	7	11	15	55
B. OPERATED	1149	5.2	53	<1	1	3	6	12	18	39
TOTAL 0-19 YRS	338	4.0	41	<1	1	2	5	8	12	25
20-34	459	4.6	37	<1	1	3	5	10	14	26
35-49	239	5.3	36	<1	1	3	7	13	20	28
50-64	150	6.9	131	1	1	3	7	17	29	69
65+	170	7.9	86	1	1	4	10	20	32	45
GRAND TOTAL	**1356**	**5.2**	**56**	**<1**	**1**	**3**	**6**	**12**	**18**	**42**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.5	1	<1	<1	1	1	2	4	6
20-34	43	1.7	1	<1	<1	1	2	4	4	5
35-49	26	2.3	4	<1	<1	2	3	5	6	10
50-64	16	2.9	6	1	1	2	4	6	9	10
65+	20	4.9	15	1	2	4	6	8	14	19
B. *Operated*										
0-19 YRS	387	2.9	3	<1	<1	3	4	5	6	8
20-34	670	3.4	4	<1	1	3	5	6	7	9
35-49	171	3.3	5	<1	1	3	4	6	7	11
50-64	39	3.9	6	1	1	3	5	8	9	13
65+	12	6.2	31	1	2	5	7	13	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	6	<1	<1	1	3	7	8	9
20-34	42	2.2	5	<1	<1	1	3	5	7	12
35-49	18	4.4	9	1	1	4	5	10	12	12
50-64	25	6.2	94	1	1	4	7	8	24	50
65+	92	6.4	30	1	2	5	8	11	16	33
B. *Operated*										
0-19 YRS	419	3.9	6	<1	1	4	5	7	8	13
20-34	939	4.0	6	<1	1	4	5	7	8	13
35-49	343	4.2	6	1	1	4	5	7	9	14
50-64	101	5.5	22	1	1	4	6	10	15	27
65+	39	9.3	216	1	2	5	8	15	47	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.4	6	<1	<1	1	3	5	6	12
B. *Operated*	1279	3.3	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	199	4.9	31	<1	1	4	7	9	12	33
B. *Operated*	1841	4.2	12	1	1	4	5	7	9	15
1. SINGLE DX	1409	3.2	4	<1	1	3	4	6	7	9
2. MULTIPLE DX	2040	4.3	14	1	1	4	5	7	9	15
A. NOT OPERATED	329	3.9	23	<1	1	3	5	8	11	25
B. OPERATED	3120	3.8	9	<1	1	3	5	7	8	13
TOTAL 0-19 YRS	853	3.3	5	<1	<1	3	4	6	7	10
20-34	1694	3.6	5	<1	1	3	5	6	8	11
35-49	558	3.8	6	<1	1	4	5	7	8	12
50-64	181	5.0	28	1	1	4	6	9	14	29
65+	163	6.9	74	1	2	5	7	11	20	63
GRAND TOTAL	**3449**	**3.8**	**10**	**<1**	**1**	**3**	**5**	**7**	**8**	**14**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.0	13	1	2	4	6	11	12	16
20-34	472	5.4	9	2	2	5	7	10	11	14
35-49	427	5.7	11	2	2	5	7	10	11	17
50-64	203	5.0	7	2	2	5	6	9	10	14
65+	82	4.7	6	1	2	4	7	8	9	11
B. *Operated*										
0-19 YRS	4	3.8	14	1	1	3	6	9	9	9
20-34	99	4.9	15	1	1	4	7	11	12	19
35-49	75	4.7	15	1	1	4	6	9	13	18
50-64	24	4.6	12	<1	1	4	7	10	11	11
65+	5	7.0	2	5	5	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.2	10	1	1	3	6	10	11	12
20-34	460	6.1	15	1	2	5	8	11	13	19
35-49	604	6.1	17	2	2	5	8	11	13	21
50-64	423	6.3	15	2	3	5	8	11	13	21
65+	541	6.9	22	2	3	6	9	12	14	21
B. *Operated*										
0-19 YRS	7	10.6	143	1	1	6	16	31	34	34
20-34	81	8.3	57	1	1	7	10	16	21	43
35-49	104	8.4	29	1	2	8	11	15	17	26
50-64	56	9.4	59	2	3	6	13	19	24	38
65+	46	11.1	57	3	4	9	14	20	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1219	5.4	10	2	2	5	7	9	11	15
B. *Operated*	207	4.8	14	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2067	6.3	18	2	2	5	8	11	14	21
B. *Operated*	294	9.0	49	1	2	8	12	16	21	38
1. SINGLE DX	1426	5.3	10	1	2	5	7	10	11	16
2. MULTIPLE DX	2361	6.7	22	2	2	6	8	12	15	23
A. NOT OPERATED	3286	6.0	15	2	2	5	8	11	12	19
B. OPERATED	501	7.3	39	1	1	6	10	15	18	32
TOTAL 0-19 YRS	85	5.0	23	1	1	4	6	10	12	29
20-34	1112	5.8	16	1	2	5	7	11	13	19
35-49	1210	6.1	17	1	2	5	8	11	13	20
50-64	706	6.1	17	2	2	5	8	11	13	23
65+	674	6.9	24	2	3	6	9	12	15	23
GRAND TOTAL	**3787**	**6.1**	**18**	**1**	**2**	**5**	**8**	**11**	**14**	**21**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.2	4	1	1	1	2	4	6	13
20-34	404	4.5	10	1	1	4	6	8	11	17
35-49	335	5.0	9	1	1	5	7	9	11	15
50-64	136	5.0	41	1	1	4	6	9	11	21
65+	63	4.9	17	1	2	4	7	10	12	24
B. *Operated*										
0-19 YRS	4	2.3	6	1	1	1	4	6	6	6
20-34	125	3.8	14	1	1	2	6	9	11	18
35-49	98	5.0	18	1	1	4	7	10	14	21
50-64	31	4.8	17	1	1	4	7	10	13	17
65+	6	5.2	45	1	1	2	7	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	2.9	9	<1	1	2	3	7	9	17
20-34	611	5.3	21	1	1	4	7	10	12	23
35-49	589	6.0	20	1	2	5	8	12	13	23
50-64	393	5.9	17	1	2	5	8	11	14	21
65+	425	6.6	27	2	2	6	8	12	15	30
B. *Operated*										
0-19 YRS	15	2.5	5	<1	1	2	3	5	8	9
20-34	128	6.5	43	1	1	5	9	14	22	31
35-49	129	7.0	55	1	1	4	11	15	16	41
50-64	65	6.4	19	1	2	6	10	13	15	18
65+	36	9.6	121	1	3	6	11	19	23	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1027	4.6	14	1	1	4	6	9	11	15
B. *Operated*	264	4.4	17	1	1	3	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	2157	5.7	21	1	1	5	7	11	13	23
B. *Operated*	373	6.8	50	1	1	5	9	14	18	35
1. SINGLE DX	1291	4.5	15	1	1	4	6	9	11	17
2. MULTIPLE DX	2530	5.9	26	1	1	5	8	11	14	26
A. NOT OPERATED	3184	5.3	19	1	1	4	7	10	12	20
B. OPERATED	637	5.8	37	1	1	4	8	13	16	27
TOTAL 0-19 YRS	247	2.6	7	<1	1	2	3	5	8	15
20-34	1268	5.0	20	1	1	4	7	10	12	23
35-49	1151	5.7	21	1	1	5	8	11	14	20
50-64	625	5.7	23	1	2	5	7	11	13	19
65+	530	6.6	33	1	2	5	8	12	15	30
GRAND TOTAL	**3821**	**5.4**	**22**	**1**	**1**	**4**	**7**	**11**	**13**	**22**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	1.9	1	<1	<1	2	3	3	4	5
20-34	67	2.4	3	<1	1	2	3	5	6	8
35-49	29	3.6	13	<1	<1	2	4	9	14	14
50-64	33	2.7	3	1	1	2	4	5	6	8
65+	30	4.3	10	1	1	4	5	8	12	15
B. *Operated*										
0-19 YRS	224	2.0	1	<1	1	2	2	4	4	5
20-34	531	2.2	2	<1	<1	2	3	4	5	8
35-49	394	2.8	2	1	1	3	3	5	6	8
50-64	356	3.5	3	1	1	3	4	6	7	9
65+	148	4.4	8	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.4	2	<1	1	2	3	4	6	7
20-34	74	2.7	7	<1	1	2	3	5	6	16
35-49	65	3.4	6	1	1	3	5	7	9	10
50-64	92	4.4	17	1	1	3	6	8	12	22
65+	222	5.5	14	1	2	5	7	11	12	19
B. *Operated*										
0-19 YRS	61	3.1	8	1	1	2	3	7	9	15
20-34	164	3.2	7	<1	1	3	4	6	7	17
35-49	138	3.4	6	1	1	3	4	6	7	10
50-64	290	4.5	12	1	2	4	5	7	10	18
65+	177	6.3	23	2	2	5	7	12	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	2.9	6	<1	1	2	4	5	8	14
B. *Operated*	1653	2.8	3	<1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	491	4.4	13	1	1	3	6	9	12	20
B. *Operated*	830	4.3	13	1	1	4	5	8	11	19
1. SINGLE DX	1840	2.8	3	<1	1	2	4	5	6	9
2. MULTIPLE DX	1321	4.4	13	1	1	4	5	8	11	19
A. NOT OPERATED	678	4.0	11	1	1	3	5	8	11	17
B. OPERATED	2483	3.3	7	<1	1	3	4	6	7	14
TOTAL 0-19 YRS	351	2.2	3	<1	1	2	3	4	5	8
20-34	836	2.5	4	<1	1	2	3	5	6	9
35-49	626	3.0	4	1	1	3	4	5	6	9
50-64	771	4.0	8	1	1	4	5	6	9	16
65+	577	5.4	15	1	2	4	7	10	12	21
GRAND TOTAL	**3161**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1299	1.3	1	<1	1	1	1	2	2	4
20-34	310	1.7	3	<1	<1	1	2	3	4	10
35-49	91	1.8	2	<1	1	1	2	4	4	8
50-64	43	2.2	3	1	1	1	3	5	6	7
65+	41	2.0	3	1	1	2	2	4	5	9
B. *Operated*										
0-19 YRS	16	1.4	1	<1	1	1	2	3	3	3
20-34	9	1.3	1	<1	<1	1	2	3	3	3
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	3.7	9	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1470	1.7	2	<1	1	1	2	3	4	7
20-34	1126	2.4	8	<1	1	2	3	5	6	11
35-49	468	3.0	8	<1	1	2	4	6	8	16
50-64	296	3.2	9	1	1	2	4	7	9	16
65+	393	4.5	25	1	1	3	5	9	13	26
B. *Operated*										
0-19 YRS	338	3.2	36	<1	1	1	3	6	9	39
20-34	431	3.9	34	<1	1	2	4	9	14	38
35-49	151	3.6	13	1	1	2	4	9	10	21
50-64	86	5.6	62	<1	1	3	7	13	19	48
65+	117	7.4	133	1	1	4	8	14	21	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1784	1.4	1	<1	1	1	1	2	3	6
B. *Operated*	35	1.6	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	3753	2.5	8	<1	1	2	3	5	7	14
B. *Operated*	1123	4.2	46	<1	1	2	5	9	13	38
1. SINGLE DX	1819	1.4	1	<1	1	1	1	2	3	6
2. MULTIPLE DX	4876	2.9	17	<1	1	2	3	6	8	19
A. NOT OPERATED	5537	2.1	6	<1	1	1	2	4	6	12
B. OPERATED	1158	4.1	44	<1	1	2	4	9	13	38
TOTAL 0-19 YRS	3123	1.7	5	<1	1	1	2	3	4	8
20-34	1876	2.6	14	<1	1	2	3	5	7	17
35-49	715	2.9	9	<1	1	2	4	6	9	15
50-64	427	3.6	20	1	1	2	4	7	10	19
65+	554	5.0	48	1	1	3	5	10	14	32
GRAND TOTAL	**6695**	**2.5**	**13**	**<1**	**1**	**1**	**3**	**5**	**7**	**17**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	367	1.5	3	<1	<1	1	1	2	4	10
20-34	84	3.0	43	<1	<1	2	3	4	8	43
35-49	21	3.6	15	<1	<1	1	5	11	12	12
50-64	16	2.7	6	<1	<1	2	3	7	8	9
65+	26	5.3	35	<1	1	2	7	13	21	22
B. *Operated*										
0-19 YRS	38	5.4	19	1	1	4	8	12	14	18
20-34	30	7.7	64	1	1	5	10	15	20	41
35-49	24	10.1	38	2	4	8	14	21	22	24
50-64	22	6.7	22	1	2	6	8	14	18	20
65+	29	11.9	53	5	7	10	12	23	32	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	564	2.9	20	<1	1	1	3	6	9	25
20-34	308	4.8	76	1	1	2	4	12	18	57
35-49	155	4.5	41	1	1	2	5	9	12	41
50-64	106	7.3	88	1	1	4	9	17	29	48
65+	250	8.3	96	1	1	5	10	21	28	40
B. *Operated*										
0-19 YRS	252	13.7	350	1	1	6	22	49	70	99+
20-34	245	13.9	336	<1	1	6	19	43	74	99+
35-49	95	17.9	445	1	1	11	20	55	68	99
50-64	79	13.5	181	1	2	9	16	33	46	61
65+	209	15.8	179	2	2	11	22	36	48	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	514	2.1	12	<1	<1	1	2	3	7	13
B. *Operated*	143	8.2	44	1	1	7	10	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	1383	4.8	58	1	1	2	5	11	18	36
B. *Operated*	880	14.7	301	1	1	9	21	42	63	99+
1. SINGLE DX	657	3.4	26	<1	1	1	3	9	12	22
2. MULTIPLE DX	2263	8.6	176	1	1	3	10	25	38	82
A. NOT OPERATED	1897	4.1	47	<1	1	2	4	9	15	33
B. OPERATED	1023	13.8	270	1	1	8	19	38	59	99+
TOTAL 0-19 YRS	1221	4.8	104	<1	1	1	3	11	25	72
20-34	667	8.1	187	<1	1	3	8	22	41	86
35-49	295	9.2	206	1	1	4	10	20	42	87
50-64	223	9.1	120	1	1	6	10	25	32	58
65+	514	11.4	138	1	2	7	15	28	36	56
GRAND TOTAL	**2920**	**7.5**	**147**	**<1**	**1**	**3**	**8**	**21**	**33**	**75**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.3	5	<1	1	1	3	7	8	8
20-34	38	2.9	4	1	1	2	4	6	7	8
35-49	28	3.0	5	1	1	2	4	6	9	10
50-64	6	2.3	2	1	1	2	4	4	4	4
65+	6	3.2	5	1	1	3	4	7	7	7
B. *Operated*										
0-19 YRS	21	5.0	16	1	2	4	7	9	14	18
20-34	70	5.0	11	1	2	4	7	9	13	18
35-49	17	5.4	21	1	1	4	6	14	16	17
50-64	5	5.0	8	1	1	5	7	8	8	8
65+	9	4.1	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.9	4	1	1	2	4	6	7	9
20-34	122	3.4	7	1	1	3	4	7	9	14
35-49	73	4.4	13	1	1	4	5	8	10	23
50-64	70	5.3	28	1	1	3	7	12	15	24
65+	73	7.3	72	2	2	6	8	14	19	57
B. *Operated*										
0-19 YRS	84	8.4	56	2	3	6	10	17	24	42
20-34	263	8.3	71	2	2	6	10	17	21	55
35-49	127	9.9	125	2	3	6	10	20	30	61
50-64	73	11.0	132	2	4	8	13	19	29	74
65+	84	13.4	157	2	3	9	16	31	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.8	4	1	1	2	4	6	8	10
B. *Operated*	122	5.0	12	1	2	4	6	9	13	18
2. MULTIPLE DX										
A. *Not Operated*	402	4.6	25	1	1	3	6	9	12	23
B. *Operated*	631	9.6	101	2	3	7	11	19	29	56
1. SINGLE DX	217	4.0	10	1	1	3	5	8	9	17
2. MULTIPLE DX	1033	7.7	77	1	2	5	9	15	22	49
A. NOT OPERATED	497	4.2	22	1	1	3	5	8	11	22
B. OPERATED	753	8.9	89	2	3	6	10	17	26	53
TOTAL 0-19 YRS	186	5.5	36	1	1	4	7	11	17	32
20-34	493	6.2	47	1	1	5	8	12	17	44
35-49	245	7.2	79	1	2	5	8	15	21	49
50-64	154	7.9	84	1	1	5	10	15	21	49
65+	172	10.0	119	2	2	7	11	22	33	64
GRAND TOTAL	**1250**	**7.0**	**67**	**1**	**1**	**5**	**8**	**14**	**21**	**47**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.0	8	<1	1	2	4	7	8	13
20-34	79	2.8	4	1	1	2	4	6	7	11
35-49	26	4.0	14	1	1	3	4	8	14	16
50-64	13	1.8	1	<1	<1	1	2	3	5	5
65+	4	2.8	5	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	100	5.6	8	1	2	6	7	8	10	17
20-34	104	6.2	19	1	2	6	7	9	10	26
35-49	28	6.5	10	1	2	7	9	11	11	11
50-64	8	5.9	4	3	3	6	7	9	9	9
65+	6	6.0	14	1	1	6	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	3.9	13	1	1	3	5	8	10	20
20-34	166	3.8	9	1	1	3	5	8	9	15
35-49	56	3.4	9	1	1	3	4	7	10	17
50-64	34	5.1	20	1	1	4	8	11	11	23
65+	52	6.8	34	1	2	5	8	15	22	26
B. *Operated*										
0-19 YRS	286	10.8	125	3	4	7	11	22	32	70
20-34	507	10.9	110	2	4	8	12	20	31	73
35-49	161	11.2	133	2	3	8	12	22	31	82
50-64	97	14.2	87	4	6	11	19	26	36	76
65+	76	18.5	245	2	5	13	26	40	55	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	3.0	7	1	1	2	4	6	8	14
B. *Operated*	246	6.0	13	1	2	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	493	4.2	14	1	1	3	6	9	11	22
B. *Operated*	1127	11.7	128	2	4	8	13	24	35	79
1. SINGLE DX	514	4.4	12	1	1	4	6	8	10	15
2. MULTIPLE DX	1620	9.4	105	1	2	7	11	20	29	68
A. NOT OPERATED	761	3.8	12	1	1	3	5	8	10	19
B. OPERATED	1373	10.7	112	2	4	8	12	21	31	71
TOTAL 0-19 YRS	717	6.7	67	1	1	5	8	12	19	39
20-34	856	8.2	80	1	2	6	10	15	23	64
35-49	271	8.4	95	1	2	6	10	16	24	77
50-64	152	10.7	83	1	2	8	14	23	29	50
65+	138	13.1	184	1	2	8	17	32	43	90
GRAND TOTAL	**2134**	**8.2**	**87**	**1**	**1**	**6**	**10**	**17**	**25**	**58**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	7	2.7	3	1	1	2	4	5	5	5
35-49	5	2.0	3	1	1	1	3	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	152	2.3	5	<1	1	2	3	4	6	10
20-34	104	2.5	3	1	1	2	3	5	6	8
35-49	27	2.4	2	1	1	2	3	4	5	7
50-64	16	2.1	2	<1	1	2	3	4	4	4
65+	15	3.5	12	<1	1	2	4	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	4	1	1	2	3	5	7	9
20-34	8	2.3	1	1	1	2	3	4	4	4
35-49	5	4.2	17	1	1	3	6	11	11	11
50-64	3	5.7	14	3	3	4	8	10	10	10
65+	6	3.2	7	1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS	151	2.9	6	1	1	2	4	6	7	12
20-34	131	3.1	4	1	1	3	4	5	7	9
35-49	51	4.0	11	1	1	4	5	8	11	98
50-64	27	4.6	13	1	1	3	7	10	12	15
65+	46	4.4	14	1	1	3	7	11	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.1	2	<1	1	2	3	5	5	5
B. *Operated*	314	2.4	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	44	3.0	6	1	1	2	4	6	9	11
B. *Operated*	406	3.4	7	1	1	3	5	7	8	15
1. SINGLE DX	330	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	450	3.4	7	1	1	3	5	7	8	15
A. NOT OPERATED	60	2.7	5	1	1	2	3	6	8	11
B. OPERATED	720	3.0	6	1	1	2	4	6	8	13
TOTAL 0-19 YRS	328	2.6	5	<1	1	2	3	5	7	11
20-34	250	2.8	3	1	1	2	4	5	6	8
35-49	88	3.4	9	1	1	3	4	7	10	69
50-64	47	3.7	10	1	1	3	4	9	10	15
65+	67	4.1	13	1	1	3	6	10	11	15
GRAND TOTAL	**780**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**8**	**12**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.1	2	1	1	1	3	4	5	7
20-34	31	2.4	4	<1	<1	2	3	4	7	9
35-49	9	2.6	3	1	1	2	3	5	7	7
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	8	2.3	5	1	1	1	3	6	7	7
B. *Operated*										
0-19 YRS	184	1.7	2	<1	<1	1	2	3	5	8
20-34	91	2.1	3	<1	1	1	3	4	6	9
35-49	40	2.8	11	<1	<1	2	3	5	11	17
50-64	23	3.9	19	<1	<1	2	5	8	13	20
65+	20	2.5	13	<1	1	1	2	5	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.5	30	<1	<1	1	2	4	6	21
20-34	165	2.2	4	<1	<1	1	3	4	7	10
35-49	84	3.0	6	<1	<1	2	4	6	8	13
50-64	67	3.6	11	<1	1	2	5	7	9	17
65+	176	5.0	27	1	1	3	6	10	17	22
B. *Operated*										
0-19 YRS	426	2.8	25	<1	1	2	3	5	7	16
20-34	511	3.2	15	<1	1	2	4	7	9	20
35-49	202	4.6	42	<1	1	2	5	9	15	40
50-64	151	3.9	14	<1	1	2	5	9	11	17
65+	229	5.1	31	1	1	3	6	12	16	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.2	3	1	1	2	3	4	7	8
B. *Operated*	358	2.1	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	624	3.3	18	<1	1	2	4	7	9	20
B. *Operated*	1519	3.6	24	<1	1	2	4	8	11	26
1. SINGLE DX	447	2.1	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX	2143	3.5	23	<1	1	2	4	7	11	23
A. NOT OPERATED	713	3.2	16	<1	1	2	4	7	8	20
B. OPERATED	1877	3.3	21	<1	1	2	4	7	10	24
TOTAL 0-19 YRS	780	2.4	20	<1	1	1	3	5	6	14
20-34	798	2.9	11	<1	1	2	3	6	8	16
35-49	335	3.9	29	<1	1	2	5	8	12	38
50-64	244	3.8	13	<1	1	2	5	8	11	18
65+	433	4.9	29	1	1	3	6	11	16	30
GRAND TOTAL	**2590**	**3.3**	**20**	**<1**	**1**	**2**	**4**	**7**	**10**	**22**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	1.5	2	<1	<1	1	2	2	3	12
20-34	117	1.9	4	<1	<1	1	2	3	5	12
35-49	37	1.9	1	<1	<1	2	3	3	4	4
50-64	12	1.5	1	<1	<1	1	2	3	4	4
65+	5	4.0	18	<1	<1	2	6	11	11	11
B. *Operated*										
0-19 YRS	94	2.0	3	<1	<1	1	2	5	6	8
20-34	136	2.9	5	<1	<1	2	4	6	7	10
35-49	39	3.2	5	1	1	3	5	7	8	8
50-64	8	2.8	8	<1	<1	1	4	8	9	9
65+	8	3.9	10	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.4	5	<1	<1	2	3	5	6	13
20-34	107	2.5	3	<1	1	2	3	5	6	8
35-49	33	2.6	9	<1	<1	2	3	4	6	18
50-64	18	4.1	11	<1	1	3	5	11	11	11
65+	14	3.2	8	<1	1	2	4	8	9	10
B. *Operated*										
0-19 YRS	127	6.1	63	1	1	4	7	13	21	46
20-34	286	6.2	64	<1	1	4	7	12	19	49
35-49	85	7.2	51	1	2	5	9	14	21	41
50-64	38	6.7	48	<1	1	5	9	12	20	37
65+	20	12.1	304	1	1	6	13	29	54	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	1.8	3	<1	<1	1	2	3	4	11
B. *Operated*	285	2.7	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	221	2.7	5	<1	1	2	3	5	7	12
B. *Operated*	556	6.6	70	1	1	4	8	14	21	48
1. SINGLE DX	522	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	777	5.5	54	<1	1	3	6	11	17	41
A. NOT OPERATED	458	2.2	4	<1	<1	2	3	4	6	11
B. OPERATED	841	5.2	51	<1	1	3	6	10	16	38
TOTAL 0-19 YRS	336	3.5	30	<1	<1	2	4	7	12	28
20-34	646	4.1	34	<1	1	2	5	8	11	33
35-49	194	4.6	30	1	1	3	5	9	14	31
50-64	76	4.8	31	<1	<1	3	7	11	12	33
65+	47	7.2	149	1	1	3	8	14	28	77
GRAND TOTAL	**1299**	**4.2**	**37**	**<1**	**1**	**2**	**5**	**8**	**13**	**32**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.8	7	<1	<1	2	3	5	7	17
20-34	98	2.7	3	<1	<1	2	3	5	6	7
35-49	30	2.4	2	1	1	3	3	4	5	5
50-64	16	3.0	3	<1	<1	3	3	6	7	7
65+	5	4.4	1	3	3	4	5	6	6	6
B. *Operated*										
0-19 YRS	579	1.9	4	<1	<1	1	2	3	5	11
20-34	911	2.1	9	<1	<1	1	2	4	5	11
35-49	350	2.1	8	<1	<1	1	2	4	6	12
50-64	207	2.2	4	<1	<1	1	3	5	7	9
65+	66	2.1	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	4.0	33	<1	1	2	4	7	14	34
20-34	179	4.1	22	<1	1	3	5	8	13	29
35-49	67	4.6	29	1	1	3	5	10	16	32
50-64	37	4.6	8	1	1	4	7	8	10	12
65+	45	6.0	21	1	2	5	7	12	15	24
B. *Operated*										
0-19 YRS	444	2.6	7	<1	1	2	3	6	8	12
20-34	913	3.1	18	<1	1	2	3	6	9	20
35-49	377	3.9	43	<1	1	2	4	8	12	34
50-64	216	4.2	50	<1	1	2	4	8	14	28
65+	145	4.3	64	1	1	2	4	8	12	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.8	4	<1	<1	3	3	5	6	8
B. *Operated*	2113	2.1	7	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	401	4.4	24	<1	1	3	5	8	13	31
B. *Operated*	2095	3.4	27	<1	1	2	3	7	10	27
1. SINGLE DX	2314	2.1	6	<1	<1	1	2	4	6	11
2. MULTIPLE DX	2496	3.5	26	<1	1	2	4	7	10	27
A. NOT OPERATED	602	3.9	18	<1	1	3	5	7	11	24
B. OPERATED	4208	2.7	17	<1	<1	2	3	5	8	19
TOTAL 0-19 YRS	1148	2.4	7	<1	<1	1	3	5	7	13
20-34	2101	2.8	14	<1	<1	2	3	5	7	18
35-49	824	3.2	26	<1	1	2	3	6	10	28
50-64	476	3.3	26	<1	1	2	4	7	9	25
65+	261	4.0	42	<1	1	2	4	8	12	41
GRAND TOTAL	**4810**	**2.9**	**17**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.5	3	<1	<1	2	3	5	5	11
20-34	86	2.6	3	<1	1	2	4	5	6	8
35-49	40	4.0	29	1	1	3	4	6	7	35
50-64	13	4.4	34	1	1	3	4	9	20	23
65+	13	4.9	22	<1	1	2	8	12	14	14
B. *Operated*										
0-19 YRS	302	3.4	14	<1	1	2	4	7	10	18
20-34	315	3.5	13	<1	1	3	5	7	9	18
35-49	103	3.4	12	<1	1	2	4	9	11	17
50-64	52	4.8	22	1	1	3	6	11	16	23
65+	34	5.1	15	1	1	3	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.7	5	1	1	3	4	7	8	10
20-34	72	4.0	10	<1	1	3	5	7	9	18
35-49	40	5.8	132	<1	1	3	5	10	17	72
50-64	29	4.8	7	2	2	5	6	8	11	13
65+	41	10.6	109	2	3	7	15	24	26	59
B. *Operated*										
0-19 YRS	211	5.8	66	1	1	3	6	12	19	59
20-34	245	6.1	55	1	1	4	7	12	20	38
35-49	113	8.4	87	1	1	5	10	19	27	50
50-64	85	8.5	121	1	2	5	11	18	23	66
65+	88	15.4	295	1	3	9	19	47	57	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	3.0	10	<1	1	2	4	5	7	15
B. *Operated*	806	3.6	14	<1	1	2	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	246	5.4	50	1	1	4	6	10	15	29
B. *Operated*	742	7.7	107	1	1	4	9	17	29	59
1. SINGLE DX	1044	3.5	13	<1	1	2	4	7	10	18
2. MULTIPLE DX	988	7.1	94	1	1	4	8	16	25	58
A. NOT OPERATED	484	4.2	32	<1	1	3	5	8	12	25
B. OPERATED	1548	5.6	63	1	1	3	6	12	18	47
TOTAL 0-19 YRS	603	4.0	30	<1	1	3	5	8	12	33
20-34	718	4.3	27	<1	1	3	5	8	12	31
35-49	296	5.7	64	<1	1	3	6	13	19	40
50-64	179	6.5	71	1	1	4	7	14	20	51
65+	176	11.5	195	1	2	7	14	25	48	82
GRAND TOTAL	**2032**	**5.2**	**56**	**<1**	**1**	**3**	**6**	**11**	**17**	**44**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49										
50-64	2	4.0	2	3	3	4	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	10	2.1	5	<1	<1	1	2	5	8	8
20-34	22	1.8	3	<1	<1	1	2	3	6	9
35-49	6	3.8	17	1	1	2	8	10	10	10
50-64	4	4.3	8	1	1	4	6	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	7	3.7	3	1	1	4	5	6	6	6
65+	5	8.0	71	1	1	7	11	22	22	22
B. *Operated*										
0-19 YRS	39	9.6	137	1	1	5	13	28	33	55
20-34	87	9.0	133	<1	1	5	12	22	31	64
35-49	29	7.7	78	1	1	5	8	23	32	33
50-64	18	8.4	60	1	1	6	9	24	26	26
65+	18	10.1	107	1	1	10	12	16	34	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	4	1	1	3	5	5	5	5
B. *Operated*	42	2.4	6	<1	<1	1	2	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	22	4.1	21	1	1	3	5	7	14	22
B. *Operated*	191	9.0	114	1	1	5	12	23	31	51
1. SINGLE DX	47	2.5	6	<1	<1	1	3	7	8	10
2. MULTIPLE DX	213	8.5	107	1	1	5	10	22	31	49
A. NOT OPERATED	27	3.9	18	1	1	3	5	7	10	22
B. OPERATED	233	7.8	101	1	1	4	9	21	30	48
TOTAL 0-19 YRS	54	7.4	112	1	1	3	8	21	31	54
20-34	115	7.3	110	<1	1	3	9	19	28	54
35-49	37	6.9	65	1	1	4	7	20	29	33
50-64	31	6.5	41	1	1	5	7	14	25	26
65+	23	9.7	96	1	1	9	12	17	30	46
GRAND TOTAL	**260**	**7.4**	**94**	**1**	**1**	**4**	**9**	**20**	**28**	**45**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	3	1	1	2	4	5	6	6
20-34	13	4.6	12	<1	1	3	8	9	10	10
35-49	14	6.1	54	1	1	4	6	18	25	27
50-64	6	4.8	11	1	1	5	7	9	9	9
65+	4	5.5	33	2	2	3	9	14	14	14
B. *Operated*										
0-19 YRS	147	3.0	12	<1	[illegible]	2	3	6	9	19
20-34	212	3.0	7	<1	1	2	4	6	8	14
35-49	90	3.2	25	<1	1	2	3	5	9	34
50-64	54	4.9	49	<1	1	3	5	9	22	36
65+	19	5.6	17	<1	1	5	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	44	<1	<1	2	5	15	23	24
20-34	53	7.0	102	1	1	3	7	16	35	52
35-49	43	9.3	112	1	1	6	9	21	40	47
50-64	32	11.1	232	<1	1	4	12	42	49	51
65+	54	9.6	61	2	2	7	12	20	24	37
B. *Operated*										
0-19 YRS	90	7.1	209	<1	<1	3	7	13	21	83
20-34	231	5.2	98	1	1	3	5	9	15	54
35-49	160	5.3	32	1	1	3	6	13	17	43
50-64	93	5.2	34	1	1	3	6	12	18	31
65+	84	11.2	122	1	2	8	15	30	37	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.8	23	1	1	3	6	9	14	27
B. *Operated*	522	3.3	16	<1	1	2	4	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	202	8.6	109	<1	1	5	10	22	37	50
B. *Operated*	658	6.2	95	1	1	3	7	13	21	47
1. SINGLE DX	570	3.5	17	<1	1	2	4	7	10	21
2. MULTIPLE DX	860	6.8	99	1	1	4	8	15	23	49
A. NOT OPERATED	250	7.8	95	1	1	5	9	19	29	49
B. OPERATED	1180	5.0	62	<1	1	3	5	11	17	42
TOTAL 0-19 YRS	268	4.5	83	<1	<1	2	4	9	15	61
20-34	509	4.4	60	<1	1	2	4	9	11	41
35-49	307	5.3	45	1	1	3	6	12	18	44
50-64	185	6.1	76	<1	1	3	7	13	25	48
65+	161	9.9	90	1	2	7	12	22	31	46
GRAND TOTAL	**1430**	**5.5**	**69**	**<1**	**1**	**3**	**6**	**12**	**19**	**46**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	4.0	5	1	1	4	5	6	8	12
20-34	72	3.2	3	1	1	3	5	5	5	7
35-49	26	3.5	5	1	1	3	5	5	8	11
50-64	5	3.8	4	1	1	4	5	6	6	6
65+	3	7.0	37	3	3	4	11	14	14	14
B. *Operated*										
0-19 YRS	10	4.3	8	<1	<1	4	5	8	11	11
20-34	4	4.0	2	2	2	4	5	5	5	5
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	3.8	5	1	1	4	5	7	8	12
20-34	61	2.9	4	<1	1	3	4	5	6	11
35-49	19	4.1	15	<1	1	3	5	7	13	18
50-64	15	4.1	5	<1	1	4	5	7	8	8
65+	23	3.8	8	1	1	3	4	9	11	12
B. *Operated*										
0-19 YRS	23	4.3	12	1	2	3	5	9	13	15
20-34	24	3.9	16	<1	1	3	5	9	12	18
35-49	10	3.0	3	1	1	3	3	5	7	7
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	4	6.5	54	1	1	4	11	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	263	3.8	5	1	1	4	5	6	7	12
B. *Operated*	17	4.4	7	<1	1	4	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	227	3.6	6	1	1	3	5	7	8	12
B. *Operated*	65	4.0	14	1	1	3	5	8	13	18
1. SINGLE DX	280	3.8	5	1	1	4	5	6	7	12
2. MULTIPLE DX	292	3.7	8	1	1	3	5	7	8	16
A. NOT OPERATED	490	3.7	5	1	1	3	5	6	8	12
B. OPERATED	82	4.1	12	<1	1	3	5	8	11	18
TOTAL 0-19 YRS	299	4.0	6	1	1	4	5	6	8	13
20-34	161	3.2	5	<1	1	3	4	5	7	11
35-49	57	3.7	8	1	1	3	5	6	9	18
50-64	25	3.7	4	<1	1	4	5	7	7	8
65+	30	4.5	16	1	1	3	5	11	14	17
GRAND TOTAL	**572**	**3.7**	**6**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	327	1.5	1	<1	1	1	2	2	3	7
20-34	337	1.9	3	<1	<1	1	2	4	5	9
35-49	142	2.3	4	<1	1	2	3	5	7	10
50-64	83	2.8	6	1	1	2	4	5	7	15
65+	127	3.8	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	75	2.4	4	<1	<1	2	3	5	6	11
20-34	71	2.2	6	<1	<1	1	2	5	6	14
35-49	43	3.0	10	<1	<1	2	3	8	10	15
50-64	21	3.0	13	<1	<1	2	3	7	12	16
65+	26	6.2	41	1	2	4	8	13	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	579	1.9	3	<1	1	1	2	4	5	8
20-34	763	2.6	11	<1	1	2	3	5	7	13
35-49	436	3.5	12	1	1	2	4	8	10	18
50-64	407	4.2	12	1	1	3	6	8	12	16
65+	1516	6.0	24	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	147	3.6	29	<1	1	2	5	6	9	26
20-34	192	3.4	10	<1	1	2	5	7	9	17
35-49	118	4.4	26	<1	1	3	5	11	15	26
50-64	110	7.8	77	1	1	5	8	20	24	46
65+	189	10.0	89	1	2	7	14	23	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1016	2.2	4	<1	1	1	2	4	6	11
B. *Operated*	236	2.9	12	<1	<1	2	3	6	10	15
2. MULTIPLE DX										
A. *Not Operated*	3701	4.2	18	1	1	3	5	9	12	20
B. *Operated*	756	5.9	53	1	1	3	7	14	21	36
1. SINGLE DX	1252	2.3	5	<1	1	1	3	5	6	12
2. MULTIPLE DX	4457	4.5	24	1	1	3	6	10	13	25
A. NOT OPERATED	4717	3.7	16	<1	1	2	5	8	11	19
B. OPERATED	992	5.2	45	<1	1	3	6	12	19	35
TOTAL 0-19 YRS	1128	2.0	6	<1	1	1	2	4	5	10
20-34	1363	2.6	9	<1	<1	2	3	5	7	13
35-49	739	3.4	13	<1	1	2	4	8	10	18
50-64	621	4.6	25	1	1	3	6	9	13	24
65+	1858	6.3	32	1	2	5	8	13	17	30
GRAND TOTAL	**5709**	**4.0**	**21**	**<1**	**1**	**2**	**5**	**9**	**12**	**23**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.4	7	1	1	1	2	7	10	10
20-34	31	1.9	1	<1	1	2	2	3	4	5
35-49	10	5.1	35	1	1	3	5	14	21	21
50-64	4	4.3	42	1	1	1	8	14	14	14
65+										
B. *Operated*										
0-19 YRS	23	4.6	32	<1	1	2	6	15	18	21
20-34	63	4.0	23	<1	1	2	4	10	16	22
35-49	20	6.6	72	<1	1	4	8	17	28	35
50-64	13	4.7	44	1	1	2	4	12	23	25
65+	5	3.4	8	<1	<1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.2	7	<1	1	2	5	8	8	8
20-34	30	3.0	6	<1	<1	2	4	5	6	12
35-49	9	2.8	4	1	1	2	4	6	6	6
50-64	13	3.4	4	<1	1	3	4	6	8	8
65+	3	8.7	34	2	2	11	12	13	13	13
B. *Operated*										
0-19 YRS	54	4.9	55	<1	1	2	6	11	17	48
20-34	105	8.5	217	1	1	4	8	23	29	99
35-49	38	6.4	74	<1	1	3	6	19	25	42
50-64	22	9.7	296	<1	1	3	11	27	56	72
65+	8	13.6	335	2	2	7	15	44	57	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.7	11	1	1	2	3	5	10	20
B. *Operated*	124	4.6	34	<1	1	2	5	12	19	28
2. MULTIPLE DX										
A. *Not Operated*	70	3.3	7	<1	1	3	4	7	8	13
B. *Operated*	227	7.6	167	1	1	3	8	18	27	95
1. SINGLE DX	191	3.9	27	1	1	2	4	10	15	24
2. MULTIPLE DX	297	6.6	132	<1	1	3	6	15	24	83
A. NOT OPERATED	137	3.0	9	<1	1	2	4	6	9	15
B. OPERATED	351	6.5	122	1	1	3	7	16	24	72
TOTAL 0-19 YRS	114	4.1	35	<1	1	2	5	10	16	31
20-34	229	5.6	113	1	1	3	5	14	22	95
35-49	77	5.8	60	1	1	3	6	15	22	40
50-64	52	6.5	144	1	1	2	6	15	24	71
65+	16	9.5	185	<1	1	5	12	15	44	57
GRAND TOTAL	**488**	**5.5**	**93**	**1**	**1**	**2**	**6**	**13**	**21**	**56**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	<1	<1	<1	2	3	3	3
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	8	1.6	2	<1	<1	1	2	4	5	5
20-34	5	1.2		1	1	1	2	2	2	2
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	4	<1	<1	2	4	5	5	5
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.0	7	<1	<1	2	4	7	8	8
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	4	3.3	7	1	1	2	5	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	15	1.7	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	6	2.2	3	<1	<1	1	4	5	5	5
B. *Operated*	15	3.3	7	<1	<1	2	5	8	8	8
1. SINGLE DX	27	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	21	3.0	6	<1	<1	2	4	7	8	8
A. NOT OPERATED	18	1.7	2	<1	<1	1	2	4	5	5
B. OPERATED	30	2.5	5	<1	<1	1	4	6	8	8
TOTAL 0-19 YRS	26	2.1	3	<1	<1	1	3	5	6	8
20-34	14	1.6	1	<1	<1	1	2	3	5	5
35-49	6	3.3	4	1	1	3	4	7	7	7
50-64	2	4.5	25	1	1	4	8	8	8	8
65+										
GRAND TOTAL	**48**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**5**	**7**	**8**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	1.2		<1	<1	1	1	2	2	3
20-34	77	1.3	1	<1	<1	1	1	2	3	5
35-49	76	1.2		<1	<1	1	1	2	2	5
50-64	81	1.5	2	<1	<1	1	1	3	4	9
65+	63	1.6	2	<1	1	1	2	3	4	8
B. *Operated*										
0-19 YRS	185	1.6	2	<1	1	1	2	3	4	7
20-34	26	2.4	6	<1	<1	1	3	7	8	10
35-49	23	2.5	9	<1	<1	1	3	8	10	11
50-64	16	1.8	6	<1	<1	1	1	2	8	11
65+	22	2.0	8	<1	1	1	2	4	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	2.1	6	<1	<1	1	2	3	5	15
20-34	36	2.1	6	<1	<1	1	2	6	9	11
35-49	44	3.6	23	<1	<1	2	4	9	16	21
50-64	67	2.6	7	<1	1	1	3	5	8	15
65+	143	4.2	31	1	1	3	6	8	13	23
B. *Operated*										
0-19 YRS	75	3.3	15	<1	<1	2	4	7	9	22
20-34	30	5.7	26	<1	1	4	9	11	17	22
35-49	15	6.0	53	<1	1	4	8	12	25	29
50-64	46	4.9	16	<1	1	3	8	11	13	14
65+	107	7.1	82	1	1	4	8	19	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	1.3	1	<1	<1	1	1	2	2	5
B. *Operated*	272	1.8	4	<1	1	1	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	395	3.1	18	<1	1	2	3	7	10	20
B. *Operated*	273	5.5	46	<1	1	3	7	12	20	33
1. SINGLE DX	1001	1.4	2	<1	<1	1	1	2	3	7
2. MULTIPLE DX	668	4.1	31	<1	1	2	5	9	14	29
A. NOT OPERATED	1124	1.9	7	<1	<1	1	2	3	6	14
B. OPERATED	545	3.6	28	<1	1	2	4	9	13	29
TOTAL 0-19 YRS	797	1.6	3	<1	<1	1	2	3	4	9
20-34	169	2.4	10	<1	<1	1	2	7	9	16
35-49	158	2.5	15	<1	<1	1	2	6	10	21
50-64	210	2.6	9	<1	<1	1	3	7	9	14
65+	335	4.5	44	1	1	2	5	9	17	35
GRAND TOTAL	**1669**	**2.5**	**15**	**<1**	**<1**	**1**	**2**	**5**	**9**	**20**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	9.0	95	1	1	7	13	24	29	29
20-34	11	7.3	48	1	1	2	14	16	17	17
35-49	3	3.7	6	<1	<1	4	5	6	6	6
50-64	3	12.3	321	1	1	3	25	33	33	33
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	48	6.8	61	1	1	5	8	17	21	45
20-34	40	5.6	34	1	1	4	6	14	18	28
35-49	21	9.3	85	<1	1	5	13	24	30	33
50-64	14	9.4	75	1	2	5	18	24	26	26
65+	10	7.3	40	2	2	5	10	17	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.0	22	<1	1	3	7	11	14	21
20-34	35	7.9	57	<1	1	4	12	20	20	34
35-49	18	8.0	53	1	2	6	9	18	25	30
50-64	18	8.5	113	<1	1	5	8	24	36	41
65+	19	10.9	57	1	2	10	17	22	23	23
B. *Operated*										
0-19 YRS	87	13.2	129	1	2	11	19	31	46	99+
20-34	111	16.0	176	2	3	11	24	36	50	99+
35-49	50	17.7	212	3	4	15	25	39	61	99+
50-64	41	14.8	156	2	3	10	21	30	38	60
65+	52	27.2	326	5	7	23	46	57	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	7.9	77	<1	1	4	13	17	30	33
B. *Operated*	133	7.2	57	1	1	5	8	20	23	35
2. MULTIPLE DX										
A. *Not Operated*	140	7.3	54	1	1	4	10	18	21	35
B. *Operated*	341	17.1	208	2	3	13	25	42	56	99+
1. SINGLE DX	159	7.3	60	1	1	5	9	19	24	33
2. MULTIPLE DX	481	14.2	183	1	2	10	20	36	51	99+
A. NOT OPERATED	166	7.4	57	1	1	4	11	17	22	34
B. OPERATED	474	14.3	185	1	2	10	20	36	51	99+
TOTAL 0-19 YRS	193	9.3	95	1	1	6	13	22	32	99+
20-34	197	11.9	139	1	2	8	17	31	37	83
35-49	92	13.4	166	1	2	9	19	30	39	85
50-64	76	12.2	139	1	1	8	18	28	33	56
65+	82	20.8	297	2	4	17	35	52	58	99+
GRAND TOTAL	**640**	**12.5**	**161**	**1**	**1**	**8**	**18**	**31**	**45**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	3.4	12	1	1	2	4	7	10	19
20-34	77	4.6	25	<1	1	2	7	11	14	26
35-49	37	3.1	14	<1	1	1	3	10	13	15
50-64	18	4.4	13	1	1	3	6	10	13	14
65+	9	4.9	13	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	45	7.7	79	<1	1	4	10	15	27	48
20-34	32	6.6	47	<1	1	3	10	17	23	24
35-49	17	9.6	207	<1	1	4	11	21	46	60
50-64	5	8.8	68	1	1	4	16	20	20	20
65+	2	14.5	313	2	2	14	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	4.2	21	1	1	3	5	10	13	23
20-34	237	4.7	25	1	1	3	6	12	15	24
35-49	129	5.4	30	1	1	3	8	13	17	26
50-64	61	5.6	33	1	1	3	8	11	15	30
65+	93	9.3	100	1	1	5	11	23	33	47
B. *Operated*										
0-19 YRS	110	10.3	110	1	1	7	16	26	29	49
20-34	105	9.3	133	1	1	5	12	21	31	64
35-49	66	12.4	141	1	2	9	19	27	33	60
50-64	42	19.0	428	1	3	11	26	53	87	99+
65+	37	17.8	187	2	3	16	23	36	47	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.8	16	1	1	2	5	9	11	20
B. *Operated*	101	7.9	90	<1	1	4	10	19	25	54
2. MULTIPLE DX										
A. *Not Operated*	830	5.2	36	1	1	3	7	12	17	31
B. *Operated*	360	12.2	177	1	1	8	17	28	39	72
1. SINGLE DX	386	4.8	38	1	1	2	6	11	15	28
2. MULTIPLE DX	1190	7.3	89	1	1	4	9	18	25	47
A. NOT OPERATED	1115	4.8	31	1	1	3	6	11	15	29
B. OPERATED	461	11.2	161	1	1	7	16	27	37	63
TOTAL 0-19 YRS	609	5.4	46	1	1	3	7	13	19	32
20-34	451	5.9	55	1	1	3	8	14	20	31
35-49	249	7.2	80	1	1	4	10	18	23	47
50-64	126	10.0	201	1	1	6	11	26	39	90
65+	141	11.3	134	1	1	7	17	27	35	50
GRAND TOTAL	**1576**	**6.7**	**78**	**1**	**1**	**3**	**9**	**16**	**23**	**46**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	3	<1	<1	1	3	6	7	7
20-34	22	3.6	9	1	1	3	5	8	11	12
35-49	25	4.0	20	1	1	2	4	8	16	20
50-64	5	3.4	3	2	2	3	4	6	6	6
65+	3	11.0	196	<1	<1	5	21	27	27	27
B. *Operated*										
0-19 YRS	64	2.0	2	<1	<1	2	3	3	5	8
20-34	147	1.9	2	<1	<1	1	2	3	4	9
35-49	54	2.7	15	<1	<1	1	3	6	10	24
50-64	21	2.9	17	<1	<1	2	2	5	13	20
65+	8	16.0	741	<1	<1	2	24	64	72	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.2	22	1	1	2	5	12	13	19
20-34	41	7.3	156	<1	1	3	8	19	57	99+
35-49	28	4.9	16	<1	<1	4	6	8	14	20
50-64	30	7.5	49	1	1	6	9	20	21	28
65+	25	12.5	261	2	2	7	15	29	43	78
B. *Operated*										
0-19 YRS	77	6.0	276	1	1	2	4	5	48	84
20-34	154	4.2	41	<1	<1	2	4	10	17	33
35-49	61	5.6	112	<1	1	2	5	10	19	66
50-64	41	7.1	211	<1	1	2	6	18	22	90
65+	25	18.2	431	<1	1	10	33	47	64	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.8	19	1	1	2	4	7	12	25
B. *Operated*	294	2.5	28	<1	<1	1	2	3	7	23
2. MULTIPLE DX										
A. *Not Operated*	151	7.2	107	1	1	4	8	19	25	78
B. *Operated*	358	6.1	160	<1	1	2	4	13	26	71
1. SINGLE DX	366	2.8	27	<1	<1	2	3	5	8	24
2. MULTIPLE DX	509	6.5	144	<1	1	2	6	14	26	73
A. NOT OPERATED	223	6.1	81	1	1	3	7	13	20	65
B. OPERATED	652	4.5	104	<1	<1	2	3	8	16	69
TOTAL 0-19 YRS	185	4.0	121	<1	1	2	3	6	10	74
20-34	364	3.6	39	<1	<1	2	3	8	13	43
35-49	168	4.3	52	<1	<1	2	5	8	13	41
50-64	97	6.1	110	<1	1	3	7	16	21	61
65+	61	15.2	377	<1	1	7	19	46	66	77
GRAND TOTAL	**875**	**4.9**	**98**	**<1**	**<1**	**2**	**4**	**10**	**19**	**69**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	1.8	2	<1	1	1	2	3	5	9
20-34	125	2.5	3	<1	1	2	3	5	6	9
35-49	50	3.9	15	<1	1	2	5	9	11	20
50-64	26	3.2	8	<1	1	2	3	8	10	11
65+	25	3.3	9	<1	1	2	5	8	11	12
B. *Operated*										
0-19 YRS	52	2.7	10	<1	<1	2	3	5	9	19
20-34	98	3.7	18	<1	1	2	4	8	12	23
35-49	35	3.7	29	<1	1	2	4	7	9	32
50-64	17	4.8	21	<1	<1	2	8	12	14	15
65+	12	3.3	8	<1	<1	2	4	7	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	3.3	60	<1	1	2	3	5	7	51
20-34	212	2.8	7	<1	<1	2	4	6	7	16
35-49	135	4.4	12	1	1	3	6	9	11	17
50-64	99	4.2	9	1	1	3	6	8	9	16
65+	200	7.0	32	1	2	5	9	13	20	28
B. *Operated*										
0-19 YRS	85	5.6	42	1	1	4	7	11	17	38
20-34	165	7.6	112	1	1	4	8	17	30	72
35-49	88	8.3	104	<1	1	5	10	21	28	50
50-64	63	10.0	215	<1	1	5	11	19	48	76
65+	42	9.1	66	1	2	7	13	20	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	2.5	6	<1	1	2	3	5	8	11
B. *Operated*	214	3.5	18	<1	<1	2	4	8	11	23
2. MULTIPLE DX										
A. *Not Operated*	816	4.4	28	<1	1	3	5	9	12	24
B. *Operated*	443	7.9	108	1	1	5	9	18	27	59
1. SINGLE DX	579	2.9	10	<1	1	2	3	6	9	18
2. MULTIPLE DX	1259	5.6	59	<1	1	3	7	12	18	44
A. NOT OPERATED	1181	3.8	22	<1	1	2	5	8	11	22
B. OPERATED	657	6.5	83	<1	1	3	8	15	21	55
TOTAL 0-19 YRS	446	3.2	34	<1	1	2	3	6	9	27
20-34	600	4.2	41	<1	1	2	4	8	14	38
35-49	308	5.4	44	<1	1	3	6	11	18	38
50-64	205	5.9	80	1	1	4	7	11	15	60
65+	279	6.8	36	1	1	5	9	13	20	29
GRAND TOTAL	**1838**	**4.7**	**45**	**<1**	**1**	**3**	**5**	**10**	**15**	**34**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1121	1.4	1	<1	<1	1	1	2	3	5
20-34	492	1.9	21	<1	<1	1	2	3	4	14
35-49	193	1.8	2	<1	<1	1	2	3	4	9
50-64	74	2.2	6	<1	<1	1	3	5	6	15
65+	67	3.9	25	<1	1	3	4	7	9	30
B. *Operated*										
0-19 YRS	19	1.6	1	<1	<1	1	2	3	3	3
20-34	15	1.5	1	<1	<1	1	2	3	4	4
35-49	8	2.4	6	<1	<1	1	3	7	8	8
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	8	7.0	72	1	1	4	11	22	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1290	2.9	26	<1	1	2	3	5	8	28
20-34	2059	3.3	23	<1	1	2	4	7	11	22
35-49	1237	4.0	41	<1	1	2	4	8	13	31
50-64	762	4.8	34	1	1	3	5	10	16	24
65+	1134	5.7	23	1	2	4	7	11	15	25
B. *Operated*										
0-19 YRS	60	4.1	45	<1	1	2	4	8	22	35
20-34	144	6.9	128	<1	1	2	8	19	34	72
35-49	67	9.7	271	<1	1	4	10	22	37	88
50-64	81	10.0	225	1	2	5	11	20	43	86
65+	151	12.8	168	2	3	8	16	29	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1947	1.7	7	<1	<1	1	2	3	4	8
B. *Operated*	52	2.7	16	<1	<1	1	3	5	8	25
2. MULTIPLE DX										
A. *Not Operated*	6482	4.0	29	<1	1	2	4	8	13	26
B. *Operated*	503	9.2	172	1	1	5	11	22	37	76
1. SINGLE DX	1999	1.7	8	<1	<1	1	2	3	4	9
2. MULTIPLE DX	6985	4.3	41	<1	1	2	5	9	14	31
A. NOT OPERATED	8429	3.4	25	<1	1	2	4	7	11	24
B. OPERATED	555	8.6	161	1	1	4	10	20	36	72
TOTAL 0-19 YRS	2490	2.2	16	<1	<1	1	2	4	6	22
20-34	2710	3.2	29	<1	<1	2	3	6	11	25
35-49	1505	4.0	48	<1	1	2	4	8	13	32
50-64	919	5.1	51	1	1	3	6	10	16	38
65+	1360	6.4	45	1	2	5	8	13	17	36
GRAND TOTAL	**8984**	**3.7**	**35**	**<1**	**1**	**2**	**4**	**8**	**12**	**29**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	472	1.5	4	<1	<1	1	1	2	3	9
20-34	236	1.8	3	<1	<1	1	2	3	5	9
35-49	92	1.7	2	<1	<1	1	2	3	5	8
50-64	53	2.2	3	<1	1	1	3	4	6	8
65+	27	2.7	10	<1	<1	1	3	9	11	12
B. *Operated*										
0-19 YRS	10	3.6	19	1	1	2	2	11	14	14
20-34	14	2.1	1	<1	<1	2	3	4	4	4
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	5	6.2	24	1	1	5	9	14	14	14
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	2.4	29	<1	1	1	3	4	6	12
20-34	309	2.6	10	<1	<1	1	3	5	10	16
35-49	183	2.8	15	<1	1	2	3	5	8	15
50-64	136	4.0	42	1	1	2	4	7	13	41
65+	115	4.2	27	1	1	2	4	8	11	30
B. *Operated*										
0-19 YRS	22	3.1	19	<1	1	2	3	6	14	20
20-34	24	6.5	49	<1	1	4	8	27	45	99+
35-49	20	9.7	272	1	1	4	12	45	85	99+
50-64	18	10.9	331	1	1	4	9	43	61	64
65+	10	9.0	75	1	1	5	20	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	1.6	3	<1	<1	1	2	3	4	10
B. *Operated*	34	3.2	11	<1	1	2	3	7	13	14
2. MULTIPLE DX										
A. *Not Operated*	989	3.0	22	<1	1	2	3	6	9	24
B. *Operated*	94	7.5	148	1	1	4	8	21	47	99+
1. SINGLE DX	914	1.7	4	<1	<1	1	2	3	4	10
2. MULTIPLE DX	1083	3.4	35	<1	1	2	3	7	10	33
A. NOT OPERATED	1869	2.4	14	<1	<1	1	2	4	7	15
B. OPERATED	128	6.4	115	1	1	3	7	18	27	99+
TOTAL 0-19 YRS	750	1.9	13	<1	<1	1	2	3	5	12
20-34	583	2.4	9	<1	<1	1	3	5	8	16
35-49	299	2.9	31	<1	1	2	3	5	8	35
50-64	212	4.2	60	1	1	2	4	7	12	47
65+	153	4.2	28	1	1	2	4	10	15	28
GRAND TOTAL	**1997**	**2.6**	**21**	**<1**	**1**	**1**	**3**	**5**	**8**	**22**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	1.7	5	<1	1	1	2	3	5	11
20-34	141	1.7	2	<1	1	1	2	3	5	6
35-49	111	1.9	2	<1	<1	1	3	4	5	8
50-64	73	2.1	3	<1	1	1	3	4	7	10
65+	68	2.5	3	<1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	5	15.0	400	<1	<1	1	28	51	51	51
20-34	10	3.7	56	<1	<1	1	2	14	25	25
35-49	15	2.9	11	<1	1	2	3	5	12	14
50-64	9	5.2	57	1	1	3	4	17	25	25
65+	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	2.7	10	<1	1	2	3	6	7	18
20-34	259	3.2	24	1	1	2	3	6	9	24
35-49	267	3.2	18	1	1	2	4	6	8	20
50-64	381	3.7	13	1	1	2	5	8	11	19
65+	783	5.1	17	1	1	4	6	10	13	21
B. *Operated*										
0-19 YRS	37	13.9	651	1	1	4	11	86	99+	99+
20-34	39	8.2	101	1	1	4	10	29	35	99+
35-49	43	12.0	307	<1	1	5	12	35	61	78
50-64	71	10.1	151	1	1	6	11	28	46	90
65+	118	9.0	84	1	2	6	12	20	26	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	630	1.9	3	<1	1	1	2	4	5	9
B. *Operated*	43	4.9	87	<1	1	2	3	15	25	51
2. MULTIPLE DX										
A. *Not Operated*	1963	4.0	17	1	1	3	5	8	11	21
B. *Operated*	308	10.2	200	1	1	6	11	25	46	99+
1. SINGLE DX	673	2.1	9	<1	1	1	2	4	6	13
2. MULTIPLE DX	2271	4.8	46	1	1	3	6	10	15	37
A. NOT OPERATED	2593	3.5	15	1	1	2	4	7	10	19
B. OPERATED	351	9.5	189	1	1	5	11	25	44	99+
TOTAL 0-19 YRS	552	3.2	63	<1	1	1	3	6	9	65
20-34	449	3.2	27	<1	1	2	3	6	10	35
35-49	436	3.7	49	<1	1	2	4	7	10	41
50-64	534	4.4	35	1	1	3	5	9	13	43
65+	973	5.4	27	1	1	4	7	11	15	25
GRAND TOTAL	**2944**	**4.2**	**39**	**1**	**1**	**2**	**5**	**9**	**13**	**33**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.0	4	<1	1	3	4	6	8	9
20-34	58	4.2	12	<1	<1	3	5	9	11	15
35-49	41	5.0	25	<1	1	3	7	10	16	26
50-64	34	5.3	17	<1	1	4	8	11	13	15
65+	67	5.7	43	1	1	3	8	13	22	32
B. *Operated*										
0-19 YRS	234	3.6	12	<1	1	2	4	8	10	20
20-34	392	3.9	19	<1	<1	2	5	9	12	23
35-49	363	4.6	22	<1	<1	3	6	11	15	23
50-64	512	6.6	42	<1	1	4	9	15	19	33
65+	892	7.2	67	1	1	4	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	5.1	48	<1	1	3	6	11	18	40
20-34	144	5.7	49	<1	1	4	6	12	18	38
35-49	132	6.2	36	<1	1	4	7	13	22	28
50-64	166	6.3	35	1	1	5	9	12	16	35
65+	345	7.8	81	1	1	5	10	17	28	54
B. *Operated*										
0-19 YRS	487	7.2	78	1	1	5	8	16	24	45
20-34	684	6.8	70	1	1	4	8	16	23	42
35-49	900	7.6	78	1	1	4	10	18	25	46
50-64	1606	9.1	122	1	1	5	12	21	30	59
65+	2931	10.3	126	1	2	7	14	24	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	4.7	23	<1	1	3	6	11	13	26
B. *Operated*	2393	5.8	44	<1	1	3	8	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	892	6.6	57	1	1	4	8	14	21	41
B. *Operated*	6808	9.0	111	1	1	5	12	21	30	55
1. SINGLE DX	2631	5.7	42	<1	1	3	8	13	17	30
2. MULTIPLE DX	7700	8.8	106	1	1	5	11	21	29	54
A. NOT OPERATED	1130	6.2	51	1	1	4	8	13	19	37
B. OPERATED	9201	8.2	96	1	1	5	11	19	27	50
TOTAL 0-19 YRS	864	5.8	56	<1	1	3	7	12	20	39
20-34	1278	5.7	51	<1	1	3	7	13	19	38
35-49	1436	6.7	60	<1	1	4	9	15	22	40
50-64	2518	8.3	100	1	1	5	11	19	27	50
65+	4235	9.4	111	1	1	6	12	21	30	57
GRAND TOTAL	**10331**	**8.0**	**91**	**1**	**1**	**5**	**10**	**18**	**27**	**49**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	1.5	1	<1	<1	1	2	3	3	5
20-34	137	2.2	3	<1	1	2	3	4	5	8
35-49	84	2.2	2	1	1	2	3	5	5	7
50-64	104	2.6	3	1	1	2	4	4	5	9
65+	156	2.9	3	1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS	163	1.5	2	<1	<1	1	2	2	4	9
20-34	211	2.4	4	<1	1	2	3	5	7	9
35-49	108	2.7	6	<1	1	2	3	6	9	12
50-64	61	3.2	6	1	1	2	4	6	8	13
65+	58	4.2	25	1	1	3	5	7	12	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.4	3	<1	1	2	3	6	7	7
20-34	73	3.2	10	1	1	2	4	5	9	20
35-49	57	3.2	7	<1	1	3	4	6	8	16
50-64	112	3.5	7	1	1	3	4	7	10	13
65+	247	4.4	18	1	1	3	5	7	10	23
B. *Operated*										
0-19 YRS	40	3.3	14	<1	1	1	4	9	12	16
20-34	103	3.6	11	1	1	3	5	7	11	17
35-49	76	4.4	27	<1	1	3	6	10	11	32
50-64	81	5.6	36	1	1	4	7	12	19	32
65+	168	7.1	48	1	1	5	10	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	599	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	601	2.5	7	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	518	3.8	13	1	1	3	5	7	9	17
B. *Operated*	468	5.3	34	1	1	3	7	12	15	30
1. SINGLE DX	1200	2.4	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	986	4.5	23	1	1	3	6	10	13	23
A. NOT OPERATED	1117	3.0	8	1	1	2	4	6	7	13
B. OPERATED	1069	3.7	21	<1	1	2	4	8	12	21
TOTAL 0-19 YRS	350	1.8	3	<1	<1	1	2	3	5	10
20-34	524	2.7	6	<1	1	2	3	5	7	15
35-49	325	3.1	11	<1	1	2	4	6	9	13
50-64	358	3.7	13	1	1	3	4	7	10	20
65+	629	4.7	25	1	1	3	5	10	14	26
GRAND TOTAL	**2186**	**3.3**	**14**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	4.5	16	<1	1	4	6	8	10	26
20-34	131	4.6	7	1	2	4	6	8	10	14
35-49	90	4.6	9	1	2	4	6	8	10	16
50-64	61	5.9	15	1	2	5	7	11	14	18
65+	62	8.6	30	2	3	7	11	16	20	27
B. *Operated*										
0-19 YRS	50	9.0	77	1	2	6	10	18	25	53
20-34	113	7.0	35	1	2	6	8	14	19	33
35-49	80	6.2	29	1	2	5	8	12	15	32
50-64	76	9.8	133	1	1	5	13	22	36	62
65+	71	11.0	136	1	2	6	12	27	32	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	5.3	16	1	2	5	6	12	12	21
20-34	138	6.1	22	2	2	5	7	13	17	22
35-49	137	7.5	35	2	2	6	9	15	19	35
50-64	168	8.8	100	2	3	6	11	17	22	48
65+	257	8.7	49	2	3	7	11	17	23	40
B. *Operated*										
0-19 YRS	58	9.5	58	1	2	8	12	21	28	34
20-34	182	10.4	76	2	3	8	14	20	23	46
35-49	165	11.1	123	2	2	8	13	26	38	71
50-64	240	14.4	187	2	3	10	18	32	44	66
65+	304	16.9	209	3	3	12	23	36	45	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	5.4	16	1	2	4	7	10	14	20
B. *Operated*	390	8.4	79	1	2	6	10	19	25	48
2. MULTIPLE DX										
A. *Not Operated*	773	7.7	51	2	2	6	10	15	20	37
B. *Operated*	949	13.5	161	2	3	10	17	30	41	63
1. SINGLE DX	796	6.8	49	1	2	5	8	14	19	39
2. MULTIPLE DX	1722	10.9	120	2	3	7	13	23	33	58
A. NOT OPERATED	1179	6.9	40	2	2	5	8	14	18	28
B. OPERATED	1339	12.0	142	2	2	8	15	27	38	59
TOTAL 0-19 YRS	243	6.9	43	1	2	5	9	13	20	31
20-34	564	7.3	44	2	2	5	9	15	19	34
35-49	472	8.0	65	1	2	6	10	16	23	45
50-64	545	11.0	143	2	2	7	14	23	36	59
65+	694	12.5	141	2	3	8	16	28	37	59
GRAND TOTAL	**2518**	**9.6**	**101**	**2**	**2**	**6**	**12**	**21**	**29**	**51**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.3	106	<1	<1	2	3	7	8	64
20-34	80	3.9	10	<1	1	3	5	7	10	15
35-49	80	3.9	9	<1	1	3	5	8	11	13
50-64	79	5.3	12	1	1	5	7	11	13	14
65+	61	4.9	17	1	1	4	6	10	13	23
B. *Operated*										
0-19 YRS	66	2.7	8	<1	<1	2	3	7	8	15
20-34	135	4.7	24	<1	1	3	6	10	15	26
35-49	115	5.6	44	<1	1	4	7	10	15	39
50-64	129	5.0	24	<1	1	3	7	12	15	22
65+	130	5.3	29	1	1	4	8	11	15	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	4.1	25	<1	1	2	5	10	12	31
20-34	181	4.3	16	1	1	3	5	9	11	24
35-49	198	4.6	15	1	1	4	6	10	13	20
50-64	243	6.5	66	1	1	4	8	13	17	32
65+	340	6.3	39	1	1	5	8	12	16	35
B. *Operated*										
0-19 YRS	95	6.4	80	<1	<1	4	8	14	22	88
20-34	254	7.5	87	1	1	5	9	16	24	47
35-49	296	9.7	128	1	2	7	12	22	28	85
50-64	444	10.7	143	1	1	7	13	25	37	63
65+	591	11.4	155	1	2	7	15	26	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	4.5	22	<1	1	3	6	9	12	15
B. *Operated*	575	4.9	28	<1	1	3	6	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	1029	5.5	37	1	1	4	7	12	14	28
B. *Operated*	1680	10.0	135	1	1	7	12	23	34	70
1. SINGLE DX	912	4.7	26	<1	1	3	6	10	13	24
2. MULTIPLE DX	2709	8.3	102	1	1	5	10	18	26	62
A. NOT OPERATED	1366	5.3	33	1	1	4	7	11	13	24
B. OPERATED	2255	8.7	113	1	1	5	11	20	28	63
TOTAL 0-19 YRS	265	4.6	53	<1	<1	2	5	10	14	59
20-34	650	5.6	47	1	1	4	7	12	16	33
35-49	689	6.9	74	1	1	5	8	15	22	52
50-64	895	8.3	99	1	1	5	10	18	26	57
65+	1122	8.8	105	1	1	6	11	19	28	62
GRAND TOTAL	**3621**	**7.4**	**85**	**1**	**1**	**5**	**9**	**16**	**23**	**55**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	4	1	1	2	3	6	7	7
20-34	6	4.8	21	1	1	3	7	12	13	13
35-49	9	4.8	54	1	1	2	4	16	24	24
50-64	2	12.5	145	4	4	12	21	21	21	21
65+	4	4.5	20	1	1	3	7	11	11	11
B. *Operated*										
0-19 YRS	2	15.5	313	3	3	15	28	28	28	28
20-34										
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.9	4	<1	<1	2	4	7	7	7
20-34	35	3.9	15	1	1	3	5	8	14	17
35-49	24	5.5	13	1	1	5	7	10	12	16
50-64	28	4.8	18	1	1	3	7	10	13	18
65+	36	3.8	7	1	1	4	5	7	9	11
B. *Operated*										
0-19 YRS	5	4.4	9	2	2	3	7	9	9	9
20-34	4	2.8	3	<1	<1	2	4	5	5	5
35-49	17	11.0	229	1	1	5	14	50	84	99+
50-64	17	7.2	19	2	3	6	10	14	16	17
65+	20	12.7	264	2	2	7	13	33	56	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.4	30	1	1	2	4	11	20	24
B. *Operated*	6	8.5	96	2	2	5	8	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	140	4.2	12	1	1	3	6	9	11	17
B. *Operated*	63	9.4	156	1	2	6	11	23	48	96
1. SINGLE DX	39	5.0	40	1	1	3	5	12	23	28
2. MULTIPLE DX	203	5.8	62	1	1	4	7	12	16	64
A. NOT OPERATED	173	4.2	16	1	1	3	5	9	12	20
B. OPERATED	69	9.4	149	1	2	6	11	24	43	94
TOTAL 0-19 YRS	36	3.7	22	<1	1	2	4	7	8	28
20-34	45	3.9	15	<1	1	3	5	8	13	17
35-49	52	7.2	93	1	1	5	8	18	28	99
50-64	48	5.9	24	1	1	4	9	12	17	21
65+	61	6.8	106	1	1	4	7	12	18	66
GRAND TOTAL	**242**	**5.7**	**59**	**1**	**1**	**4**	**7**	**12**	**17**	**61**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	1.0		<1	<1	<1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	23	1.7	1	<1	<1	1	2	3	4	4
20-34	2167	1.3	1	<1	<1	1	1	2	3	4
35-49	1119	1.2		<1	<1	<1	1	2	3	4
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	26	1.3	1	<1	<1	<1	1	2	3	7
35-49	13	1.1		<1	<1	<1	<1	1	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	9	1.0		<1	<1	1	1	1	1	1
20-34	932	1.7	2	<1	<1	1	2	3	4	6
35-49	501	1.6	2	<1	<1	1	2	3	4	6
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.3	1	<1	<1	1	1	2	5	5
B. *Operated*	3316	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	40	1.2	1	<1	<1	<1	1	2	2	7
B. *Operated*	1445	1.6	2	<1	<1	1	2	3	4	6
1. SINGLE DX	3328	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	1485	1.6	2	<1	<1	1	2	3	4	6
A. NOT OPERATED	52	1.3	1	<1	<1	<1	1	2	2	7
B. OPERATED	4761	1.4	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	32	1.5	1	<1	<1	1	2	3	4	4
20-34	3136	1.4	1	<1	<1	1	1	2	3	5
35-49	1634	1.4	1	<1	<1	1	1	2	3	5
50-64	6	1.2		<1	<1	1	1	2	2	2
65+	5	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	**4813**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	7.0		7	7	7	7	7	7	7
1000-1499										
1500-1749	3	17.3	46	12	12	15	22	25	25	25
1750-2499	1604	2.5	3	1	1	2	3	4	5	9
2500+	112808	2.2	1	1	1	2	3	4	4	6
B. *Operated*										
1-999 G										
1000-1499	1	48.0		48	48	48	48	48	48	48
1500-1749										
1750-2499	3	9.0	31	3	3	10	13	14	14	14
2500+	43	3.1	5	1	2	3	4	5	6	15
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	15	61.5	397	36	39	65	88	99	99+	99+
1000-1499	127	38.1	196	18	23	36	44	59	64	77
1500-1749	223	22.3	80	10	12	21	27	34	38	49
1750-2499	4706	6.1	33	1	2	4	8	14	17	28
2500+	60438	3.1	4	1	1	3	4	5	6	9
B. *Operated*										
1-999 G	74	73.9	432	40	52	86	99+	99+	99+	99+
1000-1499	220	48.0	349	17	27	48	63	91	99+	99+
1500-1749	169	30.9	176	12	16	29	36	48	57	99
1750-2499	787	16.2	147	2	5	13	22	31	39	83
2500+	1728	7.2	69	1	2	5	8	14	20	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114416	2.2	2	1	1	2	3	4	4	6
B. *Operated*	47	4.4	50	1	2	3	4	6	14	48
2. MULTIPLE DX										
A. *Not Operated*	65509	3.5	11	1	1	3	4	5	7	17
B. *Operated*	2978	15.6	341	2	2	8	21	45	69	99+
1. SINGLE DX	114463	2.2	2	1	1	2	3	4	4	6
2. MULTIPLE DX	68487	4.0	32	1	1	3	4	6	9	31
A. NOT OPERATED	179925	2.7	5	1	1	2	3	4	5	10
B. OPERATED	3025	15.4	339	1	2	8	20	45	68	99+
TOTAL 1-999 G	90	71.1	485	30	47	85	99+	99+	99+	99+
1000-1499	348	44.4	314	17	24	43	59	77	99+	99+
1500-1749	395	26.0	139	11	13	25	32	40	48	76
1750-2499	7100	6.4	53	1	1	4	8	15	20	36
2500+	175017	2.6	3	1	1	2	3	4	5	8
GRAND TOTAL	**182950**	**2.9**	**14**	**1**	**1**	**2**	**3**	**5**	**6**	**15**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	4	17.8	102	9	9	16	26	30	30	30
1750-2499	249	3.8	5	1	2	3	4	5	6	14
2500+	969	3.6	3	1	2	3	5	5	6	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	57.3	1080	21	21	66	80	85	85	85
1000-1499	34	31.6	159	10	18	31	38	43	58	70
1500-1749	75	24.3	105	14	15	22	28	38	39	70
1750-2499	792	8.6	43	2	3	6	12	17	20	34
2500+	815	4.5	5	2	2	4	5	7	8	13
B. *Operated*										
1-999 G	4	67.0	414	53	54	99+	99+	99+	99+	99+
1000-1499	51	54.4	332	26	33	57	69	96	99+	99+
1500-1749	64	33.6	257	11	12	32	42	54	60	90
1750-2499	126	15.9	98	2	5	16	22	27	31	50
2500+	25	6.5	19	2	3	5	7	11	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1222	3.7	4	1	2	3	5	5	6	11
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1719	7.8	64	2	2	5	9	17	24	38
B. *Operated*	270	27.3	446	4	5	23	42	64	94	99+
1. SINGLE DX	1223	3.7	4	1	2	3	5	5	6	11
2. MULTIPLE DX	1989	10.5	160	2	3	5	12	25	38	75
A. NOT OPERATED	2941	6.1	43	2	2	4	6	13	19	35
B. OPERATED	271	27.2	446	4	5	23	42	64	94	99+
TOTAL 1-999 G	7	62.9	594	24	43	91	99+	99+	99+	99+
1000-1499	85	45.2	386	20	23	43	62	81	99+	99+
1500-1749	143	28.3	195	12	14	25	36	46	55	79
1750-2499	1167	8.3	51	2	2	5	11	18	23	35
2500+	1810	4.0	4	2	2	4	5	6	7	12
GRAND TOTAL	**3212**	**7.9**	**111**	**2**	**2**	**4**	**7**	**18**	**29**	**64**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	8	1.8	1	1	1	2	2	3	4	4
2500+	259	1.8	1	<1	<1	2	2	3	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	30.0	68	21	21	29	35	41	41	41
1500-1749	3	16.0	67	9	9	14	22	25	25	25
1750-2499	36	6.1	25	1	1	4	9	14	16	18
2500+	149	3.2	9	1	1	2	4	6	7	9
B. *Operated*										
1-999 G										
1000-1499	2	51.5	85	45	45	51	58	58	58	58
1500-1749	3	37.3	190	27	27	32	48	53	53	53
1750-2499	9	11.3	51	2	2	12	14	22	24	24
2500+	24	6.8	43	1	1	5	10	15	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	1.8	1	<1	<1	2	2	3	4	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	192	4.5	31	1	1	3	5	9	14	31
B. *Operated*	38	12.6	204	1	1	7	14	30	50	58
1. SINGLE DX	267	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	230	5.9	68	1	1	3	6	13	24	47
A. NOT OPERATED	459	3.0	15	<1	1	2	3	6	8	25
B. OPERATED	38	12.6	204	1	1	7	14	30	50	58
TOTAL 1-999 G										
1000-1499	6	37.2	181	21	22	35	45	57	58	58
1500-1749	6	26.7	239	9	9	26	32	51	53	53
1750-2499	53	6.3	33	1	1	4	10	14	18	24
2500+	432	2.6	8	<1	1	2	3	5	6	14
GRAND TOTAL	**497**	**3.7**	**36**	**<1**	**1**	**2**	**3**	**7**	**13**	**32**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	<1	<1	2	2	3	4	4
20-34	8	4.9	88	<1	<1	1	3	21	28	28
35-49	8	1.4		<1	<1	1	2	2	2	2
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	539	1.8	2	<1	<1	1	2	3	4	8
20-34	914	2.0	3	<1	<1	1	2	4	5	7
35-49	446	2.0	2	<1	<1	1	3	4	5	7
50-64	291	2.2	3	<1	<1	2	3	4	5	9
65+	212	3.0	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	7	1.6	2	<1	<1	<1	1	4	5	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	6	4.3	23	1	1	2	10	11	11	11
B. *Operated*										
0-19 YRS	178	2.3	8	<1	<1	2	3	4	6	16
20-34	247	3.8	33	<1	<1	2	4	7	14	32
35-49	145	3.2	13	<1	<1	2	4	6	8	18
50-64	117	3.9	30	<1	1	3	4	7	10	39
65+	154	5.6	56	1	1	4	7	11	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.4	23	<1	<1	1	2	3	4	28
B. *Operated*	2402	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	23	2.1	8	<1	<1	1	2	6	10	11
B. *Operated*	841	3.7	29	<1	<1	2	4	7	11	29
1. SINGLE DX	2434	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	864	3.7	29	<1	<1	2	4	7	11	29
A. NOT OPERATED	55	2.3	16	<1	<1	1	2	4	9	27
B. OPERATED	3243	2.5	10	<1	<1	2	3	5	6	15
TOTAL 0-19 YRS	733	1.9	3	<1	<1	1	2	3	5	8
20-34	1176	2.4	10	<1	<1	2	3	4	6	16
35-49	601	2.3	5	<1	<1	2	3	4	6	9
50-64	415	2.7	11	<1	<1	2	3	5	6	15
65+	373	4.1	29	<1	1	3	5	8	11	21
GRAND TOTAL	**3298**	**2.5**	**10**	**<1**	**<1**	**2**	**3**	**5**	**6**	**15**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	3.0	12	<1	<1	1	5	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.7		1	1	2	2	2	2	2
65+	6	4.3	21	<1	<1	2	8	12	12	12
B. *Operated*										
0-19 YRS	4	3.8	10	<1	<1	3	6	8	8	8
20-34	8	2.5	2	<1	<1	2	4	5	5	5
35-49	17	2.8	9	<1	<1	1	3	7	10	12
50-64	15	2.5	4	<1	<1	2	3	7	7	7
65+	19	3.8	16	<1	<1	2	6	9	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	4	3.3	8	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	10	3.3	14	<1	<1	2	3	10	12	12
B. *Operated*	63	3.0	9	<1	<1	2	4	7	9	15
1. SINGLE DX	5	2.8	7	<1	<1	1	5	7	7	7
2. MULTIPLE DX	73	3.1	9	<1	<1	2	4	7	11	14
A. NOT OPERATED	11	3.1	13	<1	<1	2	3	10	12	12
B. OPERATED	67	3.0	9	<1	<1	2	4	7	8	14
TOTAL 0-19 YRS	4	3.8	10	<1	<1	3	6	8	8	8
20-34	8	2.5	2	<1	<1	2	4	5	5	[illegible]
35-49	21	2.8	9	<1	<1	1	3	7	9	12
50-64	20	2.4	3	<1	<1	2	3	5	7	7
65+	25	3.9	16	<1	<1	2	6	11	13	15
GRAND TOTAL	**78**	**3.1**	**9**	**<1**	**<1**	**2**	**4**	**7**	**10**	**14**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	697	1.8	4	<1	<1	1	2	3	5	9
20-34	973	2.7	23	<1	<1	1	2	6	10	18
35-49	363	2.7	20	<1	<1	1	3	5	10	21
50-64	408	1.9	3	<1	<1	1	2	4	5	7
65+	329	2.2	5	<1	<1	1	2	5	7	12
B. *Operated*										
0-19 YRS	445	2.3	6	<1	<1	1	2	6	8	11
20-34	1090	2.6	8	<1	<1	1	3	6	8	14
35-49	683	3.6	14	<1	<1	2	5	8	11	16
50-64	510	3.5	11	<1	<1	2	5	9	10	14
65+	385	4.4	17	<1	<1	2	7	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1799	2.4	14	<1	<1	1	3	5	6	19
20-34	1585	3.8	45	<1	<1	2	4	6	12	39
35-49	1847	3.5	29	<1	1	2	4	7	11	32
50-64	4030	3.8	38	1	1	2	4	7	11	33
65+	4289	5.5	66	1	1	3	5	12	21	46
B. *Operated*										
0-19 YRS	561	4.1	47	<1	<1	2	4	9	14	52
20-34	1149	4.4	59	<1	<1	2	5	8	13	48
35-49	1165	4.9	43	<1	1	3	6	10	14	30
50-64	1663	5.9	62	1	1	4	7	11	17	45
65+	1558	7.4	83	<1	1	5	9	16	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2770	2.3	13	<1	<1	1	2	4	7	16
B. *Operated*	3113	3.1	11	<1	<1	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	13550	4.1	44	<1	1	2	4	8	14	38
B. *Operated*	6096	5.6	63	<1	1	3	7	12	18	45
1. SINGLE DX	5883	2.7	12	<1	<1	1	3	7	9	15
2. MULTIPLE DX	19646	4.6	51	<1	1	2	5	10	16	40
A. NOT OPERATED	16320	3.8	39	<1	1	2	4	7	12	36
B. OPERATED	9209	4.8	47	<1	<1	2	6	10	14	38
TOTAL 0-19 YRS	3502	2.6	17	<1	<1	1	3	5	8	20
20-34	4797	3.4	36	<1	<1	2	4	7	10	33
35-49	4058	3.9	30	<1	1	2	5	8	11	27
50-64	6611	4.2	41	<1	1	2	5	8	12	35
65+	6561	5.7	65	1	1	3	6	13	21	45
GRAND TOTAL	**25529**	**4.2**	**42**	**<1**	**<1**	**2**	**5**	**9**	**13**	**37**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever